



2025 년 처방집

(보장되는 의약품 목록)

다음 사항을 읽어 보십시오: 이 문서에는 본 플랜에서 다루는 의약품에 대한 정보가 포함되어 있습니다.

처방집 ID 00025204, 버전 11

본 처방집은 2025 년 04 월 01 일에 업데이트되었습니다. 더 자세한 최신 정보가 필요하시거나 기타문의 사항이 있으시면, Clever Care Health Plan 회원 서비스에 **1-833-808-8164 (TTY: 711)**로 연락해 주십시오. 10 월 1 일부터 3 월 31 일까지는 매주 7 일 오전 8 시 ~ 오후 8 시 사이에, 그리고 4 월 1 일부터 9 월 30 일까지는 평일 오전 8 시 ~ 오후 8 시 사이에 연락하실 수 있습니다. 또는 ko.clevercarehealthplan.com/formulary 를 방문해 주십시오.

기존 회원님께 드리는 말씀: 이 처방집은 작년 이후로 변경되었습니다. 이 문서를 검토하여 귀하께서 복용하시는 약품들이 여전히 포함되어 있는지 확인하십시오.

본 의약품 목록에서 “당사”, “당사를” 또는 “당사의”를 지칭하는 경우, 이는 Clever Care Health Plan 을 의미합니다. 본 의약품 목록에서 “플랜”, “당사의 플랜” 또는 “귀하의 플랜”을 지칭하는 경우, 이는 Clever Care Longevity (HMO), Clever Care Value (HMO), 또는 Clever Care Total+ (HMO C-SNP)를 의미합니다.

이 문서에는 2025 년 04 월 01 일 현재의 최신 플랜에 대한 의약품 목록(처방집)이 포함되어 있습니다. 업데이트된 의약품 목록(처방집)은 당사에 문의하십시오. 당사의 연락처 정보는 의약품 목록(처방집)을 마지막으로 업데이트한 날짜와 함께 앞표지와 뒤표지에 표시되어 있습니다.

귀하의 처방약 혜택을 사용하시려면 일반적으로 네트워크에 소속된 약국을 이용하셔야 합니다. 혜택, 처방집, 약국 네트워크 및/또는 코페이먼트/코인슈어스는 2025 년 1 월 1 일에, 그리고 연중 수시로 변경될 수 있습니다.

Clever Care 처방집이란 무엇입니까?

이 문서에서는 의약품 목록과 처방집이라는 용어를 동일한 의미로 사용합니다. 처방집은 Clever Care 가 의료 서비스 제공자 팀과 협의하여 선별한 보장되는 의약품의 목록으로, 품질 치료 프로그램의 필수

부분으로 간주되는 처방 요법을 의미합니다. 당사는 일반적으로 의약품이 의학적으로 필요하고 처방전이 Clever Care 의 네트워크 소속 약국에서 조제되며 기타 플랜 규칙을 따르는 한 당사 처방집에 나열된 의약품을 보장합니다. 처방약을 받는 방법에 대한 자세한 내용은 보장 범위 증명서(Evidence of Coverage)를 검토하십시오.

처방집에 변경이 있을 수 있습니까?

대부분의 의약품 보장 변경은 1 월 1 일에 이루어지지만, 당사는 연중 의약품 목록에서 의약품을 추가 또는 제거하거나, 다른 비용 부담 계층으로 이전하거나, 새로운 제한을 추가할 수 있습니다. 당사는 이러한 변경을 함에 있어서 메디케어의 규칙을 따라야 합니다. 처방집에 대한 업데이트는 매일 당사의 웹사이트에 게시됩니다: ko.clevercarehealthplan.com/formulary

올해 귀하에게 영향을 줄 수 있는 변경 사항: 아래에 해당되는 경우, 해당 연도의 보장 변경에 의한 영향을 받게 됩니다.

- **특정 새로운 버전의 브랜드 약품 및 오리지널 바이오 의약품의 즉각적인 대체.** 당사는 의약품이 동일하거나 더 낮은 비용 부담 계층에 속하며, 동일하거나 더 적은 제한 사항이 있는 특정 새 버전으로 대체되는 경우 해당 의약품을 처방집에서 즉시 제거할 수 있습니다. 당사의 처방집에 새로운 버전의 의약품을 추가하는 경우, 브랜드 약품 또는 오리지널 바이오 의약품은 당사의 처방집에 계속 기재하되 즉시 다른 비용 부담 계층으로 이동하거나 새로운 제한 사항을 추가할 수 있습니다.

브랜드 의약품의 새로운 일반 버전을 추가하거나 이미 처방집에 등재된 오리지널 바이오 의약품의 특정 새로운 바이어시밀러 버전을 추가하는 경우(예: 새로운 처방전 없이 약국 오리지널 바이오 의약품을 대체할 수 있는 상호 교환 가능한 바이오시밀러를 추가하는 경우)에만 이러한 즉각적인 변경이 있을 수 있습니다.

귀하가 현재 브랜드 의약품 또는 오리지널 바이오 의약품을 복용하고 계신 경우, 당사는 즉시 변경을 하기 전 미리 귀하에게 알리지 않을 수 있지만, 당사가 실행한 특정 변경 사항에 대한 정보를 추후 제공해 드릴 것입니다.

당사가 이러한 변경을 하는 경우, 귀하 또는 귀하의 처방자는 당사에 예외를 요청하고 변경되는 의약품에 대한 보장을 계속 받을 수 있습니다. 자세한 내용은 아래의 “Clever Care 처방집에 대한 예외를 어떻게 요청합니까?” 섹션을 참조하십시오.

이러한 의약품 유형 중 일부는 귀하에게 새로울 수 있습니다. 자세한 내용은 아래의 “오리지널 바이오 의약품은 무엇이며 바이오시밀러와 어떤 관련이 있습니까?” 섹션을 참조하십시오.

- **시장에서 단종된 의약품.**

미국 식품의약국이 처방집에 있는 의약품이 안전하지 않다고 판단하거나 의약품 제조업체가 시장에서 해당 의약품을 단종하는 경우, 당사는 즉시 처방집에서 해당 의약품을 제거하고 해당 의약품을 복용하시는 회원에게 이에 대한 통지를 제공할 것입니다.

- **기타 변경.**

현재 의약품을 복용 중인 회원에게 영향을 미치는 다른 변경 사항이 있을 수 있습니다. 예를 들어, 현재 처방집에 등재되어 있는 브랜드 의약품을 대체하기 위해 새로운 일반(제네릭) 의약품을 추가하거나, 현재 처방집에 등재된 기존 바이오 의약품을 대체하기 위해 새로운 바이오시밀러를 추가하거나, 새로운 제한 사항을 추가하거나, 처방집에 있는 의약품을 더 높은 비용 분담 계층으로 이동하거나, 해당 의약품을 추가한 후 둘 다를 수행할 수 있습니다. 당사는 동등한 일반 의약품을 추가할 때 처방집에서 브랜드 의약품을 삭제하거나, 바이오시밀러를 추가할 때 오리지널 바이오 의약품을 삭제할 수 있습니다. 또한 브랜드 이름 의약품 또는 오리지널 바이오 의약품에 새로운 제한을 적용하거나, 다른 비용 분담 계층으로 이동하건, 또는 둘 다를 적용할 수 있습니다. 새로운 임상 지침에 따라 새로운 변경 사항이 있을 수 있습니다. 당사의 처방집에서 의약품을 제거하거나, 의약품에 대한 사전 승인, 수량 제한 및/또는 단계적 치료 제한을 추가하거나, 의약품을 더 높은 비용 분담 계층으로 이동하는 경우, 당사는 변경 사항의 효력이 발생하기 최고 30 일 전에 영향을 받는 회원님께 변경 사항을 통지해야 합니다. 또는 회원님께서 의약품 리필을 요청하는 경우 의약품의 30 일 공급량 및 변경 통지를 받을 수 있습니다.

당사가 이러한 변경을 하는 경우, 귀하 또는 귀하의 처방자는 당사에 예외를 요청하고 변경되는 의약품에 대한 보장을 계속 받을 수 있습니다. 당사가 제공하는 통지에는 예외를 요청하는 방법에 대한 정보가 포함되어 있으며, 아래의 “Clever Care 처방집에 대한 예외를 어떻게 요청합니까?” 섹션에서도 관련 정보를 찾으실 수 있습니다.

현재 약을 복용하시는 경우, 귀하에게 영향을 미치지 않는 변경.

일반적으로 귀하께서 연초에 보장된 2025 년 처방집의 약을 복용하시는 경우, 당사는 위에 설명된 경우들을 제외하고 2025 년 보장 연도 중에 의약품의 보장을 중단하거나 축소하지 않습니다. 이는 해당 의약품을 복용하시는 회원은 남은 보장 연도 동안 새로운 제약사항 없이 동일한 비용 분담으로 계속 이용할 수 있다는 것을 의미합니다. 올해 귀하에게 영향이 없는 변경 사항에 대해서는 귀하께 직접 알리지 않습니다. 하지만 내년 1 월 1 일에 이와 같은 변경 사항이 귀하에게 영향을 주기 때문에 새로운 혜택 연도의 의약품 목록을 보고 의약품 변경 사항이 있는지 확인하는 것이 중요합니다.

동봉된 처방집은 2025 년 04 월 01 일 현재 최신 상태입니다. Clever Care 에서 보장하는 의약품에 대한 최신 정보를 얻으려면 당사에 연락 해주십시오. 당사의 연락처 정보는 앞표지와 뒤표지에 명시되어 있습니다. 연중 비정기로 이루어지는 처방집 변경의 경우, 당사는 당사의 웹사이트에 모든 통지를 게시하고 변경 사항이 적용되기 30 일 전에 당사는 귀하께 통지를 보내 드릴 것입니다.

처방집은 어떻게 사용합니까?

처방집에서 귀하의 의약품을 찾는 방법에는 다음 두 가지가 있습니다:

의학적 상태

처방집은 3 페이지에서 시작됩니다. 이 처방집의 의약품은 치료에 사용되는 의학적 상태의 유형에 따라 여러 범주로 분류됩니다. 예를 들어, 심장 질환을 치료하는 데 사용되는 약은 “심혈관계(Cardiovascular Agents)” 범주에 나열됩니다. 귀하의 의약품이 어떤 치료를 위해 사용되는지

알고 있는 경우, 1 페이지에서 시작하는 목록에서 해당 범주의 이름을 찾으십시오. 그 다음 해당 의약품의 범주 이름 아래를 보십시오.

알파벳순 목록

어떤 범주를 살펴봐야 할지 확실하지 않은 경우, 1 페이지에서 시작하는 색인에서 해당 의약품을 찾아야 합니다. 색인은 이 문서에 포함된 모든 의약품의 알파벳순 목록을 제공합니다. 브랜드 약품과 일반 약품이 모두 색인에 포함되어 있습니다. 색인에서 귀하의 약을 찾으십시오. 의약품 옆에, 보험 적용 정보를 찾을 수 있는 페이지 번호가 표시되어 있습니다. 색인에 나열된 페이지로 이동하여 목록의 첫 번째 열에서 의약품 이름을 찾으십시오.

일반 약품이란 무엇입니까?

당사는 브랜드 의약품과 일반(제네릭) 의약품을 모두 보장합니다. 일반 의약품은 브랜드 의약품과 동일한 활성 성분을 가진 약품으로 FDA의 승인을 받았습니다. 일반적으로 일반 의약품은 브랜드 의약품과 비슷하게 효과가 좋으며 일반적으로 비용이 적게 듭니다. 많은 종류의 브랜드 약품에 대한 대체 일반 의약품이 있습니다. 일반 의약품은 일반적으로 주법에 따라 새로운 처방전 없이 약국에서 브랜드 의약품을 대체할 수 있습니다.

오리지널 바이오 의약품은 무엇이며 바이오시밀러와 어떤 관련이 있습니까?

처방집에서 의약품을 언급할 때 이는 의약품 또는 바이오 의약품을 의미할 수 있습니다. 바이오 의약품은 일반 의약품보다 복잡적입니다. 바이오 의약품은 일반적인 의약품보다 복잡적이므로 일반(제네릭)형태가 아닌 바이오시밀러라는 대체 의약품이 있습니다. 일반적으로 바이오시밀러는 오리지널 바이오 의약품과 동일하게 작용하며 비용이 더 낮을 수 있습니다. 일부 오리지널 바이오 의약품에 대하여 대체 바이오시밀러가 있습니다. 일부 바이오시밀러는 상호 교환 가능한 바이오시밀러이며, 주법에 따라 일반 약품이 브랜드 의약품을 대체할 수 있는 것 처럼 새로운 처방전 없이 약국에서 바이오 의약품으로 대체될 수 있습니다.

의약품 유형에 대한 사항은 보장 범위의 증거 5 장 “의약품 목록”은 어떤 파트 D 의약품이 보장되는지 알려줍니다.”를 참조하십시오.

제 보장에 대한 제약사항이 있습니까?

일부 보장 의약품에는 추가 요건이나 보장 한도가 적용될 수 있습니다. 이러한 요건과 한도에는 다음이 포함될 수 있습니다:

사전 승인(Prior Authorization): 당사는 귀하 또는 귀하의 의사가 특정 의약품에 대해 사전 승인을 받을 것을 요구합니다. 이는 처방약을 받기 전에 당사의 승인을 받아야 함을 의미합니다. 귀하께서 승인을 받지 못한다면, 당사에서 약을 보장하지 않을 수 있습니다.

수량 제한(Quantity Limits): 특정 의약품의 경우, 당사는 당사가 보장할 의약품의 양을 제한합니다. 예를 들어, 당사 플랜은 리자트립탄(rizatriptan) 30 일치 처방당 12 정을 제공합니다(MAXALT의 일반 약품). 이는 표준 1 개월 또는 3 개월 치 분량에 추가될 수 있습니다.

단계적 치료(Step Therapy): 경우에 따라, 당사는 귀하의 의학적 상태를 치료하기 위해 특정 의약품을 먼저 시도한 후 다른 의약품을 보장할 수 있습니다. 예를 들어, 의약품 A와 의약품 B가 모두 귀하의 질환을 치료하는 경우, 당사는 의약품 A를 먼저 시도하지 않는 한 의약품 B를 보장하지 않을 수 있습니다. 의약품 A가 효과가 없는 경우, 당사는 의약품 B를 보장합니다.

3 페이지에서 시작하는 처방집을 살펴보면 귀하의 의약품에 추가 요건이나 한도가 적용되는지 확인할 수 있습니다. 또한 귀하는 당사 웹사이트를 방문하여 특정 보장 의약품에 적용되는 제약 사항에 대한 자세한 정보를 얻을 수도 있습니다. 당사는 사전 승인 및 단계적 치료 제한에 대해 설명하는 온라인 문서를 게시했습니다. 귀하는 사본을 보내달라고 요청하실 수도 있습니다. 당사의 연락처 정보는 처방집을 마지막으로 업데이트한 날짜와 더불어 앞표지와 뒤표지에 명시되어 있습니다.

귀하는 당사에 이러한 제한 또는 한도에 대한 예외를 요청하거나 귀하의 건강 상태를 치료할 수 있는 다른 유사한 의약품 목록을 요청할 수 있습니다. 예외 요청 방법에 대한 정보는 v 페이지의 “Clever Care 처방집에 대한 예외를 어떻게 요청합니까?” 섹션을 참조하십시오.

비처방 의약품(OTC)이란 무엇입니까?

OTC 의약품은 일반적으로 메디케어 처방약 플랜에서 보장하지 않는 비처방 의약품입니다. 당사는 특정 OTC 의약품에 대한 비용을 지불합니다. OTC 품목에 대한 목록은 ko.clevercarehealthplan.com 에서 확인하실 수 있습니다. 당사는 이러한 OTC 의약품을 무료로 제공합니다. 이러한 OTC 의약품 비용은 귀하의 총 파트 D 의약품 비용에 포함되지 않습니다.

제 의약품이 처방집에 없으면 어떻게 해야 합니까?

귀하의 의약품이 이 처방집(보장 의약품 목록)에 포함되지 않은 경우, 먼저 회원 서비스에 연락하여 귀하의 약품이 보장되는지 문의하셔야 합니다. 문의 사항은 당사에 연락 주십시오. 당사의 연락처 정보는 처방집을 마지막으로 업데이트한 날짜와 더불어 앞표지와 뒤표지에 명시되어 있습니다.

귀하가 당사가 귀하의 의약품을 보장하지 않는다는 것을 알게 되는 경우, 다음 두 가지 옵션이 있습니다:

- 귀하는 Clever Care 에서 보장하는 유사 의약품 목록을 회원 서비스에 요청하실 수 있습니다. 목록을 받으면 의사에게 이를 보여주고 Clever Care 에서 보장하는 유사한 약을 처방해 달라고 요청하십시오.
- 귀하는 당사에 예외를 적용하고 귀하의 브랜드 약품을 계속 보장하도록 문의 및 요청을하실 수 있습니다. 예외 요청 방법에 대한 정보는 아래 내용을 참조하십시오.

Clever Care 처방집에 대한 예외를 어떻게 요청합니까?

귀하는 당사에 보장 규칙 예외를 요청하실 수 있습니다. 귀하께서 당사에 요청하실 수 있는 몇 가지 예외의 유형이 있습니다.

- 귀하는 당사 처방집에 없는 약품도 보장을 요청하실 수 있습니다. 승인이 되면, 이 약은 미리 결정된 비용 분담 수준으로 보장되며, 귀하는 당사에 더 낮은 비용 분담 수준으로 약을 제공해줄 것을 요청하실 수는 없습니다.
- 귀하는 귀하의 의약품에 대한 제약 사항 또는 한도를 면제해줄 것을 당사에 요청하실 수 있습니다. 예를 들어 특정 의약품의 경우, 당사는 당사가 보장할 의약품의 양을 제한합니다. 귀하의 의약품에 수량 한도가 있는 경우, 귀하는 한도를 면제하고 더 많은 양을 보장하도록 당사에 요청하실 수 있습니다.

- 귀하는 특수약품 계층 약에 포함되지 않는 한 처방집 의약품을 더 저렴한 비용 부담 수준으로 보장해줄 것을 요청하실 수 있습니다. 승인이 되면 귀하께서 의약품에 대해 지불해야 하는 금액이 낮아집니다.

일반적으로, 플랜의 처방집에 포함된 대체 의약품, 더 낮은 비용 부담 의약품 또는 제한 적용이 귀하에게 효과적이지 않고/않거나 부작용을 초래할 수 있는 경우에만 귀하의 예외 요청을 승인합니다.

귀하 또는 귀하의 처방자는 당사에 연락하여 보장 범위 제한에 대한 예외를 포함하여 계층 관련 또는 처방집 예외를 요청해야 합니다. **예외를 요청할 때, 귀하의 처방자는 예외가 필요한 의학적 이유를 설명해야 합니다.** 일반적으로, 당사는 이를 설명하는 처방자의 진술서를 받은 후 72 시간 이내에 결정을 내려야 합니다. 결정을 위해 최대 72 시간을 기대될 경우 귀하의 건강에 심각하게 영향을 미칠 수 있다고 생각되며, 당사가 이에 동의하는 경우 귀하는 신속(빠른) 결정을 요청할 수 있습니다. 당사가 동의하거나 귀하의 처방자가 빠른 결정을 요청하는 경우, 당사는 이를 설명하는 처방자의 진술서를 받은 후 24 시간 이내에 귀하에게 결정을 제공해야 합니다.

제 약이 처방집에 없거나 제한 사항이 있는 경우 어떻게 해야 하나요?

당사 플랜의 신규 또는 기존 회원님께서서는 당사의 처방집에 없는 약을 복용 중일 수 있습니다. 또는 당사 처방집에 등재되어 있지만 사전 승인과 같은보장 제한 사항이 있는의약품을 복용 중일 수 있습니다. 승인 기준을 충족한다는 것을 보여주기 위해 보장 범위 결정을 요청하시거나, 당사가 보장하는 대체 의약품으로 전환하시거나, 귀하가 복용하는 약을 당사가 보장할 수 있도록 처방집 예외를 요청하시는 것에 대해 처방자와 상의하셔야 합니다. 귀하와 귀하의 의사가 귀하에게 적합한 행동 방침을 결정하는동안, 귀하가 플랜에 가입한 첫 90 일 동안 특정 경우에서 귀하의 약을 보장할 수 있습니다.

당사의 처방집에 없거나 보장 제한이 있는 각 의약품에 대해 임시 30 일분을 보장합니다. 귀하의 처방전이 더 작은 일수로 작성된 경우, 당사는 최대 100 일분까지 리필 서비스를 허용합니다. 보장이 승인되지 않은 경우, 첫 30 일분 공급 후에는 플랜에 가입한 기간이 90 일 미만이라도 당사는 이러한 약에 대한 비용을 지불하지 않습니다.

귀하가 장기 요양 시설에 거주하고 있고 당사 처방집에 없는 의약품이 필요하시거나 의약품을 받을 수 있는 능력이 제한되어 있지만 당사 플랜에 가입 후 첫 90 일이 지난 경우, 귀하가 처방약 목록 예외를 받기 위한 노력을 하는 동안 해당 의약품의 31 일 응급 공급을 보장합니다.

추가 정보

Clever Care 처방약 보장 범위에 대한 보다 자세한 정보는 **보장 범위 증명서(Evidence of Coverage)** 및 기타 플랜 자료를 검토하십시오.

Clever Care 에 대해 궁금한 점이 있으시면 당사에 문의해 주십시오. 당사의 연락처 정보는 처방집을 마지막으로 업데이트한 날짜와 더불어 앞표지와 뒤표지에 나와 있습니다.

메디케어 처방약 보장에 대한 일반적인 질문이 있는 경우, 하루 24 시간 /주 7 일 운영되는 1-800-MEDICARE(1-800-633-4227)로 메디케어에 전화하십시오. TTY 사용자는 1-877-486-2048 번으로 전화하셔야 합니다. 또는 <http://www.medicare.gov> 를 방문하십시오.

Clever Care 처방집

1 페이지에서 시작되는 처방집은 당사에서 보장하는 의약품에 대한 보장 정보를 제공합니다. 목록에서 의약품을 찾는 데 어려움이 있는 경우, I-1 페이지에서 시작하는 색인을 참조하십시오. 차트의 첫 번째 열에는 약품명이 나열됩니다. 브랜드 약품은 대문자로 표시되고(예: JARDIANCE), 일반 약품은 소문자 이탤릭체로 나열됩니다(예: *jasmiel*). 요건/한도 열의 정보는 Clever Care 가 귀하의 의약품 보장에 대해 부여하는 특별 요건을 알려줍니다.

범례

요건 기호	명칭	설명
BvD	Medicare Part B vs. Part D(메디케어 파트 B 와 파트 D 결정 필요)	일부 의약품의 경우 메디케어 보장 범위 규칙에 따라 파트 B 또는 파트 D 보장 범위 결정이 필요할 수 있습니다.
CB	Capped Benefit(혜택 상한)	이 처방에는 혜택 상한이 적용됩니다.
EX	Excluded Drug(제외된 약)	이 처방약은 일반적으로 메디케어 처방약 플랜에서 보장되지 않습니다. 귀하께서 이 처방약을 받을 때 지불하는 금액은 귀하의 총 의약품 비용에 포함되지 않습니다(즉, 귀하께서 지불하는 금액은 재난적 보장 자격을 갖추는 데 도움이 되지 않음). 또한 귀하께서 처방약 비용을 지불하기 위해 추가 도움(extra help)을 받고 있는 경우, 귀하는 이 약에 대한 비용 지불에는 추가 도움을 받지 못합니다.
GC	Gap Coverage (보험 적용 공백)	당사는 보험 적용 공백에 도달한 이 처방약에 대해 추가 보장을 제공합니다. 이 보장에 관한 추가 정보는 보장의 증거(Evidence of Coverage)를 참조하십시오.
LA	Limited Access(접근 제한)	이 처방약은 특정 약국에서만 구할 수 있습니다. 자세한 내용은 약국 디렉토리를 참조하시거나, 회원 서비스에 1-833-808-8164 (TTY: 711)로 전화하시거나, ko.clevercarehealthplan.com 을 방문하십시오.
NDS	Non-Extended Days' Supply(비연장 일수 공급)	이 의약품은 한 달 이하의 공급량에서만 제공될 수 있습니다.
NSO	New Start Only(새로운 시작의 경우 해당)	귀하가 이 약을 이전에 복용하지 않은 경우, 귀하 또는 귀하의 의사가 사전 승인을 받아야 합니다.
PA	Prior Authorization(사전 승인)	이 처방약을 보장 받으려면 사전 승인이 필요합니다.
QL	Quantity Limit(수량 제한)	이 의약품에는 투약 또는 처방에 대한 수량 제한이 있습니다. 일일 최대 용량 제한은 FDA 에서 규정합니다.
ST	Step Therapy(단계적 치료)	이 처방에 대한 보장은 다른 1 차 또는 선호 약품 요법을 이미 시도한 경우에 제공됩니다.

목차

Analgesics	3
Anesthetics	7
Anti-Addiction/Substance Abuse Treatment Agents	8
Antianxiety Agents	9
Antibacterials	10
Anticancer Agents	18
Anticonvulsants	36
Antidementia Agents	41
Antidepressants	42
Antidiabetic Agents	45
Antifungals	50
Antigout Agents	52
Antihistamines	53
Anti-Infectives (Skin And Mucous Membrane)	53
Antimigraine Agents	53
Antimycobacterials	55
Antinausea Agents	55
Antiparasite Agents	56
Antiparkinsonian Agents	57
Antipsychotic Agents	59
Antivirals (Systemic)	66
Blood Products/Modifiers/Volume Expanders	72
Caloric Agents	75
Cardiovascular Agents	77
Central Nervous System Agents	88
Contraceptives	93
Cough And Cold Products	102

Dental And Oral Agents	103
Dermatological Agents	103
Devices	108
Enzyme Cofactors/Chaperones	150
Enzyme Replacement/Modifiers	150
Eye, Ear, Nose, Throat Agents	151
Gastrointestinal Agents	156
Genitourinary Agents	159
Heavy Metal Antagonists	160
Hormonal Agents, Stimulant/Replacement/Modifying	161
Immunological Agents	166
Inflammatory Bowel Disease Agents	177
Metabolic Bone Disease Agents	178
Miscellaneous Therapeutic Agents	179
Ophthalmic Agents	181
Replacement Preparations	183
Respiratory Tract Agents	184
Skeletal Muscle Relaxants	189
Sleep Disorder Agents	189
Vasodilating Agents	190
Vitamins And Minerals	191

약 이름	약물 등급	요건/제한	
Analgesics			
Analgesics, Miscellaneous			
<i>acetaminophen-codeine oral solution</i> 120-12 mg/5 ml	1	NDS; QL (4500 per 30 days)	
<i>acetaminophen-codeine oral tablet</i> 300-15 mg, 300-30 mg	2	NDS; QL (360 per 30 days)	
<i>acetaminophen-codeine oral tablet</i> 300-60 mg	2	NDS; QL (180 per 30 days)	
<i>ascomp with codeine oral capsule</i> 30-50-325-40 mg	(codeine-butalbital-asa-caff)	2	NDS; QL (180 per 30 days)
<i>buprenorphine transdermal patch</i> weekly 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour, 7.5 mcg/hour	(Butrans)	2	NDS; QL (4 per 28 days)
<i>butalbital-acetaminop-caff-cod oral capsule</i> 50-300-40-30 mg	(Fioricet with Codeine)	2	NDS; QL (180 per 30 days)
<i>butalbital-acetaminop-caff-cod oral capsule</i> 50-325-40-30 mg		2	NDS; QL (180 per 30 days)
<i>butalbital-acetaminophen oral tablet</i> 50-325 mg	(Tencon)	2	QL (180 per 30 days)
<i>butalbital-acetaminophen-caff oral capsule</i> 50-300-40 mg	(Fioricet)	2	QL (180 per 30 days)
<i>butalbital-acetaminophen-caff oral capsule</i> 50-325-40 mg		2	QL (180 per 30 days)
<i>butalbital-acetaminophen-caff oral tablet</i> 50-325-40 mg	(Esgic)	2	QL (180 per 30 days)
<i>butalbital-aspirin-caffeine oral capsule</i> 50-325-40 mg		2	QL (180 per 30 days)
<i>butorphanol nasal spray, non-aerosol</i> 10 mg/ml		2	NDS; QL (5 per 28 days)
<i>codeine sulfate oral tablet</i> 15 mg, 60 mg		4	NDS; QL (180 per 30 days)
<i>codeine sulfate oral tablet</i> 30 mg		2	NDS; QL (180 per 30 days)
<i>codeine-butalbital-asa-caff oral capsule</i> 30-50-325-40 mg	(Ascomp with Codeine)	2	NDS; QL (180 per 30 days)
<i>endocet oral tablet</i> 10-325 mg	(oxycodone-acetaminophen)	2	NDS; QL (180 per 30 days)
<i>endocet oral tablet</i> 2.5-325 mg, 5-325 mg	(oxycodone-acetaminophen)	2	NDS; QL (360 per 30 days)

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한	
<i>endocet oral tablet 7.5-325 mg</i>	(oxycodone-acetaminophen)	2	NDS; QL (240 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 400 mcg, 600 mcg, 800 mcg</i>		5	PA; NDS; QL (120 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle 200 mcg</i>		2	PA; NDS; QL (120 per 30 days)
<i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr</i>		2	NDS; QL (10 per 30 days)
<i>fioricet oral capsule 50-300-40 mg</i>	(butalbital-acetaminophen-caff)	2	QL (180 per 30 days)
<i>hydrocodone-acetaminophen oral solution 10-325 mg/15 ml, 7.5-325 mg/15 ml</i>		2	NDS; QL (2700 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 10-300 mg, 10-325 mg, 7.5-300 mg, 7.5-325 mg</i>		2	NDS; QL (180 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 5-300 mg, 5-325 mg</i>		2	NDS; QL (240 per 30 days)
<i>hydrocodone-ibuprofen oral tablet 10-200 mg, 5-200 mg, 7.5-200 mg</i>		2	NDS; QL (150 per 30 days)
<i>hydromorphone (pf) injection solution 10 (mg/ml) (5 ml), 10 mg/ml</i>		2	
<i>hydromorphone oral liquid 1 mg/ml</i>	(Dilaudid)	2	NDS; QL (1200 per 30 days)
<i>hydromorphone oral tablet 2 mg, 4 mg, 8 mg</i>	(Dilaudid)	2	NDS; QL (180 per 30 days)
<i>methadone oral solution 10 mg/5 ml</i>		2	NDS; QL (600 per 30 days)
<i>methadone oral solution 5 mg/5 ml</i>		2	NDS; QL (1200 per 30 days)
<i>methadone oral tablet 10 mg</i>		2	NDS; QL (120 per 30 days)
<i>methadone oral tablet 5 mg</i>		2	NDS; QL (180 per 30 days)
<i>morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)</i>		2	PA; NDS; QL (180 per 30 days)
<i>morphine oral solution 10 mg/5 ml</i>		2	NDS; QL (700 per 30 days)

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	NDS; QL (300 per 30 days)
MORPHINE ORAL TABLET 15 MG	4	NDS; QL (180 per 30 days)
MORPHINE ORAL TABLET 30 MG	4	NDS; QL (120 per 30 days)
<i>morphine oral tablet extended release 100 mg, 200 mg, 60 mg</i> (MS Contin)	2	NDS; QL (60 per 30 days)
<i>morphine oral tablet extended release 15 mg, 30 mg</i> (MS Contin)	2	NDS; QL (90 per 30 days)
<i>oxycodone oral capsule 5 mg</i>	2	NDS; QL (180 per 30 days)
<i>oxycodone oral concentrate 20 mg/ml</i>	2	PA; NDS; QL (120 per 30 days)
<i>oxycodone oral solution 5 mg/5 ml</i>	2	NDS; QL (1300 per 30 days)
<i>oxycodone oral tablet 10 mg, 5 mg</i>	2	NDS; QL (180 per 30 days)
<i>oxycodone oral tablet 15 mg, 30 mg</i> (Roxicodone)	2	NDS; QL (120 per 30 days)
<i>oxycodone oral tablet 20 mg</i>	2	NDS; QL (120 per 30 days)
<i>oxycodone-acetaminophen oral tablet 10-325 mg</i> (Endocet)	2	NDS; QL (180 per 30 days)
<i>oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i> (Endocet)	2	NDS; QL (360 per 30 days)
<i>oxycodone-acetaminophen oral tablet 7.5-325 mg</i> (Endocet)	2	NDS; QL (240 per 30 days)
<i>oxymorphone oral tablet 10 mg</i>	2	NDS; QL (120 per 30 days)
<i>oxymorphone oral tablet 5 mg</i>	2	NDS; QL (180 per 30 days)
<i>oxymorphone oral tablet extended release 12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 5 mg, 7.5 mg</i>	2	NDS; QL (60 per 30 days)
<i>tencon oral tablet 50-325 mg</i> (butalbital-acetaminophen)	2	QL (180 per 30 days)
<i>tramadol oral tablet 50 mg</i>	1	NDS; QL (240 per 30 days)

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>tramadol-acetaminophen oral tablet 37.5-325 mg</i>	2	NDS; QL (300 per 30 days)
<i>zebutal oral capsule 50-325-40 mg</i> (butalbital-acetaminophen-caff)	2	QL (180 per 30 days)
Nonsteroidal Anti-Inflammatory Agents		
<i>celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg</i> (Celebrex)	2	QL (60 per 30 days)
<i>diclofenac potassium oral tablet 50 mg</i>	2	QL (120 per 30 days)
<i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i>	2	
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 25 mg</i>	2	
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 50 mg</i>	2	QL (120 per 30 days)
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 75 mg</i>	2	QL (60 per 30 days)
<i>diclofenac sodium topical drops 1.5 %</i>	2	QL (300 per 30 days)
<i>diclofenac sodium topical gel 1 %</i> (Arthritis Pain (diclofenac))	2	QL (1000 per 30 days)
<i>diclofenac sodium topical gel 3 %</i>	2	PA; QL (100 per 28 days)
<i>diclofenac sodium topical solution in metered-dose pump 20 mg/gram /actuation(2 %)</i> (Pennsaid)	5	PA; NDS; QL (224 per 28 days)
<i>diclofenac-misoprostol oral tablet, ir, delayed rel, biphasic 50-200 mg-mcg</i> (Arthrotec 50)	2	
<i>diclofenac-misoprostol oral tablet, ir, delayed rel, biphasic 75-200 mg-mcg</i> (Arthrotec 75)	2	
<i>diflunisal oral tablet 500 mg</i>	2	
<i>ec-naproxen dr 500 mg tablet</i> (naproxen)	2	
<i>etodolac oral capsule 200 mg, 300 mg</i>	2	
<i>etodolac oral tablet 400 mg</i> (Lodine)	2	
<i>etodolac oral tablet 500 mg</i>	2	

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>fenoprofen oral tablet 600 mg</i> (Nalfon)	2	
<i>flurbiprofen oral tablet 100 mg</i>	2	
<i>ibu oral tablet 400 mg</i> (ibuprofen)	1	QL (240 per 30 days)
<i>ibu oral tablet 600 mg, 800 mg</i> (ibuprofen)	1	
<i>ibuprofen oral suspension 100 mg/5 ml</i> (Children's Advil)	2	
<i>ibuprofen oral tablet 400 mg</i> (IBU)	1	QL (240 per 30 days)
<i>ibuprofen oral tablet 600 mg, 800 mg</i> (IBU)	1	
<i>ibuprofen-famotidine oral tablet 800-26.6 mg</i>	2	PA; QL (90 per 30 days)
<i>indomethacin oral capsule 25 mg, 50 mg</i>	2	
<i>indomethacin oral capsule, extended release 75 mg</i>	2	
<i>ketoprofen oral capsule, ext rel. pellets 24 hr 200 mg</i>	2	
<i>ketorolac oral tablet 10 mg</i>	2	QL (20 per 30 days)
<i>mefenamic acid oral capsule 250 mg</i>	2	
<i>meloxicam oral tablet 15 mg, 7.5 mg</i>	1	
<i>nabumetone oral tablet 500 mg, 750 mg</i>	2	
<i>naproxen oral tablet 250 mg, 375 mg</i>	1	
<i>naproxen oral tablet 500 mg</i> (Naprosyn)	1	
<i>naproxen oral tablet, delayed release (dr/ec) 375 mg</i> (EC-Naprosyn)	2	
<i>naproxen oral tablet, delayed release (dr/ec) 500 mg</i> (EC-Naproxen)	2	
<i>piroxicam oral capsule 10 mg</i>	2	
<i>piroxicam oral capsule 20 mg</i> (Feldene)	2	
<i>sulindac oral tablet 150 mg, 200 mg</i>	2	
Anesthetics		
Local Anesthetics		
<i>dermacinrx lidocan 5% patch outer</i> (lidocaine)	2	PA; QL (90 per 30 days)
<i>glydo mucous membrane jelly in applicator 2 %</i> (lidocaine hcl)	2	QL (30 per 30 days)
<i>lidocaine hcl mucous membrane jelly in applicator 2 %</i> (Glydo)	2	QL (30 per 30 days)

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>	2	PA
<i>lidocaine topical adhesive patch,medicated 5 %</i> (DermacinRx Lidocan)	2	PA; QL (90 per 30 days)
<i>lidocaine topical ointment 5 %</i>	2	PA; QL (240 per 30 days)
<i>lidocaine viscous mucous membrane solution 2 %</i> (lidocaine hcl)	2	
<i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>	2	PA; QL (30 per 30 days)
<i>lidocan iii topical adhesive patch,medicated 5 %</i> (lidocaine)	2	PA; QL (90 per 30 days)
ZTLIDO TOPICAL ADHESIVE PATCH,MEDICATED 1.8 %	3	PA; QL (90 per 30 days)
Anti-Addiction/Substance Abuse Treatment Agents		
Anti-Addiction/Substance Abuse Treatment Agents		
<i>acamprosate oral tablet, delayed release (dr/ec) 333 mg</i>	2	
<i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i>	2	QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual film 12-3 mg</i> (Suboxone)	2	QL (60 per 30 days)
<i>buprenorphine-naloxone sublingual film 2-0.5 mg, 4-1 mg, 8-2 mg</i> (Suboxone)	2	QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i>	2	QL (90 per 30 days)
<i>bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg</i>	2	
<i>disulfiram oral tablet 250 mg, 500 mg</i>	2	
KLOXXADO NASAL SPRAY, NON-AEROSOL 8 MG/ACTUATION	3	QL (4 per 30 days)
<i>naloxone injection solution 0.4 mg/ml</i>	2	
<i>naloxone injection syringe 0.4 mg/ml, 0.4 mg/ml (prefilled syringe), 1 mg/ml</i>	2	

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>naloxone nasal spray, non-aerosol 4 mg/actuation</i> (Narcan)	2	QL (4 per 30 days)
<i>naltrexone oral tablet 50 mg</i>	2	
NICOTROL INHALATION CARTRIDGE 10 MG	4	
NICOTROL NS NASAL SPRAY, NON-AEROSOL 10 MG/ML	4	QL (240 per 180 days)
<i>varenicline tartrate oral tablet 0.5 mg, 1 mg</i> (Chantix)	2	QL (336 per 365 days)
<i>varenicline tartrate oral tablet 1 mg (56 pack)</i>	2	QL (336 per 365 days)
<i>varenicline tartrate oral tablets, dose pack 0.5 mg (11)- 1 mg (42)</i> (Chantix Starting Month Box)	2	
Antianxiety Agents		
Benzodiazepines		
<i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i> (Xanax)	1	NDS; QL (120 per 30 days)
<i>alprazolam oral tablet 2 mg</i> (Xanax)	1	NDS; QL (150 per 30 days)
<i>alprazolam oral tablet extended release 24 hr 0.5 mg, 1 mg, 2 mg</i> (Xanax XR)	2	NDS; QL (120 per 30 days)
<i>alprazolam oral tablet extended release 24 hr 3 mg</i> (Xanax XR)	2	NDS; QL (90 per 30 days)
<i>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</i>	1	NDS; QL (120 per 30 days)
<i>clonazepam oral tablet 0.5 mg, 1 mg</i> (Klonopin)	1	QL (90 per 30 days)
<i>clonazepam oral tablet 2 mg</i> (Klonopin)	1	QL (300 per 30 days)
<i>clonazepam oral tablet, disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>	2	QL (90 per 30 days)
<i>clonazepam oral tablet, disintegrating 2 mg</i>	2	QL (300 per 30 days)
<i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg, 7.5 mg</i>	2	QL (180 per 30 days)
<i>diazepam injection solution 5 mg/ml</i>	2	QL (10 per 28 days)
<i>diazepam injection syringe 5 mg/ml</i>	2	
<i>diazepam intensol oral concentrate 5 mg/ml</i> (diazepam)	2	QL (1200 per 30 days)

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>	2	QL (1200 per 30 days)
<i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i> (Valium)	1	QL (120 per 30 days)
<i>estazolam oral tablet 1 mg</i>	2	NDS; QL (60 per 30 days)
<i>estazolam oral tablet 2 mg</i>	2	NDS; QL (30 per 30 days)
<i>flurazepam oral capsule 15 mg</i>	2	NDS; QL (60 per 30 days)
<i>flurazepam oral capsule 30 mg</i>	2	NDS; QL (30 per 30 days)
<i>lorazepam 2 mg/ml oral concent</i> (Lorazepam Intensol)	2	NDS; QL (150 per 30 days)
<i>lorazepam 4 mg/ml vial inner</i> (Ativan)	1	
<i>lorazepam injection solution 2 mg/ml</i> (Ativan)	1	QL (2 per 30 days)
<i>lorazepam injection solution 4 mg/ml</i> (Ativan)	4	QL (2 per 30 days)
<i>lorazepam injection syringe 2 mg/ml</i>	1	QL (2 per 30 days)
<i>lorazepam intensol oral concentrate 2 mg/ml</i> (lorazepam)	2	NDS; QL (150 per 30 days)
<i>lorazepam oral tablet 0.5 mg, 1 mg</i> (Ativan)	1	NDS; QL (90 per 30 days)
<i>lorazepam oral tablet 2 mg</i> (Ativan)	1	NDS; QL (150 per 30 days)
<i>oxazepam oral capsule 10 mg, 15 mg, 30 mg</i>	2	NDS; QL (120 per 30 days)
<i>temazepam oral capsule 15 mg, 30 mg</i> (Restoril)	1	NDS; QL (30 per 30 days)
<i>temazepam oral capsule 22.5 mg</i> (Restoril)	2	NDS; QL (30 per 30 days)
<i>temazepam oral capsule 7.5 mg</i> (Restoril)	2	NDS; QL (120 per 30 days)
<i>triazolam oral tablet 0.125 mg</i>	2	NDS; QL (120 per 30 days)
<i>triazolam oral tablet 0.25 mg</i> (Halcion)	2	NDS; QL (60 per 30 days)
Antibacterials		
Aminoglycosides		

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>amikacin injection solution 500 mg/2 ml</i>	2	
ARIKAYCE INHALATION SUSPENSION FOR NEBULIZATION 590 MG/8.4 ML	5	PA; NDS; QL (235.2 per 28 days)
<i>gentamicin injection solution 20 mg/2 ml, 40 mg/ml</i>	2	
<i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i>	2	
<i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml</i>	2	
<i>neomycin oral tablet 500 mg</i>	2	
<i>streptomycin intramuscular recon soln 1 gram</i>	5	NDS
TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG	5	NDS; QL (224 per 28 days)
<i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml</i> (Tobi)	5	PA BvD; NDS
<i>tobramycin inhalation solution for nebulization 300 mg/4 ml</i> (Bethkis)	5	PA BvD; NDS
<i>tobramycin sulfate injection solution 10 mg/ml, 40 mg/ml</i>	2	
Antibacterials, Miscellaneous		
<i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i> (Cleocin HCl)	2	
<i>clindamycin pediatric oral recon soln 75 mg/5 ml</i> (clindamycin palmitate hcl)	2	
<i>clindamycin phosphate injection solution 150 mg/ml</i> (Cleocin)	2	
<i>colistin (colistimethate na) injection recon soln 150 mg</i> (Coly-Mycin M Parenteral)	5	NDS
<i>daptomycin intravenous recon soln 350 mg, 500 mg</i>	5	NDS
<i>linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml</i> (Zyvox)	2	
<i>linezolid oral suspension for reconstitution 100 mg/5 ml</i> (Zyvox)	5	NDS
<i>linezolid oral tablet 600 mg</i> (Zyvox)	2	

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>methenamine hippurate oral tablet 1 gram</i>	2	
<i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i> (Metro I.V.)	2	
<i>metronidazole oral tablet 250 mg, 500 mg</i>	1	
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 25 mg, 50 mg</i>	2	QL (120 per 30 days)
<i>nitrofurantoin monohyd/m-cryst oral capsule 100 mg</i> (Macrobid)	2	QL (60 per 30 days)
<i>polymyxin b sulfate injection recon soln 500,000 unit</i>	2	
SYNERCID INTRAVENOUS RECON SOLN 500 MG	5	NDS
<i>trimethoprim oral tablet 100 mg</i>	2	
<i>vancomycin intravenous recon soln 1,000 mg, 1.25 gram, 10 gram, 5 gram, 500 mg, 750 mg</i>	2	
<i>vancomycin oral capsule 125 mg</i> (Vancocin)	2	QL (56 per 14 days)
<i>vancomycin oral capsule 250 mg</i> (Vancocin)	2	QL (112 per 14 days)
<i>vancomycin oral recon soln 25 mg/ml</i> (Firvanq)	2	
XIFAXAN ORAL TABLET 200 MG	3	PA; QL (9 per 30 days)
XIFAXAN ORAL TABLET 550 MG	5	PA; NDS; QL (90 per 30 days)
Cephalosporins		
<i>cefaclor oral capsule 250 mg, 500 mg</i>	2	
<i>cefaclor oral tablet extended release 12 hr 500 mg</i>	2	
<i>cefadroxil oral capsule 500 mg</i>	2	
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	2	
<i>cefadroxil oral tablet 1 gram</i>	2	
<i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i>	2	
<i>cefdinir oral capsule 300 mg</i>	2	

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>cefepime injection recon soln 1 gram, 2 gram</i>	2	
<i>cefixime oral capsule 400 mg</i>	2	
<i>cefixime oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i>	2	
<i>cefoxitin intravenous recon soln 1 gram, 10 gram, 2 gram</i>	2	
<i>cefpodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml</i>	2	
<i>cefpodoxime oral tablet 100 mg, 200 mg</i>	2	
<i>cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>cefprozil oral tablet 250 mg, 500 mg</i>	2	
<i>ceftazidime injection recon soln 1 gram, 2 gram, 6 gram</i> (Tazicef)	2	
<i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i>	2	
<i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>	2	
<i>cefuroxime sodium injection recon soln 750 mg</i>	2	
<i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i>	2	
<i>cephalexin oral capsule 250 mg, 500 mg</i>	1	
<i>cephalexin oral capsule 750 mg</i>	2	
<i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>cephalexin oral tablet 250 mg, 500 mg</i>	2	

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>tazicef injection recon soln 1 gram, 2 gram, 6 gram</i> (ceftazidime)	2	
TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG	5	NDS
Macrolides		
<i>azithromycin intravenous recon soln 500 mg</i> (Zithromax)	2	
<i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i> (Zithromax)	2	
<i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack), 600 mg</i>	1	
<i>azithromycin oral tablet 250 mg, 500 mg</i> (Zithromax)	1	
<i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>clarithromycin oral tablet 250 mg, 500 mg</i>	2	
<i>clarithromycin oral tablet extended release 24 hr 500 mg</i>	2	
DIFICID ORAL SUSPENSION FOR RECONSTITUTION 40 MG/ML	5	NDS; QL (136 per 10 days)
DIFICID ORAL TABLET 200 MG	5	NDS; QL (20 per 10 days)
<i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml</i> (E.E.S. Granules)	2	
<i>erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml</i> (EryPed 400)	2	
<i>erythromycin oral tablet 250 mg, 500 mg</i>	2	
Miscellaneous B-Lactam Antibiotics		
<i>aztreonam injection recon soln 1 gram, 2 gram</i> (Azactam)	2	
CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML	5	PA; LA; NDS

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>ertapenem injection recon soln 1 gram</i>	2	
<i>imipenem-cilastatin intravenous recon soln 250 mg</i>	2	
<i>imipenem-cilastatin intravenous recon soln 500 mg</i> (Primaxin IV)	2	
<i>meropenem intravenous recon soln 1 gram, 500 mg</i>	2	
Penicillins		
<i>amoxicillin oral capsule 250 mg, 500 mg</i>	1	
<i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i>	1	
<i>amoxicillin oral tablet 500 mg, 875 mg</i>	1	
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>	2	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i>	2	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 250-62.5 mg/5 ml</i> (Augmentin)	2	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i> (Augmentin ES-600)	2	
<i>amoxicillin-pot clavulanate oral tablet 250-125 mg, 875-125 mg</i>	2	
<i>amoxicillin-pot clavulanate oral tablet 500-125 mg</i> (Augmentin)	2	
<i>amoxicillin-pot clavulanate oral tablet extended release 12 hr 1,000-62.5 mg</i> (Augmentin XR)	2	
<i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>	2	
<i>ampicillin oral capsule 500 mg</i>	2	
<i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg</i>	2	

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>ampicillin-sulbactam injection recon</i> (Unasyn) <i>soln 1.5 gram, 15 gram, 3 gram</i>	2	
BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML	4	
<i>dicloxacillin oral capsule 250 mg,</i> <i>500 mg</i>	2	
EXTENCILLINE INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 1.2 MILLION UNIT, 2.4 MILLION UNIT	4	
LENTOCILIN S INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 1.2 MILLION UNIT	4	
<i>nafcillin injection recon soln 1 gram,</i> <i>10 gram, 2 gram</i>	2	
<i>penicillin g potassium injection recon</i> (Pfizerpen-G) <i>soln 20 million unit</i>	2	
<i>penicillin g procaine intramuscular</i> <i>syringe 1.2 million unit/2 ml, 600,000</i> <i>unit/ml</i>	2	
<i>penicillin v potassium oral recon soln</i> <i>125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>penicillin v potassium oral tablet 250</i> <i>mg, 500 mg</i>	1	
<i>piperacillin-tazobactam intravenous</i> <i>recon soln 2.25 gram, 3.375 gram,</i> <i>4.5 gram, 40.5 gram</i>	2	
Quinolones		
<i>ciprofloxacin hcl oral tablet 250 mg,</i> (Cipro) <i>500 mg</i>	1	
<i>ciprofloxacin hcl oral tablet 750 mg</i>	1	
<i>ciprofloxacin in 5 % dextrose</i> <i>intravenous piggyback 200 mg/100</i> <i>ml, 400 mg/200 ml</i>	2	
<i>levofloxacin in d5w intravenous</i> <i>piggyback 250 mg/50 ml, 500 mg/100</i> <i>ml, 750 mg/150 ml</i>	2	

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>levofloxacin oral solution 250 mg/10 ml</i>	2	
<i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i>	1	
<i>moxifloxacin 400 mg/250 ml bag</i>	2	
<i>moxifloxacin oral tablet 400 mg</i>	2	
<i>moxifloxacin-sod.chloride(iso) intravenous piggyback 400 mg/250 ml</i> (Avelox in NaCl (iso-osmotic))	2	
Sulfonamides		
<i>sulfadiazine oral tablet 500 mg</i>	2	
<i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml</i> (Sulfatrim)	2	
<i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg</i> (Bactrim)	1	
<i>sulfamethoxazole-trimethoprim oral tablet 800-160 mg</i> (Bactrim DS)	1	
Tetracyclines		
<i>demeclocycline oral tablet 150 mg, 300 mg</i>	2	
<i>doxy-100 intravenous recon soln 100 mg</i> (doxycycline hyclate)	2	
<i>doxycycline hyclate intravenous recon soln 100 mg</i> (Doxy-100)	2	
<i>doxycycline hyclate oral capsule 100 mg</i>	2	
<i>doxycycline hyclate oral capsule 50 mg</i> (Morgidox)	2	
<i>doxycycline hyclate oral tablet 100 mg, 20 mg</i>	2	
<i>doxycycline hyclate oral tablet 150 mg, 75 mg</i> (Acticlate)	2	
<i>doxycycline hyclate oral tablet 50 mg</i> (Targadox)	2	
<i>doxycycline hyclate oral tablet, delayed release (dr/ec) 100 mg, 150 mg, 50 mg, 75 mg</i>	2	
<i>doxycycline hyclate oral tablet, delayed release (dr/ec) 200 mg</i> (Doryx)	2	

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	조건/제한
<i>doxycycline monohydrate oral capsule 100 mg</i> (Mondoxyne NL)	2	
<i>doxycycline monohydrate oral capsule 150 mg</i>	2	QL (60 per 30 days)
<i>doxycycline monohydrate oral capsule 50 mg</i> (Monodox)	2	
<i>doxycycline monohydrate oral capsule 75 mg</i> (Mondoxyne NL)	2	QL (60 per 30 days)
<i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i>	2	
<i>doxycycline monohydrate oral tablet 100 mg</i> (Avidoxy)	2	
<i>doxycycline monohydrate oral tablet 150 mg, 50 mg, 75 mg</i>	2	
<i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i>	2	
<i>minocycline oral tablet 100 mg, 50 mg, 75 mg</i>	2	
<i>tetracycline oral capsule 250 mg, 500 mg</i>	2	
<i>tigecycline intravenous recon soln 50 mg</i> (Tygacil)	5	NDS
Anticancer Agents		
Anticancer Agents		
<i>abiraterone oral tablet 250 mg, 500 mg</i> (Zytiga)	5	PA NSO; NDS; QL (120 per 30 days)
<i>adrucil intravenous solution 2.5 gram/50 ml</i> (fluorouracil)	2	PA BvD
AKEEGA ORAL TABLET 100-500 MG, 50-500 MG	5	PA NSO; NDS; QL (60 per 30 days)
ALECENSA ORAL CAPSULE 150 MG	5	PA NSO; NDS; QL (240 per 30 days)
ALUNBRIG ORAL TABLET 180 MG, 90 MG	5	PA NSO; NDS; QL (30 per 30 days)
ALUNBRIG ORAL TABLET 30 MG	5	PA NSO; NDS; QL (120 per 30 days)
ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)-180 MG (23)	5	PA NSO; NDS

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>anastrozole oral tablet 1 mg</i> (Arimidex)	1	
ANKTIVA INTRAVESICAL SOLUTION 400 MCG/0.4 ML	5	PA NSO; NDS; QL (1.6 per 28 days)
AUGTYRO ORAL CAPSULE 160 MG	5	PA NSO; NDS; QL (60 per 30 days)
AUGTYRO ORAL CAPSULE 40 MG	5	PA NSO; NDS; QL (240 per 30 days)
AXTLE INTRAVENOUS RECON SOLN 100 MG, 500 MG	5	NDS
AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG	5	PA NSO; NDS; QL (30 per 30 days)
<i>azacitidine injection recon soln 100 mg</i> (Vidaza)	5	NDS
BALVERSA ORAL TABLET 3 MG	5	PA NSO; NDS; QL (84 per 28 days)
BALVERSA ORAL TABLET 4 MG	5	PA NSO; NDS; QL (56 per 28 days)
BALVERSA ORAL TABLET 5 MG	5	PA NSO; NDS; QL (28 per 28 days)
<i>bendamustine intravenous recon soln 100 mg, 25 mg</i> (Treanda)	5	PA NSO; NDS
BENDAMUSTINE INTRAVENOUS SOLUTION 25 MG/ML (Bendeka)	5	PA NSO; NDS
BENDEKA INTRAVENOUS SOLUTION 25 MG/ML (bendamustine)	5	PA NSO; NDS
<i>bexarotene oral capsule 75 mg</i> (Targretin)	5	PA NSO; NDS
<i>bexarotene topical gel 1 %</i> (Targretin)	5	PA NSO; NDS
<i>bicalutamide oral tablet 50 mg</i> (Casodex)	2	
BIZENGRI INTRAVENOUS SOLUTION 375 MG/18.75 ML (20 MG/ML)	5	PA NSO; NDS; QL (75 per 28 days)
<i>bleomycin injection recon soln 15 unit, 30 unit</i>	2	
<i>bortezomib injection recon soln 1 mg, 2.5 mg</i>	4	PA NSO
<i>bortezomib injection recon soln 3.5 mg</i> (Velcade)	4	PA NSO

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
BORUZU INJECTION SOLUTION 2.5 MG/ML	4	PA NSO
BOSULIF ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (180 per 30 days)
BOSULIF ORAL CAPSULE 50 MG	5	PA NSO; NDS; QL (30 per 30 days)
BOSULIF ORAL TABLET 100 MG	5	PA NSO; NDS; QL (180 per 30 days)
BOSULIF ORAL TABLET 400 MG, 500 MG	5	PA NSO; NDS; QL (30 per 30 days)
BRAFTOVI ORAL CAPSULE 75 MG	5	PA NSO; NDS; QL (180 per 30 days)
BRUKINSA ORAL CAPSULE 80 MG	5	PA NSO; NDS; QL (120 per 30 days)
CABOMETYX ORAL TABLET 20 MG, 60 MG	5	PA NSO; NDS; QL (30 per 30 days)
CABOMETYX ORAL TABLET 40 MG	5	PA NSO; NDS; QL (60 per 30 days)
CALQUENCE (ACALABRUTINIB MAL) ORAL TABLET 100 MG	5	PA NSO; NDS; QL (60 per 30 days)
CALQUENCE ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 100 (vandetanib) MG	5	PA NSO; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 300 (vandetanib) MG	5	PA NSO; NDS; QL (30 per 30 days)
<i>carboplatin intravenous solution 10 mg/ml</i> (Paraplatin)	2	
<i>cladribine intravenous solution 10 mg/10 ml</i>	2	PA BvD
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 60 MG/DAY (20 MG X 3/DAY)	5	PA NSO; NDS
COMETRIQ ORAL CAPSULE 140 MG/DAY(80 MG X1-20 MG X3)	5	PA NSO; NDS; QL (112 per 28 days)
COPIKTRA ORAL CAPSULE 15 MG, 25 MG	5	PA NSO; NDS; QL (56 per 28 days)
COTELLIC ORAL TABLET 20 MG	5	PA NSO; LA; NDS; QL (63 per 28 days)

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg</i>	5	PA BvD; NDS
<i>cyclophosphamide intravenous solution 100 mg/ml, 200 mg/ml</i>	5	PA BvD; NDS
<i>cyclophosphamide intravenous solution 500 mg/ml</i> (Frindovyx)	5	PA BvD; NDS
<i>cyclophosphamide oral capsule 25 mg, 50 mg</i>	2	PA BvD; ST
<i>cyclophosphamide oral tablet 25 mg, 50 mg</i>	3	PA BvD; ST
DANYELZA INTRAVENOUS SOLUTION 4 MG/ML	5	PA NSO; NDS; QL (120 per 28 days)
DANZITEN ORAL TABLET 71 MG, 95 MG	5	PA NSO; NDS; QL (112 per 28 days)
DARZALEX FASPRO SUBCUTANEOUS SOLUTION 1,800 MG-30,000 UNIT/15 ML	5	PA NSO; NDS
DARZALEX INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; LA; NDS
<i>dasatinib oral tablet 100 mg, 140 mg, 50 mg, 70 mg, 80 mg</i> (Sprycel)	5	PA NSO; NDS; QL (30 per 30 days)
<i>dasatinib oral tablet 20 mg</i> (Sprycel)	5	PA NSO; NDS; QL (90 per 30 days)
DATROWAY INTRAVENOUS RECON SOLN 100 MG	5	PA NSO; NDS
DAURISMO ORAL TABLET 100 MG	5	PA NSO; NDS; QL (30 per 30 days)
DAURISMO ORAL TABLET 25 MG	5	PA NSO; NDS; QL (60 per 30 days)
<i>decitabine intravenous recon soln 50 mg</i> (Dacogen)	5	NDS
<i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml</i> (Caelyx)	5	PA BvD; NDS
ELAHERE INTRAVENOUS SOLUTION 5 MG/ML	5	PA NSO; NDS
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG	4	PA NSO

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG	4	PA NSO
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG	4	PA NSO
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)	4	PA NSO
ELREXFIO 44 MG/1.1 ML VIAL INNER, SUV, P/F 40 MG/ML	5	PA NSO; NDS
ELREXFIO SUBCUTANEOUS SOLUTION 40 MG/ML	5	PA NSO; NDS; QL (9.5 per 28 days)
EMCYT ORAL CAPSULE 140 MG	5	NDS
EPKINLY SUBCUTANEOUS SOLUTION 4 MG/0.8 ML, 48 MG/0.8 ML	5	PA NSO; NDS
ERBITUX INTRAVENOUS SOLUTION 100 MG/50 ML, 200 MG/100 ML	5	PA NSO; NDS
ERIVEDGE ORAL CAPSULE 150 MG	5	PA NSO; NDS; QL (28 per 28 days)
ERLEADA ORAL TABLET 240 MG	5	PA NSO; NDS; QL (30 per 30 days)
ERLEADA ORAL TABLET 60 MG	5	PA NSO; NDS; QL (90 per 30 days)
<i>erlotinib oral tablet 100 mg</i> (Tarceva)	5	PA NSO; NDS; QL (60 per 30 days)
<i>erlotinib oral tablet 150 mg</i>	5	PA NSO; NDS; QL (90 per 30 days)
<i>erlotinib oral tablet 25 mg</i>	5	PA NSO; NDS; QL (60 per 30 days)
ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG	4	
<i>etoposide intravenous solution 20 mg/ml</i>	2	
<i>everolimus (antineoplastic) oral tablet 10 mg</i> (Torpenz)	5	PA NSO; NDS; QL (56 per 28 days)
<i>everolimus (antineoplastic) oral tablet 2.5 mg, 5 mg, 7.5 mg</i> (Torpenz)	5	PA NSO; NDS; QL (28 per 28 days)

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>everolimus (antineoplastic) oral tablet for suspension 2 mg, 3 mg, 5 mg</i> (Afinitor Disperz)	5	PA NSO; NDS; QL (112 per 28 days)
<i>exemestane oral tablet 25 mg</i> (Aromasin)	2	
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG	5	PA BvD; NDS
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 80 MG	3	PA BvD
<i>floxuridine injection recon soln 0.5 gram</i>	2	PA BvD
<i>fluorouracil intravenous solution 1 gram/20 ml, 5 gram/100 ml, 500 mg/10 ml</i>	2	PA BvD
<i>flutamide oral capsule 125 mg</i> (Eulexin)	2	
FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG	5	PA NSO; NDS; QL (21 per 28 days)
FRUZAQLA ORAL CAPSULE 1 MG	5	PA NSO; NDS; QL (84 per 28 days)
FRUZAQLA ORAL CAPSULE 5 MG	5	PA NSO; NDS; QL (21 per 28 days)
<i>fulvestrant intramuscular syringe 250 mg/5 ml</i> (Faslodex)	5	NDS
FYARRO INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG	5	PA NSO; NDS
GAVRETO ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (120 per 30 days)
<i>gefitinib oral tablet 250 mg</i> (Iressa)	5	PA NSO; NDS; QL (60 per 30 days)
<i>gemcitabine intravenous recon soln 1 gram, 2 gram, 200 mg</i>	2	PA BvD
<i>gemcitabine intravenous solution 1 gram/26.3 ml (38 mg/ml), 2 gram/52.6 ml (38 mg/ml), 200 mg/5.26 ml (38 mg/ml)</i>	2	PA BvD
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG	5	PA NSO; NDS; QL (30 per 30 days)

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
GLEOSTINE ORAL CAPSULE 10 MG (lomustine)	4	
GLEOSTINE ORAL CAPSULE 100 MG, 40 MG (lomustine)	5	NDS
GOMEKLI ORAL CAPSULE 1 MG	5	PA NSO; NDS; QL (224 per 28 days)
GOMEKLI ORAL CAPSULE 2 MG	5	PA NSO; NDS; QL (112 per 28 days)
GOMEKLI ORAL TABLET FOR SUSPENSION 1 MG	5	PA NSO; NDS; QL (224 per 28 days)
HERCEPTIN HYLECTA SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML	5	PA NSO; NDS; QL (5 per 21 days)
HERZUMA INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NDS
<i>hydroxyurea oral capsule 500 mg</i> (Hydrea)	2	
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	5	PA NSO; NDS; QL (21 per 28 days)
IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG	5	PA NSO; NDS; QL (21 per 28 days)
ICLUSIG ORAL TABLET 10 MG, 15 MG, 30 MG, 45 MG	5	PA NSO; NDS; QL (30 per 30 days)
IDHIFA ORAL TABLET 100 MG, 50 MG	5	PA NSO; NDS; QL (30 per 30 days)
<i>ifosfamide intravenous recon soln 1 gram</i> (Ifex)	2	
<i>ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml</i>	2	
<i>imatinib oral tablet 100 mg</i> (Gleevec)	2	PA NSO; QL (180 per 30 days)
<i>imatinib oral tablet 400 mg</i> (Gleevec)	2	PA NSO; QL (60 per 30 days)
IMBRUVICA ORAL CAPSULE 140 MG	5	PA NSO; NDS; QL (120 per 30 days)
IMBRUVICA ORAL CAPSULE 70 MG	5	PA NSO; NDS; QL (28 per 28 days)
IMBRUVICA ORAL SUSPENSION 70 MG/ML	5	PA NSO; NDS; QL (216 per 30 days)
IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG	5	PA NSO; NDS; QL (28 per 28 days)

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
IMDELLTRA INTRAVENOUS RECON SOLN 1 MG, 10 MG	5	PA NSO; NDS
IMJUDO INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NDS
IMKELDI ORAL SOLUTION 80 MG/ML	5	PA NSO; NDS; QL (280 per 28 days)
INLYTA ORAL TABLET 1 MG	5	PA NSO; NDS; QL (180 per 30 days)
INLYTA ORAL TABLET 5 MG	5	PA NSO; NDS; QL (120 per 30 days)
INQOVI ORAL TABLET 35-100 MG	5	PA NSO; NDS; QL (5 per 28 days)
INREBIC ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (120 per 30 days)
<i>irinotecan intravenous solution 100 mg/5 ml, 300 mg/15 ml, 40 mg/2 ml</i> (Camptosar)	2	
<i>irinotecan intravenous solution 500 mg/25 ml</i>	2	
ITOVEBI ORAL TABLET 3 MG	5	PA NSO; NDS; QL (60 per 30 days)
ITOVEBI ORAL TABLET 9 MG	5	PA NSO; NDS; QL (30 per 30 days)
IWILFIN ORAL TABLET 192 MG	5	PA NSO; NDS; QL (240 per 30 days)
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	5	PA NSO; NDS; QL (60 per 30 days)
JAYPIRCA ORAL TABLET 100 MG	5	PA NSO; NDS; QL (60 per 30 days)
JAYPIRCA ORAL TABLET 50 MG	5	PA NSO; NDS; QL (90 per 30 days)
JEMPERLI INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NDS
JYLAMVO ORAL SOLUTION 2 MG/ML	4	PA BvD; ST
KANJINTI INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NDS
KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS
KIMMTRAK INTRAVENOUS SOLUTION 100 MCG/0.5 ML	5	PA NSO; NDS; QL (2 per 28 days)

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG	5	PA NSO; NDS; QL (49 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG	5	PA NSO; NDS; QL (70 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG	5	PA NSO; NDS; QL (91 per 28 days)
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NDS; QL (21 per 28 days)
KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)	5	PA NSO; NDS; QL (42 per 28 days)
KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)	5	PA NSO; NDS; QL (63 per 28 days)
KOSELUGO ORAL CAPSULE 10 MG	5	PA NSO; NDS; QL (300 per 30 days)
KOSELUGO ORAL CAPSULE 25 MG	5	PA NSO; NDS; QL (120 per 30 days)
KRAZATI ORAL TABLET 200 MG	5	PA NSO; NDS; QL (180 per 30 days)
<i>lapatinib oral tablet 250 mg</i> (Tykerb)	5	PA NSO; NDS
LAZCLUZE ORAL TABLET 240 MG	5	PA NSO; NDS; QL (30 per 30 days)
LAZCLUZE ORAL TABLET 80 MG	5	PA NSO; NDS; QL (60 per 30 days)
<i>lenalidomide oral capsule 10 mg, 15 mg, 2.5 mg, 20 mg, 25 mg, 5 mg</i> (Revlimid)	5	PA NSO; NDS; QL (28 per 28 days)
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2)	5	PA NSO; NDS
<i>letrozole oral tablet 2.5 mg</i> (Femara)	2	
LEUKERAN ORAL TABLET 2 MG	5	NDS
<i>leuprolide (3 month) intramuscular suspension for reconstitution 22.5 mg</i>	4	PA NSO

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>	2	PA NSO
LONSURF ORAL TABLET 15-6.14 MG	5	PA NSO; NDS; QL (100 per 28 days)
LONSURF ORAL TABLET 20-8.19 MG	5	PA NSO; NDS; QL (80 per 28 days)
LOQTORZI INTRAVENOUS SOLUTION 240 MG/6 ML (40 MG/ML)	5	PA NSO; NDS
LORBRENA ORAL TABLET 100 MG	5	PA NSO; NDS; QL (30 per 30 days)
LORBRENA ORAL TABLET 25 MG	5	PA NSO; NDS; QL (90 per 30 days)
LUMAKRAS ORAL TABLET 120 MG	5	PA NSO; NDS; QL (240 per 30 days)
LUMAKRAS ORAL TABLET 240 MG	5	PA NSO; NDS; QL (120 per 30 days)
LUMAKRAS ORAL TABLET 320 MG	5	PA NSO; NDS; QL (90 per 30 days)
LUNSUMIO INTRAVENOUS SOLUTION 1 MG/ML	5	PA NSO; NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG	5	PA NSO; NDS
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	PA NSO; NDS
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG	5	PA NSO; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 7.5 MG	5	PA NSO; NDS
LYNPARZA ORAL TABLET 100 MG, 150 MG	5	PA NSO; NDS; QL (120 per 30 days)
LYSODREN ORAL TABLET 500 MG	5	NDS

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
LYTGOBI ORAL TABLET 12 MG/DAY (4 MG X 3), 16 MG/DAY (4 MG X 4), 20 MG/DAY (4 MG X 5)	5	PA NSO; NDS; QL (140 per 28 days)
MARGENZA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS
MATULANE ORAL CAPSULE 50 MG	5	NDS
<i>megestrol oral tablet 20 mg, 40 mg</i>	2	
MEKINIST ORAL RECON SOLN 0.05 MG/ML	5	PA NSO; NDS; QL (1260 per 30 days)
MEKINIST ORAL TABLET 0.5 MG	5	PA NSO; NDS; QL (90 per 30 days)
MEKINIST ORAL TABLET 2 MG	5	PA NSO; NDS; QL (30 per 30 days)
MEKTOVI ORAL TABLET 15 MG	5	PA NSO; NDS; QL (180 per 30 days)
<i>mercaptopurine oral tablet 50 mg</i>	2	
<i>methotrexate sodium (pf) injection recon soln 1 gram</i>	2	
<i>methotrexate sodium (pf) injection solution 25 mg/ml</i>	2	
<i>methotrexate sodium injection solution 25 mg/ml</i>	2	
<i>methotrexate sodium oral tablet 2.5 mg</i>	2	PA BvD; ST
<i>mitoxantrone intravenous concentrate 2 mg/ml</i>	2	
MVASI INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS
NERLYNX ORAL TABLET 40 MG	5	PA NSO; NDS; QL (180 per 30 days)
<i>nilutamide oral tablet 150 mg</i> (Nilandron)	5	NDS
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	5	PA NSO; NDS; QL (3 per 28 days)
NUBEQA ORAL TABLET 300 MG	5	PA NSO; NDS; QL (120 per 30 days)
ODOMZO ORAL CAPSULE 200 MG	5	PA NSO; LA; NDS

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
OGIVRI INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NDS
OGSIVEO ORAL TABLET 100 MG, 150 MG	5	PA NSO; NDS; QL (60 per 30 days)
OGSIVEO ORAL TABLET 50 MG	5	PA NSO; NDS; QL (180 per 30 days)
OJEMDA ORAL SUSPENSION FOR RECONSTITUTION 25 MG/ML	5	PA NSO; NDS; QL (96 per 28 days)
OJEMDA ORAL TABLET 400 MG/WEEK (100 MG X 4), 500 MG/WEEK (100 MG X 5), 600 MG/WEEK (100 MG X 6)	5	PA NSO; NDS; QL (24 per 28 days)
OJJAARA ORAL TABLET 100 MG, 150 MG, 200 MG	5	PA NSO; NDS; QL (30 per 30 days)
ONTRUZANT INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NDS
ONUREG ORAL TABLET 200 MG, 300 MG	5	PA NSO; NDS; QL (14 per 28 days)
OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 120 MG/12 ML, 240 MG/24 ML, 40 MG/4 ML	5	PA NSO; NDS
OPDIVO QVANTIG SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML	5	PA NSO; NDS
OPDUALAG INTRAVENOUS SOLUTION 240-80 MG/20 ML	5	PA NSO; NDS
ORSERDU ORAL TABLET 345 MG	5	PA NSO; NDS; QL (30 per 30 days)
ORSERDU ORAL TABLET 86 MG	5	PA NSO; NDS; QL (90 per 30 days)
<i>oxaliplatin intravenous recon soln 100 mg, 50 mg</i>	2	
<i>oxaliplatin intravenous solution 100 mg/20 ml, 200 mg/40 ml, 50 mg/10 ml (5 mg/ml)</i>	2	
<i>paclitaxel intravenous concentrate 6 mg/ml</i>	2	PA BvD

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>paclitaxel protein-bound intravenous suspension for reconstitution 100 mg</i> (Abraxane)	5	PA BvD; NDS
<i>pazopanib oral tablet 200 mg</i> (Votrient)	5	PA NSO; NDS; QL (120 per 30 days)
PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG	5	PA NSO; NDS; QL (30 per 30 days)
<i>pemetrexed disodium intravenous recon soln 1,000 mg, 750 mg</i>	5	NDS
<i>pemetrexed disodium intravenous solution 25 mg/ml</i>	5	NDS
<i>pemetrexed intravenous recon soln 100 mg, 500 mg</i>	5	NDS
PEMRYDI RTU INTRAVENOUS SOLUTION 10 MG/ML	5	NDS
PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NDS; QL (28 per 28 days)
PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)	5	PA NSO; NDS; QL (56 per 28 days)
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	5	PA NSO; NDS; QL (21 per 28 days)
PURIXAN ORAL SUSPENSION 20 MG/ML (mercaptopurine)	5	NDS
QINLOCK ORAL TABLET 50 MG	5	PA NSO; NDS; QL (90 per 30 days)
RETEVMO ORAL CAPSULE 40 MG	5	PA NSO; NDS; QL (180 per 30 days)
RETEVMO ORAL CAPSULE 80 MG	5	PA NSO; NDS; QL (120 per 30 days)
RETEVMO ORAL TABLET 120 MG, 160 MG	5	PA NSO; NDS; QL (60 per 30 days)
RETEVMO ORAL TABLET 40 MG	5	PA NSO; NDS; QL (180 per 30 days)
RETEVMO ORAL TABLET 80 MG	5	PA NSO; NDS; QL (120 per 30 days)
REVUFORJ ORAL TABLET 110 MG	5	PA NSO; NDS; QL (120 per 30 days)
REVUFORJ ORAL TABLET 160 MG	5	PA NSO; NDS; QL (60 per 30 days)

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
REZLIDHIA ORAL CAPSULE 150 MG	5	PA NSO; NDS; QL (60 per 30 days)
RIABNI INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NDS
RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML)	5	PA NSO; NDS
ROZLYTREK ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (180 per 30 days)
ROZLYTREK ORAL CAPSULE 200 MG	5	PA NSO; NDS; QL (90 per 30 days)
ROZLYTREK ORAL PELLETS IN PACKET 50 MG	5	PA NSO; NDS; QL (360 per 30 days)
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	5	PA NSO; NDS; QL (120 per 30 days)
RUXIENCE INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NDS
RYBREVANT INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NDS
RYDAPT ORAL CAPSULE 25 MG	5	PA NSO; NDS; QL (224 per 28 days)
RYTELO INTRAVENOUS RECON SOLN 188 MG, 47 MG	5	PA NSO; NDS
SCEMBLIX ORAL TABLET 100 MG	5	PA NSO; NDS; QL (120 per 30 days)
SCEMBLIX ORAL TABLET 20 MG	5	PA NSO; NDS; QL (60 per 30 days)
SCEMBLIX ORAL TABLET 40 MG	5	PA NSO; NDS; QL (300 per 30 days)
SOLTAMOX ORAL SOLUTION 20 MG/10 ML	5	NDS
<i>sorafenib oral tablet 200 mg</i> (Nexavar)	5	PA NSO; NDS; QL (120 per 30 days)
STIVARGA ORAL TABLET 40 MG	5	PA NSO; NDS; QL (84 per 28 days)
<i>sunitinib malate oral capsule 12.5 mg, 25 mg, 37.5 mg, 50 mg</i> (Sutent)	5	PA NSO; NDS; QL (28 per 28 days)
SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG	5	PA NSO; NDS

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
TABLOID ORAL TABLET 40 MG (thioguanine)	4	
TABRECTA ORAL TABLET 150 MG, 200 MG	5	PA NSO; NDS; QL (112 per 28 days)
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	5	PA NSO; NDS; QL (120 per 30 days)
TAFINLAR ORAL TABLET FOR SUSPENSION 10 MG	5	PA NSO; NDS; QL (900 per 30 days)
TAGRISSE ORAL TABLET 40 MG, 80 MG	5	PA NSO; LA; NDS; QL (30 per 30 days)
TALVEY SUBCUTANEOUS SOLUTION 2 MG/ML, 40 MG/ML	5	PA NSO; NDS
TALZENNA ORAL CAPSULE 0.1 MG, 0.25 MG, 0.35 MG, 0.5 MG, 0.75 MG, 1 MG	5	PA NSO; NDS; QL (30 per 30 days)
<i>tamoxifen oral tablet 10 mg, 20 mg</i>	2	
TASIGNA ORAL CAPSULE 150 MG, 200 MG	5	PA NSO; NDS; QL (112 per 28 days)
TASIGNA ORAL CAPSULE 50 MG	5	PA NSO; NDS; QL (120 per 30 days)
TAZVERIK ORAL TABLET 200 MG	5	PA NSO; NDS; QL (240 per 30 days)
TECENTRIQ HYBREZA SUBCUTANEOUS SOLUTION 1,875 MG-30,000 UNIT/15 ML	5	PA NSO; NDS
TECENTRIQ INTRAVENOUS SOLUTION 1,200 MG/20 ML (60 MG/ML), 840 MG/14 ML (60 MG/ML)	5	PA NSO; NDS
TECVAYLI SUBCUTANEOUS SOLUTION 10 MG/ML, 90 MG/ML	5	PA NSO; NDS
TEPMETKO ORAL TABLET 225 MG	5	PA NSO; NDS; QL (60 per 30 days)
TEVIMBRA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NDS
TIBSOVO ORAL TABLET 250 MG	5	PA NSO; NDS; QL (60 per 30 days)
TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG	4	

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
TIVDAK INTRAVENOUS RECON SOLN 40 MG	5	PA NSO; NDS; QL (5 per 21 days)
<i>toposar intravenous solution 20 mg/ml</i> (etoposide)	2	
<i>toremifene oral tablet 60 mg</i> (Fareston)	5	NDS
<i>torpenz oral tablet 10 mg</i> (everolimus (antineoplastic))	5	PA NSO; NDS; QL (60 per 30 days)
<i>torpenz oral tablet 2.5 mg, 5 mg, 7.5 mg</i> (everolimus (antineoplastic))	5	PA NSO; NDS; QL (30 per 30 days)
TRAZIMERA INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NDS
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG, 22.5 MG, 3.75 MG	4	PA NSO
<i>tretinoin (antineoplastic) oral capsule 10 mg</i>	5	NDS
TRUQAP ORAL TABLET 160 MG, 200 MG	5	PA NSO; NDS; QL (64 per 28 days)
TRUXIMA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NDS
TUKYSA ORAL TABLET 150 MG	5	PA NSO; NDS; QL (120 per 30 days)
TUKYSA ORAL TABLET 50 MG	5	PA NSO; NDS; QL (300 per 30 days)
TURALIO ORAL CAPSULE 125 MG, 200 MG	5	PA NSO; NDS; QL (120 per 30 days)
VANFLYTA ORAL TABLET 17.7 MG, 26.5 MG	5	PA NSO; NDS
VEGZELMA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS
VENCLEXTA ORAL TABLET 10 MG	3	PA NSO; LA; QL (60 per 30 days)
VENCLEXTA ORAL TABLET 100 MG	5	PA NSO; LA; NDS; QL (180 per 30 days)
VENCLEXTA ORAL TABLET 50 MG	5	PA NSO; LA; NDS; QL (30 per 30 days)
VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG	5	PA NSO; LA; NDS

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NDS; QL (56 per 28 days)
<i>vinblastine intravenous solution 1 mg/ml</i>	2	PA BvD
<i>vincasar pfs intravenous solution 1 mg/ml, 2 mg/2 ml</i> (vincristine)	2	PA BvD
<i>vincristine intravenous solution 1 mg/ml, 2 mg/2 ml</i> (Vincasar PFS)	2	PA BvD
<i>vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml</i>	2	
VITRAKVI ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (60 per 30 days)
VITRAKVI ORAL CAPSULE 25 MG	5	PA NSO; NDS; QL (180 per 30 days)
VITRAKVI ORAL SOLUTION 20 MG/ML	5	PA NSO; NDS; QL (300 per 30 days)
VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG	5	PA NSO; NDS; QL (30 per 30 days)
VONJO ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (120 per 30 days)
VORANIGO ORAL TABLET 10 MG, 40 MG	5	PA NSO; NDS
VYLOY INTRAVENOUS RECON SOLN 100 MG	5	PA NSO; NDS
WELIREG ORAL TABLET 40 MG	5	PA NSO; NDS; QL (90 per 30 days)
XALKORI ORAL CAPSULE 200 MG, 250 MG	5	PA NSO; NDS; QL (120 per 30 days)
XALKORI ORAL PELLETT 150 MG	5	PA NSO; NDS; QL (180 per 30 days)
XALKORI ORAL PELLETT 20 MG	5	PA NSO; NDS; QL (240 per 30 days)
XALKORI ORAL PELLETT 50 MG	5	PA NSO; NDS; QL (120 per 30 days)
XATMEP ORAL SOLUTION 2.5 MG/ML	4	PA BvD; ST
XOSPATA ORAL TABLET 40 MG	5	PA NSO; NDS; QL (90 per 30 days)

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2)	5	PA NSO; NDS; QL (8 per 28 days)
XPOVIO ORAL TABLET 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1)	5	PA NSO; NDS; QL (4 per 28 days)
XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK)	5	PA NSO; NDS; QL (24 per 28 days)
XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK)	5	PA NSO; NDS; QL (32 per 28 days)
XTANDI ORAL CAPSULE 40 MG	5	PA NSO; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 40 MG	5	PA NSO; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 80 MG	5	PA NSO; NDS; QL (60 per 30 days)
YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)	5	PA NSO; NDS
YONSA ORAL TABLET 125 MG	5	PA NSO; NDS; QL (120 per 30 days)
ZEJULA ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (90 per 30 days)
ZEJULA ORAL TABLET 100 MG, 200 MG, 300 MG	5	PA NSO; NDS; QL (30 per 30 days)
ZELBORAF ORAL TABLET 240 MG	5	PA NSO; NDS; QL (240 per 30 days)
ZIIHERA INTRAVENOUS RECON SOLN 300 MG	5	PA NSO; NDS
ZIRABEV INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS
ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG, 3.6 MG	4	PA NSO
ZOLINZA ORAL CAPSULE 100 MG	5	NDS
ZYDELIG ORAL TABLET 100 MG, 150 MG	5	PA NSO; NDS; QL (60 per 30 days)
ZYKADIA ORAL TABLET 150 MG	5	PA NSO; NDS; QL (84 per 28 days)

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
ZYNLONTA INTRAVENOUS RECON SOLN 10 MG	5	PA NSO; NDS
ZYNYZ INTRAVENOUS SOLUTION 500 MG/20 ML	5	PA NSO; NDS; QL (20 per 28 days)
Anticonvulsants		
Anticonvulsants		
APTIOM ORAL TABLET 200 MG, 400 MG	5	ST; NDS; QL (30 per 30 days)
APTIOM ORAL TABLET 600 MG, 800 MG	5	ST; NDS; QL (60 per 30 days)
BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML	3	QL (80 per 30 days)
BRIVIACT ORAL SOLUTION 10 MG/ML	3	QL (600 per 30 days)
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG	3	QL (60 per 30 days)
<i>carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg</i> (Carbatrol)	2	
<i>carbamazepine oral suspension 100 mg/5 ml</i> (Tegretol)	2	
<i>carbamazepine oral tablet 200 mg</i> (Epilex)	2	
<i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i> (Tegretol XR)	2	
<i>carbamazepine oral tablet, chewable 100 mg, 200 mg</i>	2	
<i>clobazam oral suspension 2.5 mg/ml</i> (Onfi)	2	QL (480 per 30 days)
<i>clobazam oral tablet 10 mg, 20 mg</i> (Onfi)	2	QL (60 per 30 days)
DIACOMIT ORAL CAPSULE 250 MG	5	PA NSO; NDS; QL (360 per 30 days)
DIACOMIT ORAL CAPSULE 500 MG	5	PA NSO; NDS; QL (180 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 250 MG	5	PA NSO; NDS; QL (360 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 500 MG	5	PA NSO; NDS; QL (180 per 30 days)
<i>diazepam rectal kit 12.5-15-17.5-20 mg, 2.5 mg, 5-7.5-10 mg</i>	4	

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
DILANTIN ORAL CAPSULE 30 MG	4	
<i>divalproex oral capsule, delayed rel sprinkle 125 mg</i> (Depakote Sprinkles)	2	
<i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i> (Depakote ER)	2	
<i>divalproex oral tablet, delayed release (dr/ec) 125 mg, 250 mg, 500 mg</i> (Depakote)	2	
EPIDIOLEX ORAL SOLUTION 100 MG/ML	5	PA NSO; NDS
<i>epitol oral tablet 200 mg</i> (carbamazepine)	2	
EPRONTIA ORAL SOLUTION 25 MG/ML	4	ST
<i>ethosuximide oral capsule 250 mg</i> (Zarontin)	2	
<i>ethosuximide oral solution 250 mg/5 ml</i> (Zarontin)	2	
<i>felbamate oral suspension 600 mg/5 ml</i>	2	
<i>felbamate oral tablet 400 mg, 600 mg</i> (Felbatol)	2	
FINTEPLA ORAL SOLUTION 2.2 MG/ML	5	PA NSO; NDS
<i>fosphephenytoin injection solution 100 mg pe/2 ml, 500 mg pe/10 ml</i> (Cerebyx)	2	
FYCOMPA ORAL SUSPENSION 0.5 MG/ML	5	ST; NDS; QL (720 per 30 days)
FYCOMPA ORAL TABLET 10 MG, 12 MG, 8 MG	5	ST; NDS; QL (30 per 30 days)
FYCOMPA ORAL TABLET 2 MG	4	ST; QL (30 per 30 days)
FYCOMPA ORAL TABLET 4 MG, 6 MG	5	ST; NDS; QL (60 per 30 days)
<i>gabapentin oral capsule 100 mg, 300 mg</i> (Neurontin)	2	QL (360 per 30 days)
<i>gabapentin oral capsule 400 mg</i> (Neurontin)	2	QL (270 per 30 days)
<i>gabapentin oral solution 250 mg/5 ml</i> (Neurontin)	2	QL (2160 per 30 days)
<i>gabapentin oral tablet 600 mg</i> (Neurontin)	2	QL (180 per 30 days)
<i>gabapentin oral tablet 800 mg</i> (Neurontin)	2	QL (120 per 30 days)
<i>lacosamide intravenous solution 200 mg/20 ml</i> (Vimpat)	2	QL (200 per 5 days)

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>lacosamide oral solution 10 mg/ml</i> (Vimpat)	2	QL (1200 per 30 days)
<i>lacosamide oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> (Vimpat)	2	QL (60 per 30 days)
<i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (Subvenite)	1	
<i>lamotrigine oral tablet disintegrating, dose pk 25 mg (21) - 50 mg (7)</i> (Lamictal ODT Starter (Blue))	2	
<i>lamotrigine oral tablet disintegrating, dose pk 25 mg(14)-50 mg (14)-100 mg (7)</i> (Lamictal ODT Starter (Orange))	2	
<i>lamotrigine oral tablet disintegrating, dose pk 50 mg (42) - 100 mg (14)</i> (Lamictal ODT Starter (Green))	2	
<i>lamotrigine oral tablet extended release 24hr 100 mg, 200 mg, 25 mg, 250 mg, 300 mg, 50 mg</i> (Lamictal XR)	2	
<i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i> (Lamictal)	2	
<i>lamotrigine oral tablet, disintegrating 100 mg, 200 mg, 25 mg, 50 mg</i> (Lamictal ODT)	2	
<i>levetiracetam intravenous solution 500 mg/5 ml</i> (Keppra)	2	
<i>levetiracetam oral solution 100 mg/ml</i> (Keppra)	2	
<i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i> (Keppra)	2	
<i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i> (Keppra XR)	2	
<i>levetiracetam oral tablet for suspension 250 mg</i> (Spritam)	2	ST
LIBERVANT BUCCAL FILM 10 MG, 12.5 MG, 15 MG, 5 MG, 7.5 MG	4	QL (10 per 30 days)
<i>methsuximide oral capsule 300 mg</i> (Celontin)	2	
NAYZILAM NASAL SPRAY, NON-AEROSOL 5 MG/SPRAY (0.1 ML)	4	QL (10 per 30 days)
<i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i> (Trileptal)	2	

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i> (Trileptal)	2	
<i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>	2	
<i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i>	2	
PHENYTEK ORAL CAPSULE 200 MG, 300 MG (phenytoin sodium extended)	4	
<i>phenytoin oral suspension 125 mg/5 ml</i> (Dilantin-125)	2	
<i>phenytoin oral tablet, chewable 50 mg</i> (Dilantin Infatabs)	2	
<i>phenytoin sodium extended oral capsule 100 mg</i> (Dilantin Extended)	2	
<i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i> (Phenytek)	2	
<i>phenytoin sodium intravenous solution 50 mg/ml</i>	2	
<i>phenytoin sodium intravenous syringe 50 mg/ml</i>	2	
<i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg</i> (Lyrica)	2	QL (90 per 30 days)
<i>pregabalin oral capsule 225 mg, 300 mg</i> (Lyrica)	2	QL (60 per 30 days)
<i>pregabalin oral solution 20 mg/ml</i> (Lyrica)	2	QL (900 per 30 days)
<i>primidone oral tablet 125 mg</i>	2	
<i>primidone oral tablet 250 mg, 50 mg</i> (Mysoline)	2	
<i>rufinamide oral suspension 40 mg/ml</i> (Banzel)	5	ST; NDS
<i>rufinamide oral tablet 200 mg</i> (Banzel)	2	ST
<i>rufinamide oral tablet 400 mg</i> (Banzel)	5	ST; NDS
SEZABY INTRAVENOUS RECON SOLN 100 MG	5	PA BvD; NDS
SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG, 500 MG, 750 MG	4	ST
SPRITAM ORAL TABLET FOR SUSPENSION 250 MG (levetiracetam)	4	ST
<i>subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (lamotrigine)	1	

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
SYMPAZAN ORAL FILM 10 MG, 20 MG, 5 MG	5	PA NSO; NDS; QL (60 per 30 days)
tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg	2	
topiramate oral capsule, sprinkle 15 (Topamax) mg, 25 mg	2	
topiramate oral capsule, sprinkle 50 mg	2	
topiramate oral tablet 100 mg, 200 (Topamax) mg, 25 mg, 50 mg	1	
valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)	2	
valproic acid (as sodium salt) oral solution 250 mg/5 ml	2	
valproic acid oral capsule 250 mg	2	
VALTOCO NASAL SPRAY, NON- AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML)	5	NDS; QL (10 per 30 days)
vigabatrin oral powder in packet 500 (Vigadrone) mg	5	PA NSO; NDS; QL (180 per 30 days)
vigabatrin oral tablet 500 mg (Vigadrone)	5	PA NSO; NDS; QL (180 per 30 days)
vigadrone oral powder in packet 500 (vigabatrin) mg	5	PA NSO; NDS; QL (180 per 30 days)
vigadrone oral tablet 500 mg (vigabatrin)	5	PA NSO; NDS; QL (180 per 30 days)
vigpoder oral powder in packet 500 (vigabatrin) mg	5	PA NSO; NDS; QL (180 per 30 days)
XCOPRI MAINTENANCE PACK ORAL TABLET 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1-150MG X1)	4	ST; QL (56 per 28 days)
XCOPRI ORAL TABLET 100 MG, 25 MG, 50 MG	4	ST; QL (30 per 30 days)
XCOPRI ORAL TABLET 150 MG, 200 MG	4	ST; QL (60 per 30 days)

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 12.5 MG (14)- 25 MG (14), 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14)	4	ST
ZONISADE ORAL SUSPENSION 100 MG/5 ML	4	
<i>zonisamide oral capsule 100 mg, 25 mg</i> (Zonegran)	2	
<i>zonisamide oral capsule 50 mg</i>	2	
ZTALMY ORAL SUSPENSION 50 MG/ML	5	PA NSO; NDS; QL (1080 per 30 days)
Antidementia Agents		
Antidementia Agents		
<i>donepezil oral tablet 10 mg, 5 mg</i> (Aricept)	1	QL (30 per 30 days)
<i>donepezil oral tablet 23 mg</i> (Aricept)	2	QL (30 per 30 days)
<i>donepezil oral tablet,disintegrating 10 mg</i>	2	
<i>donepezil oral tablet,disintegrating 5 mg</i>	2	QL (30 per 30 days)
<i>ergoloid oral tablet 1 mg</i>	2	
<i>galantamine oral capsule,ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i>	2	QL (30 per 30 days)
<i>galantamine oral solution 4 mg/ml</i>	2	QL (200 per 30 days)
<i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i>	2	QL (60 per 30 days)
<i>memantine oral capsule,sprinkle,er 24hr 14 mg, 21 mg, 28 mg</i>	2	ST; QL (30 per 30 days)
<i>memantine oral capsule,sprinkle,er 24hr 7 mg</i> (Namenda XR)	2	ST; QL (30 per 30 days)
<i>memantine oral solution 2 mg/ml</i>	2	QL (300 per 30 days)
<i>memantine oral tablet 10 mg, 5 mg</i>	2	QL (60 per 30 days)
<i>memantine-donepezil oral capsule,sprinkle,er 24hr 14-10 mg, 21-10 mg, 28-10 mg</i> (Namzaric)	2	ST; QL (30 per 30 days)
NAMZARIC ORAL CAP,SPRINKLE,ER 24HR DOSE PACK 7/14/21/28 MG-10 MG	4	ST

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
NAMZARIC ORAL (memantine-donepezil) CAPSULE,SPRINKLE,ER 24HR 14-10 MG, 21-10 MG, 28-10 MG	4	ST; QL (30 per 30 days)
NAMZARIC ORAL CAPSULE,SPRINKLE,ER 24HR 7- 10 MG	4	ST; QL (30 per 30 days)
<i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i>	2	
<i>rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour</i> (Exelon Patch)	2	QL (30 per 30 days)
Antidepressants		
Antidepressants		
<i>amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	2	
<i>amitriptyline-chlordiazepoxide oral tablet 12.5-5 mg, 25-10 mg</i>	2	
<i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i>	2	
AUVELITY ORAL TABLET, IR AND ER, BIPHASIC 45-105 MG	5	ST; NDS
<i>bupropion hcl oral tablet 100 mg, 75 mg</i>	2	
<i>bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg</i> (Wellbutrin XL)	2	
<i>bupropion hcl oral tablet sustained- release 12 hr 100 mg, 150 mg, 200 mg</i> (Wellbutrin SR)	2	
<i>citalopram oral solution 10 mg/5 ml</i>	2	
<i>citalopram oral tablet 10 mg</i> (Celexa)	1	QL (120 per 30 days)
<i>citalopram oral tablet 20 mg, 40 mg</i> (Celexa)	1	QL (30 per 30 days)
<i>clomipramine oral capsule 25 mg, 50 mg, 75 mg</i> (Anafranil)	2	
<i>desipramine oral tablet 10 mg, 25 mg</i> (Norpramin)	2	
<i>desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i>	2	
<i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg</i> (Pristiq)	2	QL (30 per 30 days)

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	2	
<i>doxepin oral concentrate 10 mg/ml</i>	2	
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG	4	ST; QL (60 per 30 days)
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG	4	ST; QL (30 per 30 days)
<i>duloxetine oral capsule, delayed release(dr/ec) 20 mg, 30 mg, 60 mg</i> (Cymbalta)	2	QL (60 per 30 days)
<i>duloxetine oral capsule, delayed release(dr/ec) 40 mg</i>	2	QL (30 per 30 days)
EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR	5	ST; NDS; QL (30 per 30 days)
<i>escitalopram oxalate oral solution 5 mg/5 ml</i>	2	
<i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg</i> (Lexapro)	1	
FETZIMA ORAL CAPSULE, EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)	4	ST
FETZIMA ORAL CAPSULE, EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG	4	ST; QL (30 per 30 days)
<i>fluoxetine oral capsule 10 mg, 20 mg, 40 mg</i> (Prozac)	1	
<i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	
<i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i>	2	
<i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	2	
<i>imipramine pamoate oral capsule 100 mg, 125 mg, 150 mg, 75 mg</i>	2	
MARPLAN ORAL TABLET 10 MG	4	
<i>mirtazapine oral tablet 15 mg, 30 mg</i> (Remeron)	2	
<i>mirtazapine oral tablet 45 mg, 7.5 mg</i>	2	

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>mirtazapine oral tablet, disintegrating</i> (Remeron SolTab) 15 mg, 30 mg, 45 mg	2	
<i>nefazodone oral tablet</i> 100 mg, 150 mg, 200 mg, 250 mg, 50 mg	2	
<i>nortriptyline oral capsule</i> 10 mg, 25 mg, 50 mg, 75 mg (Pamelor)	1	
<i>nortriptyline oral solution</i> 10 mg/5 ml	2	
<i>paroxetine hcl oral suspension</i> 10 mg/5 ml (Paxil)	2	
<i>paroxetine hcl oral tablet</i> 10 mg, 20 mg, 30 mg, 40 mg (Paxil)	1	
<i>paroxetine hcl oral tablet extended release 24 hr</i> 12.5 mg, 25 mg, 37.5 mg (Paxil CR)	2	
<i>perphenazine-amitriptyline oral tablet</i> 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg	2	
<i>phenelzine oral tablet</i> 15 mg (Nardil)	2	
<i>protriptyline oral tablet</i> 10 mg, 5 mg	2	
<i>sertraline oral concentrate</i> 20 mg/ml (Zoloft)	2	
<i>sertraline oral tablet</i> 100 mg, 25 mg, 50 mg (Zoloft)	1	
SPRAVATO NASAL SPRAY, NON-AEROSOL 28 MG, 56 MG (28 MG X 2), 84 MG (28 MG X 3)	5	PA NSO; NDS
<i>tranylcypromine oral tablet</i> 10 mg (Parnate)	2	
<i>trazodone oral tablet</i> 100 mg, 150 mg, 300 mg, 50 mg	1	
<i>trimipramine oral capsule</i> 100 mg, 25 mg, 50 mg	2	
TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG	3	QL (30 per 30 days)
<i>venlafaxine besylate oral tablet extended release 24hr</i> 112.5 mg	4	QL (60 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr</i> 150 mg (Effexor XR)	2	QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr</i> 37.5 mg, 75 mg (Effexor XR)	2	QL (90 per 30 days)

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>	2	
<i>venlafaxine oral tablet extended release 24hr 150 mg, 225 mg, 37.5 mg</i>	2	QL (30 per 30 days)
<i>venlafaxine oral tablet extended release 24hr 75 mg</i>	2	QL (90 per 30 days)
<i>vilazodone oral tablet 10 mg, 20 mg, 40 mg</i> (Viibryd)	2	QL (30 per 30 days)
ZURZUVAE ORAL CAPSULE 20 MG, 25 MG	5	PA NSO; NDS; QL (28 per 14 days)
ZURZUVAE ORAL CAPSULE 30 MG	5	PA NSO; NDS; QL (14 per 14 days)
Antidiabetic Agents		
Antidiabetic Agents, Miscellaneous		
<i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i> (Precose)	2	
FARXIGA ORAL TABLET 10 MG, 5 MG (dapagliflozin propanediol)	3	QL (30 per 30 days)
GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG	3	QL (30 per 30 days)
JANUMET ORAL TABLET 50-1,000 MG, 50-500 MG	3	QL (60 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG	3	QL (30 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG, 50-500 MG	3	QL (60 per 30 days)
JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG	3	QL (30 per 30 days)
JARDIANCE ORAL TABLET 10 MG, 25 MG	3	QL (30 per 30 days)
JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG	3	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	3	QL (60 per 30 days)

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	3	QL (30 per 30 days)
<i>metformin oral solution 500 mg/5 ml</i> (Riomet)	2	QL (765 per 30 days)
<i>metformin oral tablet 1,000 mg</i>	1	QL (75 per 30 days)
<i>metformin oral tablet 500 mg</i>	1	QL (150 per 30 days)
<i>metformin oral tablet 850 mg</i>	1	QL (90 per 30 days)
<i>metformin oral tablet extended release 24 hr 500 mg</i>	1	QL (120 per 30 days)
<i>metformin oral tablet extended release 24 hr 750 mg</i>	1	QL (60 per 30 days)
<i>mifepristone oral tablet 300 mg</i> (Korlym)	5	PA; NDS; QL (112 per 28 days)
<i>miglitol oral tablet 100 mg, 25 mg, 50 mg</i>	2	QL (90 per 30 days)
MOUNJARO SUBCUTANEOUS PEN INJECTOR 10 MG/0.5 ML, 12.5 MG/0.5 ML, 15 MG/0.5 ML, 2.5 MG/0.5 ML, 5 MG/0.5 ML, 7.5 MG/0.5 ML	3	PA; QL (2 per 28 days)
<i>nateglinide oral tablet 120 mg, 60 mg</i>	2	QL (90 per 30 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG (2 MG/3 ML), 0.25 MG OR 0.5 MG(2 MG/1.5 ML), 1 MG/DOSE (2 MG/1.5 ML), 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML)	3	PA; QL (3 per 28 days)
<i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg</i> (Actos)	1	QL (30 per 30 days)
<i>pioglitazone-metformin oral tablet 15-500 mg</i>	2	QL (90 per 30 days)
<i>pioglitazone-metformin oral tablet</i> (Actoplus MET) <i>15-850 mg</i>	2	QL (90 per 30 days)
<i>repaglinide oral tablet 0.5 mg, 1 mg</i>	2	QL (120 per 30 days)
<i>repaglinide oral tablet 2 mg</i>	2	QL (240 per 30 days)
RYBELSUS ORAL TABLET 1.5 MG, 14 MG, 3 MG, 4 MG, 7 MG, 9 MG	3	PA; QL (30 per 30 days)

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML	5	PA; NDS; QL (10.8 per 28 days)
SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML	5	PA; NDS; QL (10.8 per 28 days)
SYNJARDY ORAL TABLET 12.5- 1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG	3	QL (60 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG	3	QL (30 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5- 1,000 MG, 5-1,000 MG	3	QL (60 per 30 days)
TRADJENTA ORAL TABLET 5 MG	3	QL (30 per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-5-1,000 MG, 25-5-1,000 MG	3	QL (30 per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-2.5- 1,000 MG, 5-2.5-1,000 MG	3	QL (60 per 30 days)
TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML	3	PA; QL (2 per 28 days)
XIGDUO XR ORAL TABLET, IR - (dapaglifloz propaned- ER, BIPHASIC 24HR 10-1,000 MG metformin)	3	QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-500 MG	3	QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG, 5-500 MG	3	QL (60 per 30 days)
XIGDUO XR ORAL TABLET, IR - (dapaglifloz propaned- ER, BIPHASIC 24HR 5-1,000 MG metformin)	3	QL (60 per 30 days)
Insulins		
FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	max \$35 copay per month supply; QL (30 per 28 days)

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한	
FIASP PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (3 ML)	3	max \$35 copay per month supply; QL (30 per 28 days)	
FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	max \$35 copay per month supply; QL (40 per 28 days)	
HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML	3	max \$35 copay per month supply; QL (40 per 28 days)	
HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML)	3	max \$35 copay per month supply; QL (24 per 28 days)	
<i>insulin asp prt-insulin aspart</i> <i>subcutaneous insulin pen 100 unit/ml</i> (70-30)	(Novolog Mix 70- 30FlexPen U-100)	2	max \$35 copay per month supply; QL (30 per 28 days)
<i>insulin asp prt-insulin aspart</i> <i>subcutaneous solution 100 unit/ml</i> (70-30)	(Novolog Mix 70-30 U- 100 Insuln)	2	max \$35 copay per month supply; QL (40 per 28 days)
<i>insulin aspart u-100 subcutaneous</i> <i>cartridge 100 unit/ml</i>	(Novolog PenFill U-100 Insulin)	2	max \$35 copay per month supply; QL (30 per 28 days)
<i>insulin aspart u-100 subcutaneous</i> <i>insulin pen 100 unit/ml (3 ml)</i>	(Novolog FlexPen U- 100 Insulin)	2	max \$35 copay per month supply; QL (30 per 28 days)
<i>insulin aspart u-100 subcutaneous</i> <i>solution 100 unit/ml</i>	(Novolog U-100 Insulin aspart)	2	max \$35 copay per month supply; QL (40 per 28 days)
LANTUS SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	(insulin glargine)	3	max \$35 copay per month supply
LANTUS U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	(insulin glargine)	3	max \$35 copay per month supply
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30)		3	max \$35 copay per month supply; QL (40 per 28 days)
NOVOLIN 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)		3	max \$35 copay per month supply; QL (30 per 28 days)

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	max \$35 copay per month supply; QL (30 per 28 days)
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	3	max \$35 copay per month supply; QL (40 per 28 days)
NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	max \$35 copay per month supply; QL (30 per 28 days)
NOVOLIN R REGULAR U100 INSULIN INJECTION SOLUTION 100 UNIT/ML	3	max \$35 copay per month supply; QL (40 per 28 days)
SEMGLEE(INSULIN GLARGINE- YFGN) SUBCUTANEOUS SOLUTION 100 UNIT/ML	(insulin glargine-yfgn) 3	max \$35 copay per month supply
SEMGLEE(INSULIN GLARG- YFGN)PEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	(insulin glargine-yfgn) 3	max \$35 copay per month supply
SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML	3	max \$35 copay per month supply; QL (30 per 30 days)
TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML)	(insulin glargine u-300 conc) 3	max \$35 copay per month supply
TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML)	(insulin glargine u-300 conc) 3	max \$35 copay per month supply
TRESIBA FLEXTOUCH U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	(insulin degludec) 3	max \$35 copay per month supply
TRESIBA FLEXTOUCH U-200 SUBCUTANEOUS INSULIN PEN 200 UNIT/ML (3 ML)	(insulin degludec) 3	max \$35 copay per month supply
TRESIBA U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	(insulin degludec) 3	max \$35 copay per month supply
XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)	3	max \$35 copay per month supply; QL (15 per 28 days)

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
Sulfonylureas		
<i>glimepiride oral tablet 1 mg, 2 mg</i>	1	QL (30 per 30 days)
<i>glimepiride oral tablet 4 mg</i>	1	QL (60 per 30 days)
<i>glipizide oral tablet 10 mg</i>	1	QL (120 per 30 days)
<i>glipizide oral tablet 2.5 mg</i>	1	QL (60 per 30 days)
<i>glipizide oral tablet 5 mg</i>	1	QL (240 per 30 days)
<i>glipizide oral tablet extended release (Glucotrol XL) 24hr 10 mg</i>	1	QL (60 per 30 days)
<i>glipizide oral tablet extended release (Glucotrol XL) 24hr 2.5 mg, 5 mg</i>	1	QL (30 per 30 days)
<i>glipizide-metformin oral tablet 2.5- 250 mg</i>	2	QL (240 per 30 days)
<i>glipizide-metformin oral tablet 2.5- 500 mg, 5-500 mg</i>	2	QL (120 per 30 days)
<i>glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg</i>	1	
<i>glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg</i>	1	
<i>glyburide-metformin oral tablet 1.25- 250 mg, 2.5-500 mg, 5-500 mg</i>	1	
Antifungals		
Antifungals		
ABELCET INTRAVENOUS SUSPENSION 5 MG/ML	4	PA BvD
<i>amphotericin b injection recon soln 50 mg</i>	2	PA BvD
<i>amphotericin b liposome intravenous (AmBisome) suspension for reconstitution 50 mg</i>	5	PA BvD; NDS
<i>ciclopirox topical cream 0.77 % (Ciclodan)</i>	2	QL (180 per 30 days)
<i>ciclopirox topical gel 0.77 %</i>	2	
<i>ciclopirox topical shampoo 1 %</i>	2	
<i>ciclopirox topical solution 8 % (Ciclodan)</i>	2	QL (19.8 per 30 days)
<i>ciclopirox topical suspension 0.77 % (Loprox (as olamine))</i>	2	QL (180 per 30 days)
<i>clotrimazole mucous membrane troche 10 mg</i>	2	
<i>clotrimazole topical cream 1 % (Antifungal (clotrimazole))</i>	2	

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>clotrimazole topical solution 1 %</i> (Athlete's Foot (clotrimazole))	2	
<i>clotrimazole-betamethasone topical cream 1-0.05 %</i>	2	QL (90 per 30 days)
<i>clotrimazole-betamethasone topical lotion 1-0.05 %</i>	2	
<i>econazole nitrate topical cream 1 %</i>	2	QL (170 per 30 days)
<i>fluconazole in nacl (iso-osm) intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i>	2	
<i>fluconazole oral suspension for reconstitution 10 mg/ml</i>	2	
<i>fluconazole oral suspension for reconstitution 40 mg/ml</i> (Diflucan)	2	
<i>fluconazole oral tablet 100 mg, 200 mg</i> (Diflucan)	2	
<i>fluconazole oral tablet 150 mg, 50 mg</i>	2	
<i>flucytosine oral capsule 250 mg, 500 mg</i> (Ancobon)	5	NDS
<i>griseofulvin microsize oral suspension 125 mg/5 ml</i>	2	
<i>griseofulvin microsize oral tablet 500 mg</i>	2	
<i>griseofulvin ultramicrosize oral tablet 125 mg, 250 mg</i>	2	
<i>griseofulvin ultramicrosize oral tablet 165 mg</i> (Fulvicin P/G)	2	
<i>itraconazole oral capsule 100 mg</i> (Sporanox)	2	
<i>itraconazole oral solution 10 mg/ml</i> (Sporanox)	5	PA; NDS
<i>ketoconazole oral tablet 200 mg</i>	2	
<i>ketoconazole topical cream 2 %</i>	2	QL (180 per 30 days)
<i>ketoconazole topical foam 2 %</i> (Extina)	2	ST; QL (100 per 30 days)
<i>ketoconazole topical shampoo 2 %</i>	2	QL (360 per 30 days)
<i>miconazole intravenous recon soln 100 mg, 50 mg</i> (Mycamine)	2	
<i>miconazole-3 vaginal suppository 200 mg</i>	2	

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
NOXAFIL ORAL SUSP, DELAYED RELEASE FOR RECON 300 MG	5	PA; NDS
<i>nyamyc topical powder 100,000 unit/gram</i> (nystatin)	2	QL (60 per 30 days)
<i>nystatin oral suspension 100,000 unit/ml</i>	2	
<i>nystatin oral tablet 500,000 unit</i>	2	
<i>nystatin topical cream 100,000 unit/gram</i>	2	QL (60 per 30 days)
<i>nystatin topical ointment 100,000 unit/gram</i>	2	QL (60 per 30 days)
<i>nystatin topical powder 100,000 unit/gram</i> (Nyamyc)	2	QL (60 per 30 days)
<i>nystatin-triamcinolone topical cream 100,000-0.1 unit/g-%</i>	2	
<i>nystatin-triamcinolone topical ointment 100,000-0.1 unit/gram-%</i>	2	
<i>nystop topical powder 100,000 unit/gram</i> (nystatin)	2	QL (60 per 30 days)
<i>posaconazole oral suspension 200 mg/5 ml (40 mg/ml)</i> (Noxafil)	5	PA; NDS
<i>posaconazole oral tablet, delayed release (dr/ec) 100 mg</i> (Noxafil)	5	PA; NDS
<i>terbinafine hcl oral tablet 250 mg</i>	1	
<i>voriconazole intravenous recon soln 200 mg</i> (Vfend IV)	5	PA BvD; NDS
<i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i> (Vfend)	5	PA; NDS
<i>voriconazole oral tablet 200 mg</i>	2	
<i>voriconazole oral tablet 50 mg</i> (Vfend)	2	
Antigout Agents		
Antigout Agents, Other		
<i>allopurinol oral tablet 100 mg</i> (Zyloprim)	1	
<i>allopurinol oral tablet 300 mg</i>	1	
<i>colchicine oral capsule 0.6 mg</i> (Mitigare)	2	QL (60 per 30 days)
<i>colchicine oral tablet 0.6 mg</i> (Colcris)	2	QL (120 per 30 days)
<i>febuxostat oral tablet 40 mg, 80 mg</i> (Uloric)	2	ST; QL (30 per 30 days)

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>probenecid oral tablet 500 mg</i>	2	
<i>probenecid-colchicine oral tablet 500-0.5 mg</i>	2	
Antihistamines		
Antihistamines		
<i>carbinoxamine maleate oral liquid 4 mg/5 ml</i>	2	
<i>clemastine oral tablet 2.68 mg</i>	2	
<i>cyproheptadine oral syrup 2 mg/5 ml</i>	2	
<i>cyproheptadine oral tablet 4 mg</i>	2	
<i>hydroxyzine hcl oral solution 10 mg/5 ml</i>	2	
<i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	2	
<i>levocetirizine oral solution 2.5 mg/5 ml (Xyzal)</i>	2	
<i>levocetirizine oral tablet 5 mg (24HR Allergy Relief)</i>	1	
<i>promethazine oral syrup 6.25 mg/5 ml</i>	2	
Anti-Infectives (Skin And Mucous Membrane)		
Anti-Infectives (Skin And Mucous Membrane)		
<i>clindamycin phosphate vaginal cream 2 % (Cleocin)</i>	2	
<i>metronidazole vaginal gel 0.75 % (37.5mg/5 gram) (Vandazole)</i>	2	
<i>terconazole vaginal cream 0.4 %, 0.8 %</i>	2	
<i>terconazole vaginal suppository 80 mg</i>	2	
Antimigraine Agents		
Antimigraine Agents		
AJOVY AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 225 MG/1.5 ML	3	PA; QL (1.5 per 30 days)

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
AJOVY SYRINGE SUBCUTANEOUS SYRINGE 225 MG/1.5 ML	3	PA; QL (1.5 per 30 days)
<i>dihydroergotamine nasal spray, non-aerosol 0.5 mg/pump act. (4 mg/ml)</i> (Migranal)	5	ST; NDS; QL (8 per 28 days)
EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3)	3	PA; QL (3 per 30 days)
<i>naratriptan oral tablet 1 mg, 2.5 mg</i>	2	QL (9 per 30 days)
NURTEC ODT ORAL TABLET, DISINTEGRATING 75 MG	3	PA; QL (18 per 30 days)
QULIPTA ORAL TABLET 10 MG, 30 MG, 60 MG	3	PA; QL (30 per 30 days)
<i>rizatriptan oral tablet 10 mg</i> (Maxalt)	2	QL (18 per 30 days)
<i>rizatriptan oral tablet 5 mg</i>	2	QL (18 per 30 days)
<i>rizatriptan oral tablet, disintegrating 10 mg</i> (Maxalt-MLT)	2	QL (18 per 30 days)
<i>rizatriptan oral tablet, disintegrating 5 mg</i>	2	QL (18 per 30 days)
<i>sumatriptan 4 mg/0.5 ml inject outer, sub</i> (Imitrex STATdose Pen)	2	QL (4 per 28 days)
<i>sumatriptan nasal spray, non-aerosol 20 mg/actuation, 5 mg/actuation</i>	2	QL (12 per 30 days)
<i>sumatriptan succinate oral tablet 100 mg</i> (Imitrex)	2	QL (9 per 30 days)
<i>sumatriptan succinate oral tablet 25 mg, 50 mg</i> (Imitrex)	2	QL (18 per 30 days)
<i>sumatriptan succinate subcutaneous cartridge 6 mg/0.5 ml</i> (Imitrex STATdose Refill)	2	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml</i> (Imitrex STATdose Pen)	4	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector 6 mg/0.5 ml</i> (Imitrex STATdose Pen)	2	QL (4 per 28 days)

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i> (Imitrex)	2	QL (5 per 28 days)
<i>sumatriptan-naproxen oral tablet 85-500 mg</i> (Treximet)	2	QL (9 per 27 days)
UBRELVY ORAL TABLET 100 MG, 50 MG	3	PA; QL (16 per 30 days)
<i>zolmitriptan oral tablet 2.5 mg, 5 mg</i> (Zomig)	2	QL (12 per 30 days)
<i>zolmitriptan oral tablet, disintegrating 2.5 mg, 5 mg</i>	2	QL (12 per 30 days)
Antimycobacterials		
Antimycobacterials		
<i>dapsone oral tablet 100 mg, 25 mg</i>	2	
<i>ethambutol oral tablet 100 mg, 400 mg</i>	2	
<i>isoniazid oral solution 50 mg/5 ml</i>	2	
<i>isoniazid oral tablet 100 mg, 300 mg</i>	1	
PRIFTIN ORAL TABLET 150 MG	4	
<i>pyrazinamide oral tablet 500 mg</i>	2	
<i>rifabutin oral capsule 150 mg</i>	2	
<i>rifampin intravenous recon soln 600 mg</i> (Rifadin)	2	
<i>rifampin oral capsule 150 mg, 300 mg</i>	2	
SIRTURO ORAL TABLET 100 MG, 20 MG	5	PA; NDS
TRECTOR ORAL TABLET 250 MG	4	
Antinausea Agents		
Antinausea Agents		
<i>aprepitant oral capsule 125 mg</i>	2	PA BvD; QL (2 per 28 days)
<i>aprepitant oral capsule 40 mg</i>	2	PA BvD; QL (1 per 28 days)
<i>aprepitant oral capsule 80 mg</i> (Emend)	2	PA BvD; QL (4 per 28 days)
<i>aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2)</i> (Emend)	2	PA BvD
<i>compro rectal suppository 25 mg</i> (prochlorperazine)	2	

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i> (Marinol)	2	PA; QL (60 per 30 days)
EMEND ORAL SUSPENSION FOR RECONSTITUTION 125 MG (25 MG/ ML FINAL CONC.)	4	PA BvD; QL (6 per 28 days)
<i>granisetron hcl oral tablet 1 mg</i>	2	PA BvD
<i>meclizine oral tablet 12.5 mg</i>	1	
<i>meclizine oral tablet 25 mg</i> (Dramamine (meclizine))	1	
<i>ondansetron hcl oral solution 4 mg/5 ml</i>	2	PA BvD
<i>ondansetron hcl oral tablet 4 mg, 8 mg</i>	2	PA BvD
<i>ondansetron oral tablet, disintegrating 4 mg, 8 mg</i>	2	PA BvD
<i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml)</i>	2	
<i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i> (Compazine)	2	
<i>prochlorperazine rectal suppository 25 mg</i> (Compro)	2	
<i>promethazine injection solution 25 mg/ml</i> (Phenergan)	2	
<i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	
<i>promethazine rectal suppository 12.5 mg, 25 mg, 50 mg</i> (Promethegan)	2	
<i>promethegan rectal suppository 12.5 mg, 25 mg, 50 mg</i> (promethazine)	2	
<i>scopolamine base transdermal patch 3 day 1 mg over 3 days</i> (Transderm-Scop)	2	QL (10 per 30 days)
Antiparasite Agents		
Antiparasite Agents		
<i>albendazole oral tablet 200 mg</i>	5	NDS
<i>atovaquone oral suspension 750 mg/5 ml</i> (Mepron)	2	
<i>atovaquone-proguanil oral tablet 250-100 mg</i> (Malarone)	2	

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>atovaquone-proguanil oral tablet</i> (Malarone Pediatric) 62.5-25 mg	2	
<i>chloroquine phosphate oral tablet</i> 250 mg, 500 mg	2	
COARTEM ORAL TABLET 20-120 MG	4	
<i>hydroxychloroquine oral tablet</i> 100 mg	2	QL (180 per 30 days)
<i>hydroxychloroquine oral tablet</i> 200 (Plaquenil) mg	2	QL (90 per 30 days)
<i>hydroxychloroquine oral tablet</i> 300 (Sovuna) mg	2	QL (60 per 30 days)
<i>hydroxychloroquine oral tablet</i> 400 mg	2	QL (60 per 30 days)
IMPAVIDO ORAL CAPSULE 50 MG	5	PA; NDS; QL (84 per 28 days)
<i>ivermectin oral tablet</i> 3 mg (Stromectol)	2	
<i>mefloquine oral tablet</i> 250 mg	2	
<i>nitazoxanide oral tablet</i> 500 mg (Alinia)	5	NDS; QL (60 per 30 days)
<i>paromomycin oral capsule</i> 250 mg (Humatin)	2	
<i>pentamidine inhalation recon soln</i> (Nebupent) 300 mg	2	PA BvD
<i>pentamidine injection recon soln</i> 300 (Pentam) mg	2	
<i>praziquantel oral tablet</i> 600 mg (Biltricide)	2	
PRIMAQUINE ORAL TABLET 26.3 MG (15 MG BASE)	4	
<i>pyrimethamine oral tablet</i> 25 mg (Daraprim)	5	PA; NDS
<i>quinine sulfate oral capsule</i> 324 mg (Qualaquin)	2	PA
<i>tinidazole oral tablet</i> 250 mg, 500 mg	2	
Antiparkinsonian Agents		
Antiparkinsonian Agents		
<i>amantadine hcl oral capsule</i> 100 mg	2	
<i>amantadine hcl oral solution</i> 50 mg/5 ml	2	
<i>amantadine hcl oral tablet</i> 100 mg	2	

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>apomorphine subcutaneous cartridge</i> (APOKYN) 10 mg/ml	5	PA; NDS; QL (60 per 30 days)
<i>benztropine oral tablet</i> 0.5 mg, 1 mg, 2 mg	2	
<i>bromocriptine oral capsule</i> 5 mg	2	
<i>bromocriptine oral tablet</i> 2.5 mg	2	
<i>cabergoline oral tablet</i> 0.5 mg	2	
<i>carbidopa oral tablet</i> 25 mg (Lodosyn)	2	
<i>carbidopa-levodopa oral tablet</i> 10-100 mg (Sinemet)	2	
<i>carbidopa-levodopa oral tablet</i> 25-100 mg (Dhivy)	2	
<i>carbidopa-levodopa oral tablet</i> 25-250 mg	2	
<i>carbidopa-levodopa oral tablet extended release</i> 25-100 mg, 50-200 mg	2	
<i>carbidopa-levodopa oral tablet, disintegrating</i> 10-100 mg, 25-100 mg, 25-250 mg	2	
<i>carbidopa-levodopa-entacapone oral tablet</i> 12.5-50-200 mg, 18.75-75-200 mg, 25-100-200 mg, 31.25-125-200 mg, 37.5-150-200 mg, 50-200-200 mg	2	
<i>entacapone oral tablet</i> 200 mg	2	
INBRIJA INHALATION CAPSULE, W/INHALATION DEVICE 42 MG	5	PA; NDS; QL (300 per 30 days)
KYNMOBI SUBLINGUAL FILM 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NDS; QL (150 per 30 days)
KYNMOBI SUBLINGUAL FILM 10-15-20-25-30 MG	5	PA; NDS
NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR	4	ST; QL (30 per 30 days)

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
ONAPGO SUBCUTANEOUS CARTRIDGE 4.9 MG/ ML	5	PA; NDS; QL (30 per 30 days)
ONGENTYS ORAL CAPSULE 25 MG, 50 MG	4	PA; QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 129 MG, 193 MG, 258 MG, 322 MG/DAY(129 MG X1-193MG X1)	4	ST
<i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i>	2	
<i>rasagiline oral tablet 0.5 mg, 1 mg</i> (Azilect)	2	
<i>ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i>	2	
<i>ropinirole oral tablet extended release 24 hr 12 mg, 2 mg, 4 mg, 6 mg, 8 mg</i>	2	
<i>selegiline hcl oral capsule 5 mg</i>	2	
<i>selegiline hcl oral tablet 5 mg</i>	2	
<i>trihexyphenidyl oral elixir 0.4 mg/ml</i>	2	
<i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>	2	
VYALEV CONTIN. SUBCUTANEOUS INFUSION SOLUTION 12-240 MG/ML	5	PA; NDS; QL (560 per 28 days)
Antipsychotic Agents		
Antipsychotic Agents		
ABILIFY ASIMTUFII INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 720 MG/2.4 ML	5	NDS; QL (2.4 per 42 days)
ABILIFY ASIMTUFII INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 960 MG/3.2 ML	5	NDS; QL (3.2 per 42 days)
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 300 MG, 400 MG	5	NDS; QL (1 per 26 days)

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 300 MG, 400 MG	5	NDS; QL (1 per 26 days)
<i>aripiprazole oral solution 1 mg/ml</i>	2	
<i>aripiprazole oral tablet 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg</i> (Abilify)	2	
<i>aripiprazole oral tablet, disintegrating 10 mg</i>	2	ST; QL (90 per 30 days)
<i>aripiprazole oral tablet, disintegrating 15 mg</i>	2	ST; QL (60 per 30 days)
ARISTADA INITIO INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 675 MG/2.4 ML	5	NDS; QL (4.8 per 365 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 1,064 MG/3.9 ML	5	NDS; QL (3.9 per 14 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 441 MG/1.6 ML	5	NDS; QL (1.6 per 14 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML	5	NDS; QL (2.4 per 14 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 882 MG/3.2 ML	5	NDS; QL (3.2 per 14 days)
<i>asenapine maleate sublingual tablet 10 mg, 2.5 mg, 5 mg</i> (Saphris)	2	QL (60 per 30 days)
CAPLYTA ORAL CAPSULE 10.5 MG, 21 MG, 42 MG	5	ST; NDS; QL (30 per 30 days)
<i>chlorpromazine injection solution 25 mg/ml</i>	2	
<i>chlorpromazine oral concentrate 100 mg/ml, 30 mg/ml</i>	2	
<i>chlorpromazine oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg</i>	2	
<i>clozapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Clozaril)	2	

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>clozapine oral tablet, disintegrating</i> 100 mg, 12.5 mg, 25 mg	2	ST; QL (90 per 30 days)
<i>clozapine oral tablet, disintegrating</i> 150 mg	2	ST; QL (180 per 30 days)
<i>clozapine oral tablet, disintegrating</i> 200 mg	2	ST; QL (120 per 30 days)
COBENFY ORAL CAPSULE 100-20 MG, 125-30 MG, 50-20 MG	5	ST; NDS; QL (60 per 30 days)
COBENFY STARTER PACK ORAL CAPSULE, DOSE PACK 50 MG-20 MG /100 MG-20 MG	5	ST; NDS
ERZOFRI INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	5	NDS; QL (0.75 per 21 days)
ERZOFRI INTRAMUSCULAR SYRINGE 156 MG/ML	5	NDS; QL (1 per 21 days)
ERZOFRI INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	5	NDS; QL (1.5 per 21 days)
ERZOFRI INTRAMUSCULAR SYRINGE 351 MG/2.25 ML	5	NDS; QL (2.25 per 21 days)
ERZOFRI INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	5	NDS; QL (0.25 per 21 days)
ERZOFRI INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	5	NDS; QL (0.5 per 21 days)
FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG	5	ST; NDS; QL (60 per 30 days)
FANAPT ORAL TABLETS, DOSE PACK 1MG(2)-2MG(2)- 4MG(2)-6MG(2)	4	ST
<i>fluphenazine decanoate injection solution</i> 25 mg/ml	2	
<i>fluphenazine hcl injection solution</i> 2.5 mg/ml	2	
<i>fluphenazine hcl oral concentrate</i> 5 mg/ml	2	
<i>fluphenazine hcl oral elixir</i> 2.5 mg/5 ml	2	
<i>fluphenazine hcl oral tablet</i> 1 mg	2	
<i>fluphenazine hcl oral tablet</i> 10 mg, 2.5 mg, 5 mg	2	

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>haloperidol decanoate intramuscular solution 100 mg/ml (1 ml), 50 mg/ml(1ml)</i>	2	
<i>haloperidol decanoate intramuscular solution 100 mg/ml, 50 mg/ml</i> (Haldol Decanoate)	2	
<i>haloperidol lactate injection solution 5 mg/ml</i>	2	
<i>haloperidol lactate intramuscular syringe 5 mg/ml</i>	2	
<i>haloperidol lactate oral concentrate 2 mg/ml</i>	2	
<i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>	2	
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,092 MG/3.5 ML	5	NDS; QL (3.5 per 166 days)
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,560 MG/5 ML	5	NDS; QL (5 per 166 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	5	NDS; QL (0.75 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	5	NDS; QL (1 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	5	NDS; QL (1.5 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	3	QL (0.25 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	5	NDS; QL (0.5 per 21 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.88 ML	5	NDS; QL (0.88 per 70 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.32 ML	5	NDS; QL (1.32 per 70 days)

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	5	NDS; QL (1.75 per 70 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.63 ML	5	NDS; QL (2.63 per 70 days)
<i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>	2	
<i>lurasidone oral tablet 120 mg, 20 mg, 40 mg, 60 mg</i> (Latuda)	2	QL (30 per 30 days)
<i>lurasidone oral tablet 80 mg</i> (Latuda)	2	QL (60 per 30 days)
LYBALVI ORAL TABLET 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG	5	PA NSO; NDS; QL (30 per 30 days)
<i>molindone oral tablet 10 mg</i>	2	QL (240 per 30 days)
<i>molindone oral tablet 25 mg</i>	2	QL (270 per 30 days)
<i>molindone oral tablet 5 mg</i>	5	NDS; QL (120 per 30 days)
NUPLAZID ORAL CAPSULE 34 MG	5	PA NSO; NDS; QL (30 per 30 days)
NUPLAZID ORAL TABLET 10 MG	5	PA NSO; NDS; QL (30 per 30 days)
<i>olanzapine intramuscular recon soln 10 mg</i> (Zyprexa)	2	QL (30 per 30 days)
<i>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg</i> (Zyprexa)	2	
<i>olanzapine oral tablet, disintegrating 10 mg, 15 mg, 20 mg, 5 mg</i> (Zyprexa Zydis)	2	
<i>paliperidone oral tablet extended release 24hr 1.5 mg</i>	2	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 3 mg, 9 mg</i> (Invega)	2	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 6 mg</i> (Invega)	2	QL (60 per 30 days)
<i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>	2	
PERSERIS SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 120 MG, 90 MG	5	NDS; QL (1 per 30 days)
<i>pimozide oral tablet 1 mg, 2 mg</i>	2	

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>prochlorperazine 10 mg/2 ml v1 outer 10 mg/2 ml (5 mg/ml)</i>	2	
<i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg</i> (Seroquel)	2	
<i>quetiapine oral tablet 150 mg</i>	2	QL (30 per 30 days)
<i>quetiapine oral tablet extended release 24 hr 150 mg, 200 mg, 300 mg, 400 mg, 50 mg</i> (Seroquel XR)	2	
REXULTI ORAL TABLET 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG	5	ST; NDS; QL (30 per 30 days)
<i>risperidone microspheres intramuscular suspension, extended rel recon 12.5 mg/2 ml</i> (Risperdal Consta)	2	QL (2 per 28 days)
<i>risperidone microspheres intramuscular suspension, extended rel recon 25 mg/2 ml</i> (Rykindo)	2	QL (2 per 28 days)
<i>risperidone microspheres intramuscular suspension, extended rel recon 37.5 mg/2 ml, 50 mg/2 ml</i> (Rykindo)	5	NDS; QL (2 per 28 days)
<i>risperidone oral solution 1 mg/ml</i> (Risperdal)	2	
<i>risperidone oral tablet 0.25 mg</i>	2	
<i>risperidone oral tablet 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i> (Risperdal)	2	
<i>risperidone oral tablet, disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i>	2	
RYKINDO INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON 25 MG/2 ML, 37.5 MG/2 ML, 50 MG/2 ML (risperidone microspheres)	5	NDS; QL (2 per 28 days)
SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR	5	ST; NDS; QL (30 per 30 days)
<i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	2	
<i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	2	

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>	2	
UZEDY SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 100 MG/0.28 ML	5	NDS; QL (0.28 per 28 days)
UZEDY SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 125 MG/0.35 ML	5	NDS; QL (0.35 per 28 days)
UZEDY SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 150 MG/0.42 ML	5	NDS; QL (0.42 per 56 days)
UZEDY SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 200 MG/0.56 ML	5	NDS; QL (0.56 per 56 days)
UZEDY SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 250 MG/0.7 ML	5	NDS; QL (0.7 per 56 days)
UZEDY SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 50 MG/0.14 ML	5	NDS; QL (0.14 per 28 days)
UZEDY SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 75 MG/0.21 ML	5	NDS; QL (0.21 per 28 days)
VERSACLOZ ORAL SUSPENSION 50 MG/ML	5	ST; NDS; QL (540 per 30 days)
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	5	ST; NDS; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE, DOSE PACK 1.5 MG (1)- 3 MG (6)	4	ST
<i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i> (Geodon)	2	
<i>ziprasidone mesylate intramuscular recon soln 20 mg/ml (final conc.)</i> (Geodon)	2	QL (6 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	4	QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG	5	NDS; QL (2 per 28 days)

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG	5	NDS; QL (1 per 28 days)
Antivirals (Systemic)		
Antiretrovirals		
<i>abacavir oral solution 20 mg/ml</i> (Ziagen)	2	
<i>abacavir oral tablet 300 mg</i>	2	
<i>abacavir-lamivudine oral tablet 600-300 mg</i>	2	
APRETUDE INTRAMUSCULAR SUSPENSION, EXTENDED RELEASE 600 MG/3 ML (200 MG/ML) (cabotegravir)	5	NDS; QL (24 per 365 days)
APTIVUS ORAL CAPSULE 250 MG	5	NDS
<i>atazanavir oral capsule 150 mg</i>	2	
<i>atazanavir oral capsule 200 mg, 300 mg</i> (Reyataz)	2	
BIKTARVY ORAL TABLET 30-120-15 MG, 50-200-25 MG	5	NDS; QL (30 per 30 days)
CABENUVA INTRAMUSCULAR SUSPENSION, EXTENDED RELEASE 400 MG/2 ML- 600 MG/2 ML, 600 MG/3 ML- 900 MG/3 ML	5	NDS
<i>cabotegravir intramuscular suspension, extended release 400 mg/2 ml (200 mg/ml)</i>	5	NDS; QL (24 per 365 days)
<i>cabotegravir intramuscular suspension, extended release 600 mg/3 ml (200 mg/ml)</i> (Apretude)	5	NDS; QL (24 per 365 days)
CIMDUO ORAL TABLET 300-300 MG	5	NDS
COMPLERA ORAL TABLET 200-25-300 MG	5	NDS
<i>darunavir oral tablet 600 mg, 800 mg</i> (Prezista)	5	NDS
DELSTRIGO ORAL TABLET 100-300-300 MG	5	NDS
DESCOVY ORAL TABLET 120-15 MG, 200-25 MG	5	NDS

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>didanosine oral capsule, delayed release(dr/ec) 250 mg, 400 mg</i>	2	
DOVATO ORAL TABLET 50-300 MG	5	NDS
EDURANT ORAL TABLET 25 MG	5	NDS
<i>efavirenz oral capsule 200 mg, 50 mg</i>	2	
<i>efavirenz oral tablet 600 mg</i>	2	
<i>efavirenz-emtricitabin-tenofovir oral tablet 600-200-300 mg</i>	5	NDS
<i>efavirenz-lamivudine-tenofovir disoproxil fumarate oral tablet 400-300-300 mg</i> (Symfi Lo)	5	NDS
<i>efavirenz-lamivudine-tenofovir disoproxil fumarate oral tablet 600-300-300 mg</i> (Symfi)	5	NDS
<i>emtricitabine oral capsule 200 mg</i> (Emtriva)	2	
<i>emtricitabine-tenofovir (tdf) oral tablet 100-150 mg, 133-200 mg, 167-250 mg</i> (Truvada)	5	NDS
<i>emtricitabine-tenofovir (tdf) oral tablet 200-300 mg</i> (Truvada)	2	
EMTRIVA ORAL SOLUTION 10 MG/ML	4	
EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML)	4	
<i>etravirine oral tablet 100 mg, 200 mg</i> (Intelence)	5	NDS
EVOTAZ ORAL TABLET 300-150 MG	5	NDS
<i>fosamprenavir oral tablet 700 mg</i>	5	NDS
FUZEON SUBCUTANEOUS RECON SOLN 90 MG	5	NDS
GENVOYA ORAL TABLET 150-150-200-10 MG	5	NDS
INTELENCE ORAL TABLET 25 MG	4	
ISENTRESS HD ORAL TABLET 600 MG	5	NDS
ISENTRESS ORAL POWDER IN PACKET 100 MG	5	NDS
ISENTRESS ORAL TABLET 400 MG	5	NDS

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
ISENTRESS ORAL TABLET,CHEWABLE 100 MG	5	NDS
ISENTRESS ORAL TABLET,CHEWABLE 25 MG	3	
JULUCA ORAL TABLET 50-25 MG	5	NDS
<i>lamivudine oral solution 10 mg/ml</i> (Epivir)	2	
<i>lamivudine oral tablet 100 mg</i>	2	
<i>lamivudine oral tablet 150 mg, 300 mg</i> (Epivir)	2	
<i>lamivudine-zidovudine oral tablet 150-300 mg</i>	2	
LEXIVA ORAL SUSPENSION 50 MG/ML	4	
<i>lopinavir-ritonavir oral solution 400-100 mg/5 ml</i> (Kaletra)	2	QL (480 per 30 days)
<i>lopinavir-ritonavir oral tablet 100-25 mg</i> (Kaletra)	2	QL (300 per 30 days)
<i>lopinavir-ritonavir oral tablet 200-50 mg</i> (Kaletra)	2	QL (120 per 30 days)
<i>maraviroc oral tablet 150 mg, 300 mg</i> (Selzentry)	5	NDS
<i>nevirapine oral suspension 50 mg/5 ml</i>	2	QL (1200 per 30 days)
<i>nevirapine oral tablet 200 mg</i>	2	QL (60 per 30 days)
<i>nevirapine oral tablet extended release 24 hr 100 mg</i>	2	QL (90 per 30 days)
<i>nevirapine oral tablet extended release 24 hr 400 mg</i>	2	QL (30 per 30 days)
NORVIR ORAL POWDER IN PACKET 100 MG	4	
NORVIR ORAL SOLUTION 80 MG/ML	4	
ODEFSEY ORAL TABLET 200-25- 25 MG	5	NDS
PIFELTRO ORAL TABLET 100 MG	5	NDS
PREZCOBIX ORAL TABLET 800- 150 MG-MG	5	NDS

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
PREZISTA ORAL SUSPENSION 100 MG/ML	5	NDS
PREZISTA ORAL TABLET 150 MG, 75 MG	5	NDS
RETROVIR INTRAVENOUS SOLUTION 10 MG/ML	4	
REYATAZ ORAL POWDER IN PACKET 50 MG	5	NDS
<i>rilpivirine intramuscular suspension, extended release 600 mg/2 ml (300 mg/ml), 900 mg/3 ml (300 mg/ml)</i>	5	NDS
<i>ritonavir oral tablet 100 mg</i> (Norvir)	2	
RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG	5	NDS
SELZENTRY ORAL SOLUTION 20 MG/ML	5	NDS
SELZENTRY ORAL TABLET 25 MG	3	
SELZENTRY ORAL TABLET 75 MG	5	NDS
<i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i>	2	
STRIBILD ORAL TABLET 150- 150-200-300 MG	5	NDS
SUNLENCA ORAL TABLET 300 MG, 300 MG (4-TABLET PACK)	5	NDS
SUNLENCA SUBCUTANEOUS SOLUTION 309 MG/ML	5	PA BvD; NDS
SYM TUZA ORAL TABLET 800- 150-200-10 MG	5	NDS
TEMIXYS ORAL TABLET 300-300 MG	5	NDS
<i>tenofovir disoproxil fumarate oral tablet 300 mg</i> (Viread)	2	
TIVICAY ORAL TABLET 10 MG	4	
TIVICAY ORAL TABLET 25 MG, 50 MG	5	NDS

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG	5	NDS
TRIUMEQ ORAL TABLET 600-50-300 MG	5	NDS; QL (30 per 30 days)
TRIUMEQ PD ORAL TABLET FOR SUSPENSION 60-5-30 MG	4	
TRIZIVIR ORAL TABLET 300-150-300 MG	5	NDS
TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)	5	NDS
VEMLIDY ORAL TABLET 25 MG	5	ST; NDS; QL (30 per 30 days)
VIRACEPT ORAL TABLET 250 MG, 625 MG	5	NDS
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	5	NDS
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	5	NDS
VOCABRIA ORAL TABLET 30 MG	4	
<i>zidovudine oral capsule 100 mg</i> (Retrovir)	2	
<i>zidovudine oral syrup 10 mg/ml</i> (Retrovir)	2	
<i>zidovudine oral tablet 300 mg</i>	2	
Antivirals, Miscellaneous		
LIVTENCITY ORAL TABLET 200 MG	5	PA; NDS
<i>oseltamivir oral capsule 30 mg</i> (Tamiflu)	2	QL (84 per 180 days)
<i>oseltamivir oral capsule 45 mg</i> (Tamiflu)	2	QL (48 per 180 days)
<i>oseltamivir oral capsule 75 mg</i> (Tamiflu)	2	QL (42 per 180 days)
<i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> (Tamiflu)	2	QL (540 per 180 days)
PAXLOVID ORAL TABLETS,DOSE PACK 150-100 MG	2	\$0 copay until 2/28/25; QL (20 per 5 days)
PAXLOVID ORAL TABLETS,DOSE PACK 300 MG (150 MG X 2)-100 MG	2	\$0 copay until 2/28/25; QL (30 per 5 days)

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
PREVYMIS ORAL PELLETS IN PACKET 120 MG, 20 MG	5	PA; NDS; QL (120 per 30 days)
PREVYMIS ORAL TABLET 240 MG, 480 MG	5	PA; NDS; QL (28 per 28 days)
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION	4	QL (60 per 180 days)
<i>rimantadine oral tablet 100 mg</i> (Flumadine)	2	
Hcv Antivirals		
EPCLUSA ORAL PELLETS IN PACKET 150-37.5 MG	5	PA; NDS; QL (28 per 28 days)
EPCLUSA ORAL PELLETS IN PACKET 200-50 MG	5	PA; NDS; QL (56 per 28 days)
EPCLUSA ORAL TABLET 200-50 MG	5	PA; NDS; QL (28 per 28 days)
EPCLUSA ORAL TABLET 400-100 (sofosbuvir-velpatasvir) MG	5	PA; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 33.75-150 MG	5	PA; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 45-200 MG	5	PA; NDS; QL (56 per 28 days)
HARVONI ORAL TABLET 45-200 MG	5	PA; NDS; QL (28 per 28 days)
HARVONI ORAL TABLET 90-400 (ledipasvir-sofosbuvir) MG	5	PA; NDS; QL (28 per 28 days)
MAVYRET ORAL TABLET 100-40 MG	5	PA; NDS; QL (84 per 28 days)
VOSEVI ORAL TABLET 400-100-100 MG	5	PA; NDS; QL (28 per 28 days)
Interferons		
INTRON A INJECTION RECON SOLN 10 MILLION UNIT (1 ML), 18 MILLION UNIT (1 ML), 50 MILLION UNIT (1 ML)	5	NDS
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML	5	PA; NDS
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML	5	PA; NDS
Nucleosides And Nucleotides		
<i>acyclovir oral capsule 200 mg</i>	1	

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>acyclovir oral suspension 200 mg/5 ml</i> (Zovirax)	2	
<i>acyclovir oral tablet 400 mg, 800 mg</i>	2	
<i>acyclovir sodium intravenous solution 50 mg/ml</i>	2	PA BvD
<i>adefovir oral tablet 10 mg</i> (Hepsera)	2	
<i>entecavir oral tablet 0.5 mg, 1 mg</i> (Baraclude)	2	
<i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i>	2	
<i>lagevrio (eua) oral capsule 200 mg</i>	4	QL (40 per 5 days)
<i>ribavirin oral capsule 200 mg</i>	2	
<i>ribavirin oral tablet 200 mg</i>	2	
<i>valacyclovir oral tablet 1 gram, 500 mg</i> (Valtrex)	2	
<i>valganciclovir oral recon soln 50 mg/ml</i> (Valcyte)	5	NDS
<i>valganciclovir oral tablet 450 mg</i> (Valcyte)	2	
Blood Products/Modifiers/Volume Expanders		
Anticoagulants		
<i>dabigatran etexilate oral capsule 110 mg, 150 mg, 75 mg</i> (Pradaxa)	2	QL (60 per 30 days)
ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS)	3	
ELIQUIS ORAL TABLET 2.5 MG	3	QL (60 per 30 days)
ELIQUIS ORAL TABLET 5 MG	3	QL (74 per 30 days)
<i>enoxaparin subcutaneous syringe 100 mg/ml, 150 mg/ml</i> (Lovenox)	2	QL (60 per 30 days)
<i>enoxaparin subcutaneous syringe 120 mg/0.8 ml, 80 mg/0.8 ml</i> (Lovenox)	2	QL (48 per 30 days)
<i>enoxaparin subcutaneous syringe 30 mg/0.3 ml</i> (Lovenox)	2	QL (18 per 30 days)
<i>enoxaparin subcutaneous syringe 40 mg/0.4 ml</i> (Lovenox)	2	QL (24 per 30 days)
<i>enoxaparin subcutaneous syringe 60 mg/0.6 ml</i> (Lovenox)	2	QL (36 per 30 days)

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>fondaparinux subcutaneous syringe</i> (Arixtra) 10 mg/0.8 ml	5	NDS; QL (24 per 30 days)
<i>fondaparinux subcutaneous syringe</i> (Arixtra) 2.5 mg/0.5 ml	2	QL (15 per 30 days)
<i>fondaparinux subcutaneous syringe</i> 5 (Arixtra) mg/0.4 ml	5	NDS; QL (12 per 30 days)
<i>fondaparinux subcutaneous syringe</i> (Arixtra) 7.5 mg/0.6 ml	5	NDS; QL (18 per 30 days)
<i>heparin (porcine) injection solution</i> 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml	2	
<i>jantoven oral tablet</i> 1 mg, 10 mg, 2 (warfarin) mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg	1	
<i>warfarin oral tablet</i> 1 mg, 10 mg, 2 (Jantoven) mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg	1	
XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)	3	
XARELTO ORAL SUSPENSION FOR RECONSTITUTION 1 MG/ML	3	QL (600 per 30 days)
XARELTO ORAL TABLET 10 MG, 20 MG	3	QL (30 per 30 days)
XARELTO ORAL TABLET 15 MG, 2.5 MG	3	QL (60 per 30 days)
Blood Formation Modifiers		
ALVAIZ ORAL TABLET 18 MG, 36 MG, 54 MG, 9 MG	5	PA; NDS; QL (60 per 30 days)
CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML)	5	PA; NDS
DOPTELET (10 TAB PACK) ORAL TABLET 20 MG	5	PA; NDS; QL (60 per 30 days)
DOPTELET (15 TAB PACK) ORAL TABLET 20 MG	5	PA; NDS; QL (60 per 30 days)
DOPTELET (30 TAB PACK) ORAL TABLET 20 MG	5	PA; NDS; QL (60 per 30 days)
FYLNETRA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NDS

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT	5	PA; NDS; QL (30 per 30 days)
HAEGARDA SUBCUTANEOUS RECON SOLN 3,000 UNIT	5	PA; NDS; QL (20 per 30 days)
LEUKINE INJECTION RECON SOLN 250 MCG	5	PA; NDS
NEULASTA ONPRO SUBCUTANEOUS SYRINGE, W/ WEARABLE INJECTOR 6 MG/0.6 ML	5	PA; NDS
NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NDS
NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NDS
NYVEPRIA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NDS
PROMACTA ORAL POWDER IN PACKET 12.5 MG	5	PA; NDS; QL (90 per 30 days)
PROMACTA ORAL POWDER IN PACKET 25 MG	5	PA; NDS; QL (180 per 30 days)
PROMACTA ORAL TABLET 12.5 MG	5	PA; NDS; QL (90 per 30 days)
PROMACTA ORAL TABLET 25 MG	5	PA; NDS; QL (30 per 30 days)
PROMACTA ORAL TABLET 50 MG, 75 MG	5	PA; NDS; QL (60 per 30 days)
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; QL (12 per 28 days)
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	3	PA; QL (4 per 28 days)
ROLVEDON SUBCUTANEOUS SYRINGE 13.2 MG/0.6 ML	5	PA; NDS
STIMUFEND SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NDS

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
ZARXIO INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NDS
Hematologic Agents, Miscellaneous		
<i>anagrelide oral capsule 0.5 mg</i> (Agrylin)	2	
<i>anagrelide oral capsule 1 mg</i>	2	
CABLIVI INJECTION KIT 11 MG	5	PA; NDS; QL (30 per 30 days)
DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG	4	
TAVALISSE ORAL TABLET 100 MG, 150 MG	5	PA; NDS; QL (60 per 30 days)
<i>tranexamic acid oral tablet 650 mg</i>	2	
Platelet-Aggregation Inhibitors		
<i>aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg</i>	2	
BRILINTA ORAL TABLET 60 MG, 90 MG	3	
<i>cilostazol oral tablet 100 mg, 50 mg</i>	2	
<i>clopidogrel oral tablet 75 mg</i> (Plavix)	1	
<i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>	2	
<i>pentoxifylline oral tablet extended release 400 mg</i>	2	
<i>prasugrel hcl oral tablet 10 mg, 5 mg</i> (Effient)	2	QL (30 per 30 days)
Caloric Agents		
Caloric Agents		
CLINIMIX 5%/D15W SULFITE FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 4.25%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 5%-D20W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
CLINIMIX 6%-D5W (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 6-5 %	4	PA BvD
CLINIMIX 8%-D10W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD
CLINIMIX 8%-D14W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA BvD
CLINIMIX E 2.75%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	4	PA BvD
CLINIMIX E 4.25%/D10W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 4.25%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 5%/D15W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 5%/D20W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 8%-D10W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD
CLINIMIX E 8%-D14W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA BvD
<i>dextrose 5 % in water (d5w) intravenous parenteral solution</i>	2	
PROCALAMINE 3% INTRAVENOUS PARENTERAL SOLUTION 3 %	4	PA BvD
PROSOL 20 % INTRAVENOUS PARENTERAL SOLUTION	4	PA BvD
TRAVASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
Cardiovascular Agents		
Alpha-Adrenergic Agents		
<i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i>	1	
<i>clonidine transdermal patch weekly 0.1 mg/24 hr</i> (Catapres-TTS-1)	2	
<i>clonidine transdermal patch weekly 0.2 mg/24 hr</i> (Catapres-TTS-2)	2	
<i>clonidine transdermal patch weekly 0.3 mg/24 hr</i> (Catapres-TTS-3)	2	
<i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i> (Cardura)	1	
<i>droxidopa oral capsule 100 mg, 200 mg, 300 mg</i> (Northera)	5	PA; NDS; QL (180 per 30 days)
<i>guanfacine oral tablet 1 mg, 2 mg</i>	2	
<i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	
<i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i>	2	
Angiotensin II Receptor Antagonists		
<i>candesartan oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i> (Atacand)	2	
<i>candesartan-hydrochlorothiazid oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg</i> (Atacand HCT)	2	
ENTRESTO ORAL TABLET 24-26 MG, 49-51 MG, 97-103 MG (sacubitril-valsartan)	3	QL (60 per 30 days)
ENTRESTO SPRINKLE ORAL PELLET 15-16 MG, 6-6 MG	3	QL (240 per 30 days)
<i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i> (Avapro)	2	
<i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i> (Avalide)	2	
<i>losartan oral tablet 100 mg, 25 mg, 50 mg</i> (Cozaar)	1	

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i> (Hyzaar)	1	
<i>olmesartan oral tablet 20 mg, 40 mg, 5 mg</i> (Benicar)	2	
<i>olmesartan-amlodipin-hcthiiazid oral tablet 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg</i> (Tribenzor)	2	
<i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i> (Benicar HCT)	2	
<i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i> (Micardis)	2	
<i>telmisartan-amlodipine oral tablet 40-10 mg, 40-5 mg, 80-10 mg, 80-5 mg</i>	2	
<i>telmisartan-hydrochlorothiazid oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg</i> (Micardis HCT)	2	
<i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i> (Diovan)	2	
<i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i> (Diovan HCT)	2	
Angiotensin-Converting Enzyme Inhibitors		
<i>benazepril oral tablet 10 mg, 20 mg, 40 mg</i> (Lotensin)	1	
<i>benazepril oral tablet 5 mg</i>	1	
<i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Lotensin HCT)	2	
<i>benazepril-hydrochlorothiazide oral tablet 5-6.25 mg</i>	2	
<i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>	2	
<i>enalapril maleate oral solution 1 mg/ml</i> (Epaned)	2	ST; QL (1200 per 30 days)

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Vasotec)	1	
<i>enalapril-hydrochlorothiazide oral tablet 10-25 mg</i> (Vaseretic)	1	
<i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i>	1	
<i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i>	1	
<i>fosinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg</i>	2	
<i>lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg</i> (Zestril)	1	
<i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Zestoretic)	1	
<i>moexipril oral tablet 15 mg, 7.5 mg</i>	2	
<i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>	2	
<i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Accupril)	1	
<i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Accuretic)	2	
<i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i> (Altace)	1	
<i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>	1	
<i>trandolapril-verapamil oral tablet, ir - er, biphasic 24hr 1-240 mg, 2-180 mg, 2-240 mg, 4-240 mg</i>	2	
Antiarrhythmic Agents		
<i>amiodarone oral tablet 100 mg, 200 mg, 400 mg</i> (Pacerone)	2	
<i>disopyramide phosphate oral capsule 100 mg, 150 mg</i> (Norpace)	2	
<i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i> (Tikosyn)	2	
<i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i>	2	

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>mexiletine oral capsule 150 mg, 200 mg, 250 mg</i>	2	
MULTAQ ORAL TABLET 400 MG	3	
<i>pacerone oral tablet 100 mg, 200 mg, 400 mg</i> (amiodarone)	2	
<i>propafenone oral capsule, extended release 12 hr 225 mg, 325 mg, 425 mg</i>	2	
<i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>	2	
<i>quinidine gluconate oral tablet extended release 324 mg</i>	2	
<i>quinidine sulfate oral tablet 200 mg, 300 mg</i>	2	
Beta-Adrenergic Blocking Agents		
<i>acebutolol oral capsule 200 mg, 400 mg</i>	2	
<i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i> (Tenormin)	1	
<i>atenolol-chlorthalidone oral tablet 100-25 mg</i> (Tenoretic 100)	2	
<i>atenolol-chlorthalidone oral tablet 50-25 mg</i> (Tenoretic 50)	2	
<i>betaxolol oral tablet 10 mg, 20 mg</i>	2	
<i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i>	2	
<i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i>	2	
<i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i> (Coreg)	1	
<i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i>	2	
<i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg</i> (Toprol XL)	1	
<i>metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg, 50-25 mg</i>	2	

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>metoprolol tartrate oral tablet 100 mg, 50 mg</i> (Lopressor)	1	
<i>metoprolol tartrate oral tablet 25 mg</i>	1	
<i>nadolol oral tablet 20 mg, 40 mg</i>	2	
<i>nadolol oral tablet 80 mg</i> (Corgard)	2	
<i>nebivolol oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Bystolic)	2	
<i>pindolol oral tablet 10 mg, 5 mg</i>	2	
<i>propranolol oral capsule, extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i> (Inderal LA)	2	
<i>propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)</i>	2	
<i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>	2	
<i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i> (sotalol)	2	
<i>sotalol af oral tablet 120 mg, 160 mg, 80 mg</i> (sotalol)	2	
<i>sotalol oral tablet 120 mg, 160 mg, 80 mg</i> (Sotalol AF)	2	
<i>sotalol oral tablet 240 mg</i> (Betapace)	2	
<i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>	2	
Calcium-Channel Blocking Agents		
<i>cartia xt oral capsule, extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (diltiazem hcl)	2	
<i>diltiazem 24hr er 360 mg cap once-a-day dosage</i> (Tiadylt ER)	2	
<i>diltiazem 24hr er 420 mg cap</i> (Tiadylt ER)	2	
<i>diltiazem hcl oral capsule, extended release 12 hr 120 mg, 60 mg, 90 mg</i>	2	
<i>diltiazem hcl oral capsule, extended release 24 hr 360 mg, 420 mg</i> (Tiadylt ER)	2	
<i>diltiazem hcl oral capsule, extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (Cartia XT)	2	

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg</i> (Cardizem)	2	
<i>diltiazem hcl oral tablet 90 mg</i>	2	
<i>diltiazem hcl oral tablet extended release 24 hr 120 mg</i> (Cardizem LA)	2	
<i>diltiazem hcl oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (Matzim LA)	2	
<i>dilt-xr oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg</i> (diltiazem hcl)	2	
<i>matzim la oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (diltiazem hcl)	2	
<i>taztia xt oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i> (diltiazem hcl)	2	
<i>tiadytl er oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (diltiazem hcl)	2	
<i>verapamil oral capsule, 24 hr er pellet ct 100 mg, 200 mg, 300 mg</i> (Verelan PM)	2	
<i>verapamil oral capsule,ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg</i>	2	
<i>verapamil oral capsule,ext rel. pellets 24 hr 360 mg</i>	4	
<i>verapamil oral tablet 120 mg, 40 mg, 80 mg</i>	1	
<i>verapamil oral tablet extended release 120 mg, 180 mg, 240 mg</i>	2	
Cardiovascular Agents, Miscellaneous		
CORLANOR ORAL SOLUTION 5 MG/5 ML	3	QL (600 per 30 days)
<i>digoxin injection syringe 250 mcg/ml (0.25 mg/ml)</i>	2	
<i>digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (Digitek)	2	
<i>digoxin oral tablet 62.5 mcg (0.0625 mg)</i> (Lanoxin)	2	

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>epinephrine injection auto-injector 0.15 mg/0.15 ml</i> (Auvi-Q)	3	QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.15 mg/0.3 ml</i> (EpiPen Jr)	2	QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i>	3	QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i> (Auvi-Q)	2	QL (4 per 30 days)
<i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	1	
<i>icatibant subcutaneous syringe 30 mg/3 ml</i> (Sajazir)	5	PA; NDS; QL (18 per 30 days)
<i>ivabradine oral tablet 5 mg, 7.5 mg</i> (Corlanor)	3	QL (60 per 30 days)
<i>metyrosine oral capsule 250 mg</i> (Demser)	5	NDS
<i>ranolazine oral tablet extended release 12 hr 1,000 mg</i>	2	QL (60 per 30 days)
<i>ranolazine oral tablet extended release 12 hr 500 mg</i>	2	QL (120 per 30 days)
<i>sajazir subcutaneous syringe 30 mg/3 ml</i> (icatibant)	5	PA; NDS; QL (18 per 30 days)
SYMJEPI INJECTION SYRINGE 0.15 MG/0.3 ML, 0.3 MG/0.3 ML	4	QL (4 per 30 days)
VERQUVO ORAL TABLET 10 MG, 2.5 MG, 5 MG	4	PA; QL (30 per 30 days)
Dihydropyridines		
<i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i> (Norvasc)	1	
<i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg</i> (Lotrel)	1	
<i>amlodipine-benazepril oral capsule 2.5-10 mg, 5-40 mg</i>	1	
<i>amlodipine-olmesartan oral tablet 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg</i> (Azor)	2	
<i>amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i> (Exforge)	2	

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>amlodipine-valsartan-hcthiazyd oral tablet 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg</i> (Exforge HCT)	2	
<i>felodipine oral tablet extended release 24 hr 10 mg, 2.5 mg, 5 mg</i>	2	
<i>isradipine oral capsule 2.5 mg, 5 mg</i>	2	
KATERZIA ORAL SUSPENSION 1 MG/ML	4	ST; QL (300 per 30 days)
<i>nicardipine oral capsule 20 mg, 30 mg</i>	2	
<i>nifedipine oral capsule 10 mg, 20 mg</i>	2	
<i>nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg</i> (Procardia XL)	2	
<i>nifedipine oral tablet extended release 30 mg, 60 mg, 90 mg</i>	2	
Diuretics		
<i>amiloride oral tablet 5 mg</i>	1	
<i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>	2	
<i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>	2	
<i>furosemide injection solution 10 mg/ml</i>	1	
<i>furosemide injection syringe 10 mg/ml</i>	1	
<i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>	2	
<i>furosemide oral tablet 20 mg, 40 mg, 80 mg</i> (Lasix)	1	
<i>hydrochlorothiazide oral capsule 12.5 mg</i>	1	
<i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	
<i>indapamide oral tablet 1.25 mg, 2.5 mg</i>	1	

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
JYNARQUE ORAL TABLET 15 MG, 30 MG	5	PA; NDS; QL (120 per 30 days)
JYNARQUE ORAL TABLETS, SEQUENTIAL 15 MG (AM)/ 15 MG (PM), 30 MG (AM)/ 15 MG (PM), 45 MG (AM)/ 15 MG (PM), 60 MG (AM)/ 30 MG (PM), 90 MG (AM)/ 30 MG (PM)	5	PA; NDS; QL (56 per 28 days)
<i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	
<i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i> (Aldactone)	1	
<i>spironolacton-hydrochlorothiaz oral tablet 25-25 mg</i>	2	
<i>toremide oral tablet 10 mg, 100 mg, 20 mg, 5 mg</i>	1	
<i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i>	1	
<i>triamterene-hydrochlorothiazid oral tablet 37.5-25 mg, 75-50 mg</i>	1	
Dyslipidemics		
<i>amlodipine-atorvastatin oral tablet 10-10 mg, 5-10 mg</i> (Caduet)	2	
<i>amlodipine-atorvastatin oral tablet 10-20 mg, 10-40 mg, 10-80 mg, 5-20 mg, 5-40 mg, 5-80 mg</i> (Caduet)	2	QL (30 per 30 days)
<i>amlodipine-atorvastatin oral tablet 2.5-10 mg, 2.5-20 mg, 2.5-40 mg</i>	2	
<i>atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> (Lipitor)	1	QL (30 per 30 days)
<i>cholestyramine (with sugar) oral powder in packet 4 gram</i> (Questran)	2	
<i>cholestyramine light oral powder in packet 4 gram</i> (cholestyramine-aspartame)	2	
<i>colesevelam oral powder in packet 3.75 gram</i> (WelChol)	2	
<i>colesevelam oral tablet 625 mg</i> (WelChol)	2	
<i>colestipol oral packet 5 gram</i>	2	
<i>colestipol oral tablet 1 gram</i> (Colestid)	2	

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
EZALLOR SPRINKLE ORAL CAPSULE, SPRINKLE 10 MG, 20 MG, 40 MG, 5 MG	4	ST; QL (30 per 30 days)
<i>ezetimibe oral tablet 10 mg</i> (Zetia)	2	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-10 mg</i> (Vytorin 10-10)	2	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-20 mg</i> (Vytorin 10-20)	2	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-40 mg</i> (Vytorin 10-40)	2	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-80 mg</i> (Vytorin 10-80)	2	QL (30 per 30 days)
<i>fenofibrate micronized oral capsule 130 mg, 134 mg, 200 mg, 43 mg, 67 mg</i>	2	
<i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i> (Tricor)	2	
<i>fenofibrate oral tablet 120 mg, 40 mg</i> (Fenoglide)	2	
<i>fenofibrate oral tablet 160 mg</i>	1	
<i>fenofibrate oral tablet 54 mg</i>	2	
<i>fenofibric acid (choline) oral capsule, delayed release(dr/ec) 135 mg, 45 mg</i> (Trilipix)	2	
<i>fluvastatin oral capsule 20 mg, 40 mg</i>	2	QL (60 per 30 days)
<i>fluvastatin oral tablet extended release 24 hr 80 mg</i> (Lescol XL)	2	
<i>gemfibrozil oral tablet 600 mg</i> (Lopid)	1	
<i>icosapent ethyl oral capsule 0.5 gram</i> (Vascepa)	2	QL (240 per 30 days)
<i>icosapent ethyl oral capsule 1 gram</i> (Vascepa)	2	QL (120 per 30 days)
JUXTAPID ORAL CAPSULE 10 MG, 5 MG	5	PA; NDS; QL (28 per 28 days)
JUXTAPID ORAL CAPSULE 20 MG, 30 MG	5	PA; NDS; QL (56 per 28 days)
<i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>	1	
NEXLETOL ORAL TABLET 180 MG	3	ST; QL (30 per 30 days)
NEXLIZET ORAL TABLET 180-10 MG	3	ST; QL (30 per 30 days)

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>niacin oral tablet 500 mg</i> (Niacor)	2	
<i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg</i>	2	
<i>niacor oral tablet 500 mg</i> (niacin)	2	
<i>omega-3 acid ethyl esters oral capsule 1 gram</i> (Lovaza)	2	ST; QL (120 per 30 days)
<i>pitavastatin calcium oral tablet 1 mg, 2 mg, 4 mg</i> (Livalo)	2	QL (30 per 30 days)
<i>pravastatin oral tablet 10 mg, 80 mg</i>	1	
<i>pravastatin oral tablet 20 mg, 40 mg</i>	1	QL (30 per 30 days)
<i>prevalite oral powder in packet 4 gram</i> (cholestyramine-aspartame)	2	
REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML	3	ST; QL (7 per 28 days)
REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML	3	ST; QL (6 per 28 days)
REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML	3	ST; QL (6 per 28 days)
<i>rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Crestor)	1	QL (30 per 30 days)
<i>simvastatin oral tablet 10 mg, 20 mg, 40 mg</i> (Zocor)	1	QL (30 per 30 days)
<i>simvastatin oral tablet 5 mg, 80 mg</i>	1	QL (30 per 30 days)
Renin-Angiotensin-Aldosterone System Inhibitors		
<i>aliskiren oral tablet 150 mg, 300 mg</i> (Tekturna)	2	
<i>eplerenone oral tablet 25 mg, 50 mg</i> (Inspra)	2	
KERENDIA ORAL TABLET 10 MG, 20 MG	3	PA; QL (30 per 30 days)
<i>spironolactone oral suspension 25 mg/5 ml</i> (CaroSpir)	2	ST; QL (600 per 30 days)
Vasodilators		
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i>	2	
<i>isosorbide dinitrate oral tablet 40 mg</i> (Isordil)	2	
<i>isosorbide dinitrate oral tablet 5 mg</i> (Isordil Titrados)	2	

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>	2	
<i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i>	1	
<i>isosorbide-hydralazine oral tablet 20-37.5 mg</i> (BiDil)	2	
<i>minitran transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i> (nitroglycerin)	2	
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>	2	
<i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i> (Nitrostat)	2	
<i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i> (Nitro-Dur)	2	

Central Nervous System Agents

Central Nervous System Agents		
<i>atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg</i> (Strattera)	2	QL (60 per 30 days)
<i>atomoxetine oral capsule 100 mg, 60 mg, 80 mg</i> (Strattera)	2	QL (30 per 30 days)
AUSTEDO ORAL TABLET 12 MG, 9 MG	5	PA; NDS; QL (120 per 30 days)
AUSTEDO ORAL TABLET 6 MG	5	PA; NDS; QL (60 per 30 days)
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 12 MG	5	PA; NDS; QL (90 per 30 days)
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 18 MG, 24 MG	5	PA; NDS; QL (60 per 30 days)
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 30 MG, 36 MG, 42 MG, 48 MG	5	PA; NDS; QL (30 per 30 days)
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 6 MG	5	PA; NDS; QL (210 per 30 days)

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
AUSTEDO XR TITRATION KT(WK1-4) ORAL TABLET, EXT REL 24HR DOSE PACK 12-18-24- 30 MG, 6 MG (14)-12 MG (14)-24 MG (14)	5	PA; NDS
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML	5	PA; NDS; QL (1 per 28 days)
AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML	5	PA; NDS; QL (1 per 28 days)
AVONEX PEN 30 MCG/0.5 ML	5	PA; NDS; QL (1 per 28 days)
BETASERON SUBCUTANEOUS KIT 0.3 MG	5	PA; NDS; QL (15 per 30 days)
<i>clonidine hcl oral tablet extended release 12 hr 0.1 mg</i>	2	
<i>dalfampridine oral tablet extended release 12 hr 10 mg</i> (Ampyra)	2	PA; QL (60 per 30 days)
<i>dexmethylphenidate oral tablet 10 mg, 2.5 mg, 5 mg</i> (Focalin)	2	QL (60 per 30 days)
<i>dextroamphetamine sulfate oral capsule, extended release 10 mg</i> (Dexedrine Spansule)	2	QL (120 per 30 days)
<i>dextroamphetamine sulfate oral capsule, extended release 15 mg, 5 mg</i>	2	QL (120 per 30 days)
<i>dextroamphetamine sulfate oral tablet 10 mg</i> (Zenedi)	2	QL (180 per 30 days)
<i>dextroamphetamine sulfate oral tablet 15 mg, 2.5 mg, 5 mg, 7.5 mg</i> (Zenedi)	2	QL (90 per 30 days)
<i>dextroamphetamine sulfate oral tablet 20 mg, 30 mg</i> (Zenedi)	2	QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 10 mg, 15 mg, 5 mg</i> (Adderall XR)	2	QL (30 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 20 mg, 25 mg, 30 mg</i> (Adderall XR)	2	QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i> (Adderall)	2	QL (60 per 30 days)

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>dimethyl fumarate oral capsule, delayed release(dr/ec) 120 mg</i> (Tecfidera)	5	PA; NDS; QL (14 per 7 days)
<i>dimethyl fumarate oral capsule, delayed release(dr/ec) 120 mg (14)- 240 mg (46)</i> (Tecfidera)	5	PA; NDS
<i>dimethyl fumarate oral capsule, delayed release(dr/ec) 240 mg</i> (Tecfidera)	5	PA; NDS; QL (60 per 30 days)
ENSPRYNG SUBCUTANEOUS SYRINGE 120 MG/ML	5	PA; NDS
<i>fingolimod oral capsule 0.5 mg</i> (Gilenya)	5	PA; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 20 mg/ml</i> (Glatopa)	5	PA; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 40 mg/ml</i> (Glatopa)	5	PA; NDS; QL (12 per 28 days)
<i>glatopa subcutaneous syringe 20 mg/ml</i> (glatiramer)	5	PA; NDS; QL (30 per 30 days)
<i>glatopa subcutaneous syringe 40 mg/ml</i> (glatiramer)	5	PA; NDS; QL (12 per 28 days)
<i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i> (Intuniv ER)	2	
INGREZZA INITIATION PK(TARDIV) ORAL CAPSULE, DOSE PACK 40 MG (7)- 80 MG (21)	5	PA; NDS
INGREZZA ORAL CAPSULE 40 MG, 60 MG, 80 MG	5	PA; NDS; QL (30 per 30 days)
INGREZZA SPRINKLE ORAL CAPSULE, SPRINKLE 40 MG, 60 MG, 80 MG	5	PA; NDS; QL (30 per 30 days)
KESIMPTA PEN SUBCUTANEOUS PEN INJECTOR 20 MG/0.4 ML	5	PA; NDS; QL (1.2 per 28 days)
<i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>	1	
<i>lithium carbonate oral tablet 300 mg</i>	1	
<i>lithium carbonate oral tablet extended release 300 mg</i> (Lithobid)	2	

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>lithium carbonate oral tablet extended release 450 mg</i>	2	
<i>lithium citrate oral solution 8 meq/5 ml</i>	2	
MAVENCLAD (10 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (4 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (5 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (6 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (7 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (8 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (9 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAYZENT ORAL TABLET 0.25 MG	5	PA; NDS; QL (112 per 28 days)
MAYZENT ORAL TABLET 1 MG, 2 MG	5	PA; NDS; QL (30 per 30 days)
MAYZENT STARTER(FOR 1MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (7 TABS)	3	PA
MAYZENT STARTER(FOR 2MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (12 TABS)	5	PA; NDS
<i>metadate er oral tablet extended release 20 mg</i> (methylphenidate hcl)	2	QL (90 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 20 mg, 40 mg, 50 mg, 60 mg</i> (Metadate CD)	2	QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 30 mg</i> (Metadate CD)	2	QL (60 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 10 mg, 20 mg, 40 mg</i> (Ritalin LA)	2	QL (30 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 30 mg</i> (Ritalin LA)	2	QL (60 per 30 days)

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>methylphenidate hcl oral capsule,er biphasic 50-50 60 mg</i>	2	QL (30 per 30 days)
<i>methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml</i> (Methylin)	2	QL (900 per 30 days)
<i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i> (Ritalin)	2	QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 10 mg</i>	2	QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 20 mg</i> (Metadate ER)	2	QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 18 mg (bx rating), 27 mg (bx rating), 54 mg (bx rating)</i>	2	QL (30 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 18 mg, 27 mg, 54 mg</i> (Concerta)	2	QL (30 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 36 mg</i> (Concerta)	2	QL (60 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 36 mg (bx rating)</i>	2	QL (60 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 72 mg</i> (Relexxii)	2	QL (30 per 30 days)
<i>methylphenidate la 20 mg cap</i> (Ritalin LA)	2	QL (30 per 30 days)
<i>methylphenidate la 30 mg cap</i> (Ritalin LA)	2	QL (60 per 30 days)
<i>methylphenidate la 40 mg cap</i> (Ritalin LA)	2	QL (30 per 30 days)
OCREVUS INTRAVENOUS SOLUTION 30 MG/ML	5	PA; NDS; QL (20 per 180 days)
OCREVUS ZUNOVO SUBCUTANEOUS SOLUTION 920 MG-23,000 UNIT/23 ML	5	PA; NDS; QL (23 per 180 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML	5	PA; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML-94 MCG/0.5 ML	5	PA; NDS
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML	5	PA; NDS; QL (1 per 28 days)

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NDS
<i>riluzole oral tablet 50 mg</i> (Rilutek)	2	
SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG	3	QL (60 per 30 days)
SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42)	3	
<i>teriflunomide oral tablet 14 mg, 7 mg</i> (Aubagio)	5	PA; NDS; QL (30 per 30 days)
<i>tetrabenazine oral tablet 12.5 mg, 25 mg</i> (Xenazine)	5	PA; NDS; QL (112 per 28 days)
VUMERITY ORAL CAPSULE,DELAYED RELEASE(DR/EC) 231 MG	5	PA; NDS; QL (120 per 30 days)

Contraceptives

Contraceptives		
<i>afirmelle oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad)	2	
<i>altavera (28) oral tablet 0.15-0.03 mg</i> (levonorgestrel-ethinyl estrad)	2	
<i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol)	2	
<i>alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<i>amethia oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> (1 norgest/e.estradiol-e.estrad)	2	QL (91 per 84 days)
<i>amethyst (28) oral tablet 90-20 mcg (28)</i> (levonorgestrel-ethinyl estrad)	2	
<i>apri oral tablet 0.15-0.03 mg</i> (desogestrel-ethinyl estradiol)	2	
<i>aranelle (28) oral tablet 0.5/1/0.5-35 mg-mcg</i>	2	
<i>ashlyna oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> (1 norgest/e.estradiol-e.estrad)	2	QL (91 per 84 days)
<i>abra eq oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad)	2	

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>aurovela 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	2
<i>aurovela 1/20 (21) oral tablet 1-20 mg-mcg</i>	(norethindrone ac-eth estradiol)	2
<i>aurovela 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2
<i>aurovela fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2
<i>aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2
<i>aviane oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2
<i>ayuna oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2
<i>azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	2
<i>balziva (28) oral tablet 0.4-35 mg-mcg</i>		2
<i>blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2
<i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2
<i>blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2
<i>briellyn oral tablet 0.4-35 mg-mcg</i>		2
<i>camila oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	2
<i>chateal eq (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2
<i>cryselle (28) oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	2
<i>cyclafem 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	2
<i>cyclafem 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		2
<i>cyred eq oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2
<i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	2

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름		약물 등급	요건/제한
<i>dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		2	
<i>daysee oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(l norgest/e.estradiol- e.estrad)	2	QL (91 per 84 days)
<i>deblitane oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	2	
<i>desog-e.estradiol/e.estradiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(Azurette (28))	2	
<i>desogestrel-ethinyl estradiol oral tablet 0.15-0.03 mg</i>	(Apri)	2	
<i>dolishale oral tablet 90-20 mcg (28)</i>	(levonorgestrel-ethinyl estradiol)	2	
<i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg</i>	(Jasmiel (28))	2	
<i>drospirenone-ethinyl estradiol oral tablet 3-0.03 mg</i>	(Syeda)	2	
<i>elinest oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	2	
<i>eluryng vaginal ring 0.12-0.015 mg/24 hr</i>	(etonogestrel-ethinyl estradiol)	2	QL (1 per 28 days)
<i>emoquette oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	
<i>emzahh oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	2	
<i>enilloring vaginal ring 0.12-0.015 mg/24 hr</i>	(etonogestrel-ethinyl estradiol)	2	QL (1 per 28 days)
<i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	2	
<i>enskyce oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	
<i>errin oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	2	
<i>estarylla oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	2	
<i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg</i>	(Kelnor 1/35 (28))	2	
<i>ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg</i>	(Kelnor 1/50 (28))	2	

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr</i> (EluRyng)	2	QL (1 per 28 days)
<i>falmina (28) oral tablet 0.1-20 mcg-mcg</i> (levonorgestrel-ethinyl estrad)	2	
<i>feirza oral tablet 1 mg-20 mcg (21)/75 mg (7), 1.5 mg-30 mcg (21)/75 mg (7)</i> (norethindrone-e.estradiol-iron)	2	
<i>femynor oral tablet 0.25-35 mg-mcg</i> (norgestimate-ethinyl estradiol)	1	
<i>gemmily oral capsule 1 mg-20 mcg (24)/75 mg (4)</i> (norethindrone-e.estradiol-iron)	2	
<i>hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> (norethindrone-e.estradiol-iron)	2	
<i>hailey fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> (norethindrone-e.estradiol-iron)	2	
<i>hailey fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> (norethindrone-e.estradiol-iron)	2	
<i>haloette vaginal ring 0.12-0.015 mg/24 hr</i> (etonogestrel-ethinyl estradiol)	2	QL (1 per 28 days)
<i>heather oral tablet 0.35 mg</i> (norethindrone (contraceptive))	2	
<i>iclevia oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i> (levonorgestrel-ethinyl estrad)	2	QL (91 per 84 days)
<i>incassia oral tablet 0.35 mg</i> (norethindrone (contraceptive))	2	
<i>isibloom oral tablet 0.15-0.03 mg</i> (desogestrel-ethinyl estradiol)	2	
<i>jaimiess oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> (1 norgest/e.estradiol-e.estrad)	2	QL (91 per 84 days)
<i>jasmiel (28) oral tablet 3-0.02 mg</i> (drospirenone-ethinyl estradiol)	2	
<i>jencycla oral tablet 0.35 mg</i> (norethindrone (contraceptive))	2	
<i>jolessa oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i> (levonorgestrel-ethinyl estrad)	2	QL (91 per 84 days)
<i>juleber oral tablet 0.15-0.03 mg</i> (desogestrel-ethinyl estradiol)	2	
<i>junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i> (norethindrone ac-eth estradiol)	2	

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	조건/제한	
<i>junel 1/20 (21) oral tablet 1-20 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	
<i>junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	
<i>junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	
<i>junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	
<i>kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	2	
<i>kelnor 1/35 (28) oral tablet 1-35 mg-mcg</i>	(ethynodiol diac-eth estradiol)	2	
<i>kelnor 1/50 (28) oral tablet 1-50 mg-mcg</i>	(ethynodiol diac-eth estradiol)	2	
<i>kurvelo (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	
KYLEENA INTRAUTERINE INTRAUTERINE DEVICE 17.5 MCG/24 HR (5 YRS) 19.5 MG		4	
<i>l norgest/e.estradiol-e.estrad oral tablets,dose pack,3 month 0.1 mg-20 mcg (84)/10 mcg (7)</i>	(Camrese Lo)	2	QL (91 per 84 days)
<i>l norgest/e.estradiol-e.estrad oral tablets,dose pack,3 month 0.15 mg-20 mcg/ 0.15 mg-25 mcg</i>	(Rivelsa)	2	QL (91 per 84 days)
<i>l norgest/e.estradiol-e.estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(Amethia)	2	QL (91 per 84 days)
<i>larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	
<i>larin 1/20 (21) oral tablet 1-20 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	
<i>larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	
<i>larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	
<i>larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	
<i>larissia oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	조건/제한
<i>lessina oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2
<i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	2
<i>levonorgest-eth.estradiol-iron oral tablet 0.1 mg-0.02 mg (21)/iron (7)</i>	(Balcoltra)	2
<i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg</i>	(Afirmelle)	2
<i>levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg</i>	(Altavera (28))	2
<i>levonorgestrel-ethinyl estrad oral tablet 90-20 mcg (28)</i>	(Amethyst (28))	2
<i>levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(Iclevia)	2
<i>levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(Enpresse)	2
<i>levora-28 oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2
LILETTA INTRAUTERINE INTRAUTERINE DEVICE 20.4 MCG/24 HR (8 YRS) 52 MG		3
<i>lillow (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2
<i>loryna (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	2
<i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	2
<i>lo-zumandimine (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	2
<i>lutra (28) oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2
<i>lyleq oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	2
<i>lyza oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	2
<i>marlissa (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2
<i>merzee oral capsule 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름		약물 등급	요건/제한
<i>microgestin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	
<i>microgestin 1/20 (21) oral tablet 1-20 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	
<i>microgestin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	
<i>microgestin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	
<i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	
<i>mili oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	2	
MIRENA INTRAUTERINE INTRAUTERINE DEVICE 21 MCG/24HR (UP TO 8 YRS) 52 MG		4	
<i>mono-linyah oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	2	
NEXPLANON SUBDERMAL IMPLANT 68 MG		3	
<i>nikki (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	2	
<i>norelgestromin-ethin.estradiol transdermal patch weekly 150-35 mcg/24 hr</i>	(Xulane)	2	QL (3 per 28 days)
<i>norethindrone (contraceptive) oral tablet 0.35 mg</i>	(Camila)	2	
<i>norethindrone ac-eth estradiol oral tablet 1.5-30 mg-mcg</i>	(Aurovela 1.5/30 (21))	2	
<i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg</i>	(Aurovela 1/20 (21))	2	
<i>norethindrone-e.estradiol-iron oral capsule 1 mg-20 mcg (24)/75 mg (4)</i>	(Gemily)	2	
<i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(Aurovela Fe 1-20 (28))	2	
<i>norethindrone-e.estradiol-iron oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(Aurovela Fe 1.5/30 (28))	2	
<i>norethindrone-e.estradiol-iron oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	(Tilia Fe)	2	

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(Tri-Lo-Estarylla)	2
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(Tri-Estarylla)	2
<i>norgestimate-ethinyl estradiol oral tablet 0.25-35 mg-mcg</i>	(Estarylla)	2
<i>norlyda oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1
<i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)</i>		2
<i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	2
<i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		2
<i>nylia 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	2
<i>nylia 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		2
<i>nymyo oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	2
<i>philith oral tablet 0.4-35 mg-mcg</i>		2
<i>pimtrea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	2
<i>pirmella oral tablet 0.5/0.75/1 mg-35 mcg</i>		2
<i>pirmella oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	2
<i>portia 28 oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2
<i>previfem oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1
<i>reclipsen (28) oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2
<i>setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(levonorgestrel-ethinyl estrad)	2
<i>sharobel oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	2
<i>simliya (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	2

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>simpesse oral tablets, dose pack, 3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(l norgest/e.estradiol-e.estradiol)	2 QL (91 per 84 days)
SKYLA INTRAUTERINE INTRAUTERINE DEVICE 14 MCG/24 HR (3 YRS) 13.5 MG	4	
SLYND ORAL TABLET 4 MG (28)	4	
<i>sprintec (28) oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	2
<i>sronyx oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estradiol)	2
<i>syeda oral tablet 3-0.03 mg</i>	(drospirenone-ethinyl estradiol)	2
<i>tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2
<i>tarina fe 1-20 eq (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2
<i>taysofy oral capsule 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2
<i>tilia fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	(norethindrone-e.estradiol-iron)	2
<i>tri femynor oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	2
<i>tri-estarylla oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	2
<i>tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	(norethindrone-e.estradiol-iron)	2
<i>tri-linyah oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	2
<i>tri-lo-estarylla oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	2
<i>tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	2
<i>tri-lo-mili oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	2
<i>tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	2
<i>tri-mili oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	2

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	조건/제한	
<i>tri-nymyo oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	2	
<i>tri-previfem (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	1	
<i>tri-sprintec (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	2	
<i>trivora (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	2	
<i>tri-vylibra lo oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	2	
<i>tri-vylibra oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	2	
<i>turqoz (28) oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	2	
<i>valtya oral tablet 1-50 mg-mcg</i>	(ethynodiol diac-eth estradiol)	2	
<i>velivet triphasic regimen (28) oral tablet 0.1/.125/.15-25 mg-mcg</i>		2	
<i>vestura (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	2	
<i>vienva oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>viorele (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	2	
<i>volnea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	2	
<i>vyfemla (28) oral tablet 0.4-35 mg-mcg</i>		2	
<i>vylibra oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	2	
<i>xulane transdermal patch weekly 150-35 mcg/24 hr</i>	(norelgestromin-ethin.estradiol)	2	QL (3 per 28 days)
<i>zafemy transdermal patch weekly 150-35 mcg/24 hr</i>	(norelgestromin-ethin.estradiol)	2	QL (3 per 28 days)
<i>zovia 1-35 (28) oral tablet 1-35 mg-mcg</i>	(ethynodiol diac-eth estradiol)	2	
<i>zumandimine (28) oral tablet 3-0.03 mg</i>	(drospirenone-ethinyl estradiol)	2	

Cough And Cold Products

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
Cough And Cold Products		
<i>benzonatate oral capsule 100 mg, 200 mg</i>	6	EX
Dental And Oral Agents		
Dental And Oral Agents		
<i>cevimeline oral capsule 30 mg</i> (Evoxac)	2	
<i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i> (Periogard)	1	
<i>denta 5000 plus dental cream 1.1 %</i> (fluoride (sodium))	1	
<i>dentagel dental gel 1.1 %</i> (fluoride (sodium))	1	
<i>fluoride (sodium) dental solution 0.2 %</i> (PreviDent)	1	
<i>periogard mucous membrane mouthwash 0.12 %</i> (chlorhexidine gluconate)	1	
<i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i> (Salagen (pilocarpine))	2	
<i>sf 5000 plus dental cream 1.1 %</i> (fluoride (sodium))	1	
<i>sodium fluoride-pot nitrate dental paste 1.1-5 %</i> (Denta 5000 Plus Sensitive)	1	
<i>triamcinolone acetonide dental paste 0.1 %</i> (Kourzeq)	2	
Dermatological Agents		
Dermatological Agents, Other		
<i>accutane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> (isotretinoin)	2	
<i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg</i>	2	
<i>acyclovir topical cream 5 %</i> (Zovirax)	2	QL (5 per 4 days)
<i>acyclovir topical ointment 5 %</i> (Zovirax)	2	QL (30 per 30 days)
<i>ammonium lactate topical cream 12 %</i>	2	
<i>ammonium lactate topical lotion 12 %</i> (AmLactin)	2	
<i>calcipotriene scalp solution 0.005 %</i>	2	QL (120 per 30 days)
<i>calcipotriene topical cream 0.005 %</i>	2	QL (120 per 30 days)
<i>calcipotriene topical ointment 0.005 %</i>	2	QL (120 per 30 days)
<i>fluorouracil topical cream 0.5 %</i> (Carac)	5	NDS

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>fluorouracil topical cream 5 %</i> (Efudex)	2	
<i>fluorouracil topical solution 2 %, 5 %</i>	2	
<i>imiquimod topical cream in packet 5 %</i>	2	QL (24 per 30 days)
ISOPROPYL ALCOHOL TOPICAL SWAB 70 %	1	
KLISYRI TOPICAL OINTMENT IN PACKET 1 %	3	QL (5 per 5 days)
<i>methoxsalen oral capsule, liqd-filled, rapid rel 10 mg</i>	5	NDS
PANRETIN TOPICAL GEL 0.1 %	5	NDS; QL (60 per 28 days)
<i>penciclovir topical cream 1 %</i> (Denavir)	2	
<i>podofilox topical solution 0.5 %</i>	2	
REGRANEX TOPICAL GEL 0.01 %	5	PA; NDS; QL (30 per 30 days)
SANTYL TOPICAL OINTMENT 250 UNIT/GRAM	4	QL (180 per 30 days)
VALCHLOR TOPICAL GEL 0.016 %	5	PA NSO; NDS
<i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> (isotretinoin)	2	
Dermatological Antibacterials		
<i>clindamycin phosphate topical foam 1 %</i> (Clindacin)	2	QL (100 per 30 days)
<i>clindamycin phosphate topical solution 1 %</i>	2	QL (180 per 30 days)
<i>clindamycin phosphate topical swab 1 %</i> (Clindacin ETZ)	2	
<i>clindamycin-benzoyl peroxide topical gel 1.2 %(1 % base) -5 %</i> (Neuac)	2	
<i>clindamycin-benzoyl peroxide topical gel 1-5 %</i>	2	
<i>ery pads topical swab 2 %</i> (erythromycin with ethanol)	2	
<i>erythromycin with ethanol topical gel 2 %</i> (Erygel)	2	

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>erythromycin with ethanol topical solution 2 %</i>	2	
<i>erythromycin-benzoyl peroxide topical gel 3-5 %</i> (Benzamycin)	2	
<i>gentamicin topical cream 0.1 %</i>	2	QL (90 per 30 days)
<i>gentamicin topical ointment 0.1 %</i>	2	QL (120 per 30 days)
<i>metronidazole topical cream 0.75 %</i> (Rosadan)	2	
<i>metronidazole topical gel 0.75 %</i> (Rosadan)	2	
<i>metronidazole topical gel 1 %</i> (Metrogel)	2	
<i>metronidazole topical lotion 0.75 %</i> (MetroLotion)	2	
<i>mupirocin topical ointment 2 %</i> (Centany)	1	QL (220 per 30 days)
<i>neuac topical gel 1.2 %(1 % base) -5 %</i> (clindamycin-benzoyl peroxide)	1	
<i>rosadan topical cream 0.75 %</i> (metronidazole)	2	
<i>selenium sulfide topical lotion 2.5 %</i>	2	
<i>silver sulfadiazine topical cream 1 %</i> (SSD)	2	
<i>ssd topical cream 1 %</i> (silver sulfadiazine)	4	
<i>sulfacetamide sodium (acne) topical suspension 10 %</i> (Klaron)	2	
Dermatological Anti-Inflammatory Agents		
<i>ala-cort topical cream 1 %</i> (hydrocortisone)	2	
<i>ala-scalp topical lotion 2 %</i> (hydrocortisone)	2	
<i>alclometasone topical cream 0.05 %</i>	2	
<i>alclometasone topical ointment 0.05 %</i>	2	
<i>betamethasone dipropionate topical cream 0.05 %</i>	2	
<i>betamethasone dipropionate topical lotion 0.05 %</i>	2	
<i>betamethasone dipropionate topical ointment 0.05 %</i>	2	
<i>betamethasone valerate topical cream 0.1 %</i>	2	
<i>betamethasone valerate topical foam 0.12 %</i> (Luxiq)	2	
<i>betamethasone valerate topical lotion 0.1 %</i>	2	

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>betamethasone valerate topical ointment 0.1 %</i>	2	
<i>betamethasone, augmented topical cream 0.05 %</i>	2	
<i>betamethasone, augmented topical gel 0.05 %</i>	2	
<i>betamethasone, augmented topical lotion 0.05 %</i>	2	
<i>betamethasone, augmented topical ointment 0.05 %</i> (Diprolene (augmented))	2	
<i>clobetasol scalp solution 0.05 %</i>	2	
<i>clobetasol topical cream 0.05 %</i>	2	
<i>clobetasol topical foam 0.05 %</i> (Olux)	2	
<i>clobetasol topical gel 0.05 %</i>	2	
<i>clobetasol topical lotion 0.05 %</i> (Clobex)	2	
<i>clobetasol topical ointment 0.05 %</i>	2	
<i>clobetasol topical shampoo 0.05 %</i> (Clobex)	2	
<i>clobetasol-emollient topical cream 0.05 %</i>	2	
<i>clobetasol-emollient topical foam 0.05 %</i> (Olux-E)	2	
<i>desonide topical cream 0.05 %</i> (DesOwen)	2	
<i>desonide topical lotion 0.05 %</i>	2	
<i>desonide topical ointment 0.05 %</i>	2	
<i>desoximetasone topical cream 0.05 %, 0.25 %</i> (Topicort)	2	QL (120 per 30 days)
<i>desoximetasone topical gel 0.05 %</i> (Topicort)	2	QL (120 per 30 days)
<i>desoximetasone topical ointment 0.05 %, 0.25 %</i> (Topicort)	2	
<i>diflorasone topical ointment 0.05 %</i>	2	QL (180 per 30 days)
EUCRISA TOPICAL OINTMENT 2 %	3	
<i>fluocinolone topical cream 0.01 %</i>	2	
<i>fluocinolone topical cream 0.025 %</i> (Synalar)	2	
<i>fluocinolone topical ointment 0.025 %</i> (Synalar)	2	
<i>fluocinonide topical cream 0.05 %</i>	2	
<i>fluocinonide topical cream 0.1 %</i> (Vanos)	2	

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>fluocinonide topical gel 0.05 %</i>	2	
<i>fluocinonide topical ointment 0.05 %</i>	2	
<i>fluocinonide topical solution 0.05 %</i>	2	
<i>fluocinonide-emollient topical cream 0.05 %</i> (Fluocinonide-E)	2	
<i>fluticasone propionate topical cream 0.05 %</i>	2	
<i>fluticasone propionate topical ointment 0.005 %</i>	2	
<i>halobetasol propionate topical cream 0.05 %</i>	2	
<i>halobetasol propionate topical ointment 0.05 %</i>	2	
<i>hydrocortisone 2.5% cream</i>	2	
<i>hydrocortisone butyrate topical cream 0.1 %</i>	2	QL (120 per 30 days)
<i>hydrocortisone butyrate topical lotion 0.1 %</i> (Locoid)	2	QL (236 per 30 days)
<i>hydrocortisone butyrate topical ointment 0.1 %</i>	2	QL (120 per 30 days)
<i>hydrocortisone butyrate topical solution 0.1 %</i>	2	QL (120 per 30 days)
HYDROCORTISONE LOTION CMPLT KT 2 %	2	
<i>hydrocortisone topical cream 1 %</i> (Ala-Cort)	2	
<i>hydrocortisone topical cream with perineal applicator 2.5 %</i> (Procto-Med HC)	2	
HYDROCORTISONE TOPICAL LOTION 2 % (Ala-Scalp)	2	
<i>hydrocortisone topical lotion 2.5 %</i>	2	
<i>hydrocortisone topical ointment 1 %</i> (Anti-Itch (HC))	1	
<i>hydrocortisone topical ointment 2.5 %</i>	1	
<i>hydrocortisone valerate topical cream 0.2 %</i>	2	
<i>hydrocortisone valerate topical ointment 0.2 %</i>	2	
<i>mometasone topical cream 0.1 %</i>	2	
<i>mometasone topical ointment 0.1 %</i>	2	

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>mometasone topical solution 0.1 %</i>	2	
<i>pimecrolimus topical cream 1 %</i> (Elidel)	2	QL (100 per 30 days)
<i>procto-med hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone)	2	
<i>proctosol hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone)	2	
<i>proctozone-hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone)	2	
<i>tacrolimus topical ointment 0.03 %, 0.1 %</i>	2	QL (100 per 30 days)
<i>triamcinolone acetonide topical cream 0.025 %</i>	1	
<i>triamcinolone acetonide topical cream 0.1 %, 0.5 %</i> (Triderm)	1	
<i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>	2	
<i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i>	2	
<i>triamcinolone acetonide topical ointment 0.05 %</i> (Trianex)	2	
Dermatological Retinoids		
<i>adapalene topical cream 0.1 %</i> (Differin)	2	
ALTRENO TOPICAL LOTION 0.05 %	4	PA
<i>tazarotene topical cream 0.05 %, 0.1 %</i> (Tazorac)	2	
<i>tretinoin topical cream 0.025 %</i> (Avita)	2	PA
<i>tretinoin topical cream 0.05 %, 0.1 %</i> (Retin-A)	2	PA
<i>tretinoin topical gel 0.01 %</i> (Retin-A)	2	PA
<i>tretinoin topical gel 0.025 %</i> (Avita)	2	PA
<i>tretinoin topical gel 0.05 %</i> (Atralin)	2	PA
Scabicides And Pediculicides		
<i>malathion topical lotion 0.5 %</i> (Ovide)	2	
<i>permethrin topical cream 5 %</i> (Elimite)	2	QL (60 per 30 days)
Devices		
Devices		
1ST TIER UNIFINE PENTP 5MM 31G 31 GAUGE X 3/16" (pen needle, diabetic)	2	PA; ST

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
1ST TIER UNIFINE PNTIP 4MM 32G 32 GAUGE X 5/32" (pen needle, diabetic)	2	PA; ST
1ST TIER UNIFINE PNTIP 6MM 31G 31 GAUGE X 1/4" (pen needle, diabetic)	2	PA; ST
1ST TIER UNIFINE PNTIP 8MM 31G STRL,SINGLE-USE,SHRT 31 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST
1ST TIER UNIFINE PNTIP 29GX1/2" 29 GAUGE X 1/2" (pen needle, diabetic)	2	PA; ST
1ST TIER UNIFINE PNTIP 31GX3/16 31 GAUGE X 3/16" (pen needle, diabetic)	2	PA; ST
1ST TIER UNIFINE PNTIP 32GX5/32 32 GAUGE X 5/32" (pen needle, diabetic)	2	PA; ST
ABOUTTIME PEN NEEDLE 30G X 8MM 30 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST
ABOUTTIME PEN NEEDLE 31G X 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	2	PA; ST
ABOUTTIME PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST
ABOUTTIME PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	PA; ST
ADVOCATE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
ADVOCATE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
ADVOCATE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
ADVOCATE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
ADVOCATE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
ADVOCATE INS SYR 0.3 ML 29GX1/2 0.3 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
ADVOCATE INS SYR 0.5 ML 29GX1/2 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한	
ADVOCATE INS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ADVOCATE INS SYR 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
ADVOCATE PEN NDL 12.7MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
ADVOCATE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ADVOCATE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ADVOCATE PEN NEEDLES 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
ADVOCATE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
ALCOHOL 70% SWABS	(Alcohol Pads)	1	PA; ST
ALCOHOL PADS TOPICAL PADS, MEDICATED	(alcohol swabs)	1	PA; ST
ALCOHOL PREP SWABS TOPICAL PADS, MEDICATED	(alcohol swabs)	1	PA; ST
ALCOHOL WIPES TOPICAL PADS, MEDICATED	(alcohol swabs)	1	PA; ST
AQ INSULIN SYR 1 ML 31G 8MM (RX) 1 ML 31 GAUGE X 5/16	(Advocate Syringes)	2	PA; ST
AQINJECT PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
AQINJECT PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ASSURE ID DUO PRO NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	PA; ST
ASSURE ID DUO-SHIELD 30GX3/16" 30 GAUGE X 3/16"		2	PA; ST
ASSURE ID DUO-SHIELD 30GX5/16" 30 GAUGE X 5/16"		2	PA; ST
ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"		2	PA; ST
ASSURE ID PEN NEEDLE 30GX3/16" 30 GAUGE X 3/16"		2	PA; ST
ASSURE ID PEN NEEDLE 30GX5/16" 30 GAUGE X 5/16"		2	PA; ST

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
ASSURE ID PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic, safety)	2	PA; ST
ASSURE ID PRO PEN NDL 30G 5MM 30 GAUGE X 3/16"	2	PA; ST
ASSURE ID SYR 0.5 ML 29GX1/2" (RX) 0.5 ML 29 GAUGE X 1/2"	2	PA; ST
ASSURE ID SYR 0.5 ML 31GX15/64" 0.5 ML 31 GAUGE X 15/64"	2	PA; ST
ASSURE ID SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64"	2	PA; ST
AUTOSHIELD DUO PEN NDL 30G 5MM 30 GAUGE X 3/16"	2	PA; ST
BD AUTOSHIELD DUO NDL 5MMX30G 30 GAUGE X 3/16"	2	PA; ST
BD ECLIPSE 30GX1/2" SYRINGE 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
BD ECLIPSE NEEDLE 30GX1/2" (OTC) 30 X 1/2 "	2	PA; ST
BD INS SYR 0.3 ML 8MMX31G(1/2) 0.3 ML 31 GAUGE X 5/16"	2	PA; ST
BD INS SYR UF 0.3 ML 12.7MMX30G 0.3 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
BD INS SYRINGE 1/2 ML 6MMX31G (ONLY FOR 500 UNIT/ML INSULIN) 1/2 ML 31 GAUGE X 15/64" (insulin u-500 syringe- needle)	2	PA; ST
BD INS SYRN UF 1 ML 12.7MMX30G NOT FOR RETAIL SALE 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
BD INSULIN SYR 1 ML 25GX1" 1 ML 25 X 1"	2	PA; ST
BD INSULIN SYR 1 ML 25GX5/8" 1 ML 25 GAUGE X 5/8" (insulin syringe-needle u-100)	2	PA; ST
BD INSULIN SYR 1 ML 26GX1/2" 1 ML 26 X 1/2"	2	PA; ST

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름		약물 등급	요건/제한
BD INSULIN SYR 1 ML 27GX12.7MM 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
BD INSULIN SYR 1 ML 27GX5/8" MICRO-FINE 1 ML 27 GAUGE X 5/8"	(insulin syringe-needle u-100)	2	PA; ST
BD INSULIN SYR UF 1 ML 8MMX31G 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
BD INSULIN SYRINGE SLIP TIP SYRINGE 1 ML	(insulin syringe needleless)	2	PA; ST
BD LUER-LOK SYRINGE 1 ML	(Easy Touch Luer Lock Insulin)	2	PA; ST
BD NANO 2 GEN PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
BD SAFETGLD INS 0.3 ML 29G 13MM 0.3 ML 29 GAUGE X 1/2"		2	PA; ST
BD SAFETGLD INS 0.5 ML 13MMX29G 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
BD SAFETYGLD INS 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"		2	PA; ST
BD SAFETYGLD INS 0.5 ML 30G 8MM 0.5 ML 30 GAUGE X 5/16"		2	PA; ST
BD SAFETYGLD INS 1 ML 29G 13MM 1 ML 29 GAUGE X 1/2"		2	PA; ST
BD SAFETYGLID INS 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"		2	PA; ST
BD SAFETYGLIDE SYRINGE 27GX5/8 1 ML 27 GAUGE X 5/8"	(insulin syringe-needle u-100)	2	PA; ST
BD SAFTYGLD INS 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64"		2	PA; ST
BD SAFTYGLD INS 0.5 ML 29G 13MM 0.5 ML 29 GAUGE X 1/2"		2	PA; ST
BD SAFTYGLD INS 0.5 ML 6MMX31G 0.5 ML 31 GAUGE X 15/64"		2	PA; ST
BD SINGLE USE SWAB	(alcohol swabs)	1	PA; ST

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	조건/제한
BD UF MICRO PEN NEEDLE 6MMX32G 32 GAUGE X 1/4"	(pen needle, diabetic) 2	PA; ST
BD UF MINI PEN NEEDLE 5MMX31G 31 GAUGE X 3/16"	(pen needle, diabetic) 2	PA; ST
BD UF NANO PEN NEEDLE 4MMX32G 32 GAUGE X 5/32"	(pen needle, diabetic) 2	PA; ST
BD UF ORIG PEN NDL 12.7MMX29G 29 GAUGE X 1/2"	(pen needle, diabetic) 2	PA; ST
BD UF SHORT PEN NEEDLE 8MMX31G 31 GAUGE X 5/16"	(pen needle, diabetic) 2	PA; ST
BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64"	2	PA; ST
BD VEO INS SYRING 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100) 2	PA; ST
BD VEO INS SYRN 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100) 2	PA; ST
BD VEO INS SYRN 0.5 ML 6MMX31G 1/2 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100) 2	PA; ST
BORDERED GAUZE 2"X2" 2 X 2 "	(gauze bandage) 1	PA; ST
CAREFINE PEN NEEDLE 12.7MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic) 2	PA; ST
CAREFINE PEN NEEDLE 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic) 2	PA; ST
CAREFINE PEN NEEDLE 5MM 32G 32 GAUGE X 3/16"	(pen needle, diabetic) 2	PA; ST
CAREFINE PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic) 2	PA; ST
CAREFINE PEN NEEDLE 8MM 30G 30 GAUGE X 5/16"	(pen needle, diabetic) 2	PA; ST
CAREFINE PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"	(pen needle, diabetic) 2	PA; ST
CAREFINE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic) 2	PA; ST
CARETOUCH ALCOHOL 70% PREP PAD	(alcohol swabs) 1	PA; ST
CARETOUCH PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic) 2	PA; ST

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름		약물 등급	요건/제한
CARETOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
CARETOUCH PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
CARETOUCH PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
CARETOUCH PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
CARETOUCH PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
CARETOUCH SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
CARETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
CARETOUCH SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
CARETOUCH SYR 1 ML 28GX5/16" 1 ML 28 X 5/16"		2	PA; ST
CARETOUCH SYR 1 ML 29GX5/16" 1 ML 29 GAUGE X 5/16		2	PA; ST
CARETOUCH SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
CARETOUCH SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
CLICKFINE 31G X 5/16" NEEDLES 8MM, UNIVERSAL 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
CLICKFINE PEN NEEDLE 32GX5/32" 32GX4MM, STERILE 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
CLICKFINE UNIVERSAL 31G X 1/4" 6MM, STORE BRAND 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ 0.3 ML 31G 15/64" 0.3 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ 0.5 ML 31G 15/64" 1/2 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름		약물 등급	요건/제한
COMFORT EZ INS 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ INS 1 ML 31G 15/64" 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ INSULIN SYR 0.3 ML 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ PEN NEEDLE 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 4MM 32G SINGLE USE, MICRO 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 5MM 31G MINI 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 5MM 32G SINGLE USE,MINI,HRI 32 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 5MM 33G 33 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 6MM 33G 33 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 8MM 31G SHORT 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
COMFORT EZ PEN NEEDLES 8MM 32G 32 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 8MM 33G 33 GAUGE X 5/16"	2	PA; ST
COMFORT EZ PRO PEN NDL 30G 8MM 30 GAUGE X 5/16"	2	PA; ST
COMFORT EZ PRO PEN NDL 31G 4MM 31 GAUGE X 5/32" (pen needle, diabetic, safety)	2	PA; ST
COMFORT EZ PRO PEN NDL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic, safety)	2	PA; ST
COMFORT EZ SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
COMFORT POINT PEN NDL 31GX1/3" 31 GAUGE X 1/3"	2	PA; ST
COMFORT POINT PEN NDL 31GX1/6" 31 GAUGE X 1/6"	2	PA; ST
COMFORT TOUCH PEN NDL 31G 4MM 31 GAUGE X 5/32" (pen needle, diabetic)	2	PA; ST
COMFORT TOUCH PEN NDL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	2	PA; ST
COMFORT TOUCH PEN NDL 31G 6MM 31 GAUGE X 1/4" (pen needle, diabetic)	2	PA; ST

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
COMFORT TOUCH PEN NDL 31G (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	2	PA; ST
COMFORT TOUCH PEN NDL 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	PA; ST
COMFORT TOUCH PEN NDL 32G (pen needle, diabetic) 5MM 32 GAUGE X 3/16"	2	PA; ST
COMFORT TOUCH PEN NDL 32G (pen needle, diabetic) 6MM 32 GAUGE X 1/4"	2	PA; ST
COMFORT TOUCH PEN NDL 32G (pen needle, diabetic) 8MM 32 GAUGE X 5/16"	2	PA; ST
COMFORT TOUCH PEN NDL 33G (pen needle, diabetic) 4MM 33 GAUGE X 5/32"	2	PA; ST
COMFORT TOUCH PEN NDL 33G (pen needle, diabetic) 6MM 33 GAUGE X 1/4"	2	PA; ST
COMFORT TOUCH PEN NDL 33GX5MM 33 GAUGE X 3/16"	2	PA; ST
CURAD GAUZE PADS 2" X 2" 2 X 2 "	1	PA; ST
CURITY ALCOHOL PREPS 2 PLY,MEDIUM (alcohol swabs)	1	PA; ST
CURITY GAUZE SPONGES (12 PLY)-200/BAG 2 X 2 "	1	PA; ST
CURITY GUAZE PADS 1'S(12 PLY) 2 X 2 " (gauze bandage)	1	PA; ST
DERMACEA 2"X2" GAUZE 12 PLY, USP TYPE VII 2 X 2 " (gauze bandage)	1	PA; ST
DERMACEA GAUZE 2"X2" SPONGE 8 PLY 2 X 2 "	1	PA; ST
DERMACEA NON-WOVEN 2"X2" SPNGE 2 X 2 "	1	PA; ST
DROPLET 0.5 ML 29GX12.5MM(1/2) 0.5 ML 29 GAUGE X 1/2"	2	PA; ST
DROPLET 0.5 ML 30GX12.5MM(1/2) 0.5 ML 30 GAUGE X 1/2"	2	PA; ST
DROPLET INS 0.3 ML 29GX12.5MM 0.3 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
DROPLET INS 0.3 ML 30GX12.5MM 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	PA; ST
DROPLET INS 0.5 ML 30GX6MM(1/2) 0.5ML 30 GAUGE X 15/64"	2	PA; ST
DROPLET INS 0.5 ML 30GX8MM(1/2) 0.5 ML 30 GAUGE X 5/16"	2	PA; ST
DROPLET INS 0.5 ML 31GX6MM(1/2) 0.5 ML 31 GAUGE X 15/64"	2	PA; ST
DROPLET INS 0.5 ML 31GX8MM(1/2) 0.5 ML 31 GAUGE X 5/16"	2	PA; ST
DROPLET INS SYR 0.3 ML 30GX6MM 0.3 ML 30 GAUGE X 15/64"	2	PA; ST
DROPLET INS SYR 0.3 ML 30GX8MM 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	PA; ST
DROPLET INS SYR 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100) 2	PA; ST
DROPLET INS SYR 0.3 ML 31GX8MM 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	PA; ST
DROPLET INS SYR 1 ML 29GX12.5MM 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	PA; ST
DROPLET INS SYR 1 ML 30GX12.5MM 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	PA; ST
DROPLET INS SYR 1 ML 30GX6MM 1 ML 30 GAUGE X 15/64"	2	PA; ST
DROPLET INS SYR 1 ML 30GX8MM 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	PA; ST

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
DROPLET INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2 PA; ST
DROPLET INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2 PA; ST
DROPLET MICRON 34G X 9/64" 34 GAUGE X 9/64"		2 PA; ST
DROPLET PEN NEEDLE 29G 10MM 29 GAUGE X 3/8"		2 PA; ST
DROPLET PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2 PA; ST
DROPLET PEN NEEDLE 30G 8MM 30 GAUGE X 5/16"	(pen needle, diabetic)	2 PA; ST
DROPLET PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2 PA; ST
DROPLET PEN NEEDLE 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2 PA; ST
DROPLET PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2 PA; ST
DROPLET PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2 PA; ST
DROPLET PEN NEEDLE 32G 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	2 PA; ST
DROPLET PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2 PA; ST
DROPLET PEN NEEDLE 32G 8MM 32 GAUGE X 5/16"	(pen needle, diabetic)	2 PA; ST
DROPSAFE ALCOHOL 70% PREP PADS	(alcohol swabs)	1 PA; ST
DROPSAFE INS SYR 0.3 ML 31G 6MM 0.3 ML 31 GAUGE X 15/64"		2 PA; ST
DROPSAFE INS SYR 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"		2 PA; ST
DROPSAFE INS SYR 0.5 ML 31G 6MM 0.5 ML 31 GAUGE X 15/64"		2 PA; ST
DROPSAFE INS SYR 0.5 ML 31G 8MM 0.5 ML 31 GAUGE X 5/16"		2 PA; ST
DROPSAFE INSUL SYR 1 ML 31G 6MM 1 ML 31 GAUGE X 15/64"		2 PA; ST

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
DROPSAFE INSUL SYR 1 ML 31G 8MM 1 ML 31 GAUGE X 5/16"	2	PA; ST
DROPSAFE INSULN 1 ML 29G 12.5MM 1 ML 29 GAUGE X 1/2"	2	PA; ST
DROPSAFE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	2	PA; ST
DROPSAFE PEN NEEDLE (pen needle, diabetic, 31GX3/16" 31 GAUGE X 3/16" safety)	2	PA; ST
DROPSAFE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	2	PA; ST
DRUG MART ULTRA COMFORT (insulin syringe-needle SYR 0.3 ML 29 GAUGE X 1/2", 0.3 u-100) ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16	2	PA; ST
EASY CMFT SFTY PEN NDL 31G (pen needle, diabetic, 5MM 31 GAUGE X 3/16" safety)	2	PA; ST
EASY CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"	2	PA; ST
EASY CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"	2	PA; ST
EASY COMFORT 0.3 ML 31G 1/2" 0.3 ML 31 X 1/2"	2	PA; ST
EASY COMFORT 0.3 ML 31G (insulin syringe-needle 5/16" 0.3 ML 31 GAUGE X 5/16" u-100)	2	PA; ST
EASY COMFORT 0.3 ML (insulin syringe-needle SYRINGE 0.3 ML 30 GAUGE X u-100) 5/16"	2	PA; ST
EASY COMFORT 0.5 ML (insulin syringe-needle 30GX1/2" 0.5 ML 30 GAUGE X u-100) 1/2"	2	PA; ST
EASY COMFORT 0.5 ML (insulin syringe-needle 31GX5/16" 0.5 ML 31 GAUGE X u-100) 5/16"	2	PA; ST
EASY COMFORT 0.5 ML 32GX5/16" 1/2 ML 32 GAUGE X 5/16"	2	PA; ST
EASY COMFORT 0.5 ML (insulin syringe-needle SYRINGE 0.5 ML 30 GAUGE X u-100) 5/16"	2	PA; ST

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
EASY COMFORT 1 ML 31GX5/16" (insulin syringe-needle u-100) 1 ML 31 GAUGE X 5/16	2	PA; ST
EASY COMFORT 1 ML 32GX5/16" 1 ML 32 GAUGE X 5/16"	2	PA; ST
EASY COMFORT ALCOHOL 70% (alcohol swabs) PAD	1	PA; ST
EASY COMFORT INSULIN 1 ML (insulin syringe-needle u-100) SYR 1 ML 30 GAUGE X 5/16	2	PA; ST
EASY COMFORT PEN NDL (pen needle, diabetic) 31GX1/4" 31 GAUGE X 1/4"	2	PA; ST
EASY COMFORT PEN NDL (pen needle, diabetic) 31GX3/16" 31 GAUGE X 3/16"	2	PA; ST
EASY COMFORT PEN NDL (pen needle, diabetic) 31GX5/16" 31 GAUGE X 5/16"	2	PA; ST
EASY COMFORT PEN NDL (pen needle, diabetic) 32GX5/32" 32 GAUGE X 5/32"	2	PA; ST
EASY COMFORT PEN NDL 33G (pen needle, diabetic) 4MM 33 GAUGE X 5/32"	2	PA; ST
EASY COMFORT PEN NDL 33G (pen needle, diabetic) 5MM 33 GAUGE X 3/16"	2	PA; ST
EASY COMFORT PEN NDL 33G (pen needle, diabetic) 6MM 33 GAUGE X 1/4"	2	PA; ST
EASY COMFORT SYR 1 ML (insulin syringe-needle u-100) 30GX1/2" 1 ML 30 GAUGE X 1/2"	2	PA; ST
EASY GLIDE INS 0.3 ML (insulin syringe-needle u-100) 31GX6MM 0.3 ML 31 GAUGE X 15/64"	2	PA; ST
EASY GLIDE INS 0.5 ML (insulin syringe-needle u-100) 31GX6MM 1/2 ML 31 GAUGE X 15/64"	2	PA; ST
EASY GLIDE INS 1 ML (insulin syringe-needle u-100) 31GX6MM 1 ML 31 GAUGE X 15/64"	2	PA; ST
EASY GLIDE PEN NEEDLE 4MM (pen needle, diabetic) 33G 33 GAUGE X 5/32"	2	PA; ST
EASY TOUCH 0.3 ML SYR (insulin syringe-needle u-100) 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	2	PA; ST

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한	
EASY TOUCH 0.5 ML SYR 27GX1/2" 1/2 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH 0.5 ML SYR 29GX1/2" 0.5 ML 29 GAUGE X 1/2"		2	PA; ST
EASY TOUCH 0.5 ML SYR 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH 0.5 ML SYR 30GX5/16 0.5 ML 30 GAUGE X 5/16"		2	PA; ST
EASY TOUCH 1 ML SYR 27GX1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH 1 ML SYR 29GX1/2" 1 ML 29 GAUGE X 1/2"		2	PA; ST
EASY TOUCH 1 ML SYR 30GX1/2" 1 ML 30 GAUGE X 1/2"		2	PA; ST
EASY TOUCH ALCOHOL 70% PADS GAMMA-STERILIZED	(alcohol swabs)	1	PA; ST
EASY TOUCH FLIPLOK 1 ML 27GX0.5 1 ML 27 GAUGE X 1/2"		2	PA; ST
EASY TOUCH INSULIN 1 ML 29GX1/2 1 ML 29 GAUGE X 1/2"		2	PA; ST
EASY TOUCH INSULIN 1 ML 30GX1/2 1 ML 30 GAUGE X 1/2"		2	PA; ST
EASY TOUCH INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH INSULIN SYR 1 ML 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH INSULIN SYR 1 ML RETRACTABLE 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH INSULIN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"		2	PA; ST

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
EASY TOUCH INSULN 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	2	PA; ST
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"	2	PA; ST
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"	2	PA; ST
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"	2	PA; ST
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"	2	PA; ST
EASY TOUCH LUER LOK INSUL 1 ML (insulin syringe needleless)	2	PA; ST
EASY TOUCH PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2" (pen needle, diabetic)	2	PA; ST
EASY TOUCH PEN NEEDLE 30GX5/16 30 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST
EASY TOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" (pen needle, diabetic)	2	PA; ST
EASY TOUCH PEN NEEDLE 31GX3/16 31 GAUGE X 3/16" (pen needle, diabetic)	2	PA; ST
EASY TOUCH PEN NEEDLE 31GX5/16 31 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST
EASY TOUCH PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4" (pen needle, diabetic)	2	PA; ST
EASY TOUCH PEN NEEDLE 32GX3/16 32 GAUGE X 3/16" (pen needle, diabetic)	2	PA; ST
EASY TOUCH PEN NEEDLE 32GX5/32 32 GAUGE X 5/32" (pen needle, diabetic)	2	PA; ST
EASY TOUCH SAF PEN NDL 29G 5MM 29 GAUGE X 3/16"	2	PA; ST
EASY TOUCH SAF PEN NDL 29G 8MM 29 GAUGE X 5/16"	2	PA; ST
EASY TOUCH SAF PEN NDL 30G 5MM 30 GAUGE X 3/16"	2	PA; ST
EASY TOUCH SAF PEN NDL 30G 8MM 30 GAUGE X 5/16"	2	PA; ST
EASY TOUCH SYR 0.5 ML 28G 12.7MM 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH SYR 0.5 ML 29G 12.7MM 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름		약물 등급	요건/제한
EASY TOUCH SYR 1 ML 27G 16MM 1 ML 27 GAUGE X 5/8"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH SYR 1 ML 28G 12.7MM 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH SYR 1 ML 29G 12.7MM 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH UNI-SLIP SYR 1 ML	(insulin syringe needleless)	2	PA; ST
EASYTOUCH SAF PEN NDL 30G 6MM 30 GAUGE X 1/4"		2	PA; ST
EMBRACE PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
EMBRACE PEN NEEDLE 30G 5MM 30 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
EMBRACE PEN NEEDLE 30G 8MM 30 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
EMBRACE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
EMBRACE PEN NEEDLE 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
EMBRACE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
EMBRACE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
EQL INSULIN 0.3 ML SYRINGE SHORT NEEDLE 0.3 ML 30	(Ultra Comfort Insulin Syringe)	2	PA; ST
EQL INSULIN 0.5 ML SYRINGE SHORT NEEDLE 1/2 ML 30 GAUGE	(Ultra Comfort Insulin Syringe)	2	PA; ST
EQL INSULIN 1 ML SYRINGE SHORT NEEDLE 1 ML 30 GAUGE X 7/16"	(Ultra Comfort Insulin Syringe)	2	PA; ST
FIFTY50 INS 0.5 ML 31GX5/16" SHORT NEEDLE (OTC) 0.5 ML 31 GAUGE X 5/16"	(Advocate Syringes)	2	PA; ST
FIFTY50 PEN 31G X 3/16" NEEDLE (OTC) 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
FP INSULIN 1 ML SYRINGE 1 ML 28 GAUGE	(Ultra Comfort Insulin Syringe)	2	PA; ST

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
FREESTYLE PREC 0.5 ML 30GX5/16 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2 PA; ST
FREESTYLE PREC 0.5 ML 31GX5/16 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2 PA; ST
FREESTYLE PREC 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2 PA; ST
FREESTYLE PREC 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2 PA; ST
GAUZE PAD TOPICAL BANDAGE 2 X 2 "	(gauze bandage)	1 PA; ST
GNP ULT C 0.3 ML 29GX1/2" (1/2) 1/2 UNIT 0.3 ML 29 GAUGE X 1/2"		2 PA; ST
GNP ULTRA COMFORT 0.5 ML SYR 1/2 ML 29 , 1/2 ML 30 GAUGE	(insulin syringe-needle u-100)	2 PA; ST
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE, 1 ML 30 GAUGE X 7/16"	(insulin syringe-needle u-100)	2 PA; ST
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 29 GAUGE		2 PA; ST
GNP ULTRA COMFORT 3/10 ML SYR 0.3 ML 30	(insulin syringe-needle u-100)	2 PA; ST
HEALTHWISE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2 PA; ST
HEALTHWISE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2 PA; ST
HEALTHWISE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2 PA; ST
HEALTHWISE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2 PA; ST
HEALTHWISE INS 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2 PA; ST
HEALTHWISE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2 PA; ST

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
HEALTHWISE PEN NEEDLE 31G (pen needle, diabetic) 5MM 31 GAUGE X 3/16"	2	PA; ST
HEALTHWISE PEN NEEDLE 31G (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	2	PA; ST
HEALTHWISE PEN NEEDLE 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	PA; ST
HEALTHY ACCENTS PENTIP (pen needle, diabetic) 4MM 32G 32 GAUGE X 5/32"	2	PA; ST
HEALTHY ACCENTS PENTIP (pen needle, diabetic) 5MM 31G 31 GAUGE X 3/16"	2	PA; ST
HEALTHY ACCENTS PENTIP (pen needle, diabetic) 6MM 31G 31 GAUGE X 1/4"	2	PA; ST
HEALTHY ACCENTS PENTIP (pen needle, diabetic) 8MM 31G 31 GAUGE X 5/16"	2	PA; ST
HEALTHY ACCENTS PENTIP 12MM 29G 29 GAUGE X 1/2"	2	PA; ST
HEB INCONTROL ALCOHOL 70% (alcohol swabs) PADS	1	PA; ST
INCONTROL PEN NEEDLE 12MM (pen needle, diabetic) 29G 29 GAUGE X 1/2"	2	PA; ST
INCONTROL PEN NEEDLE 4MM (pen needle, diabetic) 32G 32 GAUGE X 5/32"	2	PA; ST
INCONTROL PEN NEEDLE 5MM (pen needle, diabetic) 31G 31 GAUGE X 3/16"	2	PA; ST
INCONTROL PEN NEEDLE 6MM (pen needle, diabetic) 31G 31 GAUGE X 1/4"	2	PA; ST
INCONTROL PEN NEEDLE 8MM (pen needle, diabetic) 31G 31 GAUGE X 5/16"	2	PA; ST
INPEN (FOR HUMALOG) BLUE SUBCUTANEOUS INSULIN PEN	3	
INPEN (NOVOLOG OR FIASP) BLUE SUBCUTANEOUS INSULIN PEN	3	
INSULIN SYR 0.3 ML (UltiCare Insuln Syr(half 31GX1/4(1/2) 0.3 ML 31 GAUGE X unit)) 1/4"	2	PA; ST
INSULIN SYRIN 0.5 ML 28GX1/2" (Comfort EZ Insulin (OTC) 1/2 ML 28 GAUGE X 1/2" Syringe)	2	PA; ST
INSULIN SYRIN 0.5 ML 29GX1/2" (Comfort EZ Insulin (OTC) 0.5 ML 29 GAUGE X 1/2" Syringe)	2	PA; ST

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
INSULIN SYRIN 0.5 ML 30GX1/2" (Comfort EZ Insulin SHORT NEEDLE (OTC) 0.5 ML 30 GAUGE X 1/2"	2	PA; ST
INSULIN SYRIN 0.5 ML 30GX5/16" SHORT NEEDLE (OTC) 0.5 ML 30 GAUGE X 5/16" (Advocate Syringes)	2	PA; ST
INSULIN SYRINGE 0.5 ML 27G 1/2" OUTER 1/2 ML 27 GAUGE X 1/2" (Easy Touch Insulin Syringe)	2	PA; ST
INSULIN SYRINGE 0.3 ML 0.3 ML 29 GAUGE (insulin syringe-needle u-100)	2	PA; ST
INSULIN SYRINGE 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4" (Sure Comfort Insulin Syringe)	2	PA; ST
INSULIN SYRINGE 0.5 ML 1/2 ML 29 (insulin syringe-needle u-100)	2	PA; ST
INSULIN SYRINGE 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4" (Sure Comfort Insulin Syringe)	2	PA; ST
INSULIN SYRINGE 1 ML 1 ML 29 GAUGE	2	PA; ST
INSULIN SYRINGE 1 ML 27G 1/2" INNER 1 ML 27 GAUGE X 1/2" (Easy Touch Insulin Syringe)	2	PA; ST
INSULIN SYRINGE 1 ML 27G 16MM 1 ML 27 GAUGE X 5/8" (BD SafetyGlide Syringe)	2	PA; ST
INSULIN SYRINGE 1 ML 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2" (Comfort EZ Insulin Syringe)	2	PA; ST
INSULIN SYRINGE 1 ML 30GX1/2" (RX) 1 ML 30 GAUGE X 1/2" (BD Eclipse Luer-Lok)	2	PA; ST
INSULIN SYRINGE 1 ML 30GX5/16" SHORT NEEDLE (OTC) 1 ML 30 GAUGE X 5/16" (Advocate Syringes)	2	PA; ST
INSULIN SYRINGE 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4" (Sure Comfort Insulin Syringe)	2	PA; ST
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE (Ultilet Insulin Syringe)	2	PA; ST
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1 ML 29 GAUGE X 1/2" (Comfort EZ Insulin Syringe)	2	PA; ST
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1/2 ML 28 GAUGE (Monoject Syringe)	2	PA; ST

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
INSUPEN 30G ULTRAFIN NEEDLE 30 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST
INSUPEN 31G ULTRAFIN NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST
INSUPEN 32G 6MM PEN NEEDLE 32 GAUGE X 1/4" (pen needle, diabetic)	2	PA; ST
INSUPEN 32G 8MM PEN NEEDLE 32 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST
INSUPEN PEN NEEDLE 29GX12MM 29 GAUGE X 1/2" (pen needle, diabetic)	2	PA; ST
INSUPEN PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic)	2	PA; ST
INSUPEN PEN NEEDLE 32GX4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	PA; ST
INSUPEN PEN NEEDLE 33GX4MM 33 GAUGE X 5/32" (pen needle, diabetic)	2	PA; ST
IV ANTISEPTIC WIPES (alcohol swabs)	1	PA; ST
KENDALL ALCOHOL 70% PREP PAD (alcohol swabs)	1	PA; ST
LISCO SPONGES 100/BAG 2 X 2 "	1	PA; ST
LITE TOUCH 31GX1/4" PEN NEEDLE 31 GAUGE X 1/4" (pen needle, diabetic)	2	PA; ST
LITE TOUCH INSULIN 0.5 ML SYR 1/2 ML 28 GAUGE, 1/2 ML 29 , 1/2 ML 30 GAUGE (insulin syringe-needle u-100)	2	PA; ST
LITE TOUCH INSULIN 1 ML SYR 1 ML 28 GAUGE, 1 ML 30 GAUGE X 7/16" (insulin syringe-needle u-100)	2	PA; ST
LITE TOUCH INSULIN 1 ML SYR 1 ML 29 GAUGE	2	PA; ST
LITE TOUCH INSULIN SYR 1 ML 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	PA; ST
LITE TOUCH PEN NEEDLE 29G 29 GAUGE X 1/2" (pen needle, diabetic)	2	PA; ST
LITE TOUCH PEN NEEDLE 31G 31 GAUGE X 3/16", 31 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST
LITETOUCH INS 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름		약물 등급	요건/제한
LITETOUCH INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
LITETOUCH INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
LITETOUCH INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
LITETOUCH SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
LITETOUCH SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
LITETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
LITETOUCH SYRIN 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
LITETOUCH SYRIN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
LITETOUCH SYRIN 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
MAGELLAN INSUL SYRINGE 0.3 ML 0.3 ML 30 X 5/16"		2	PA; ST
MAGELLAN INSUL SYRINGE 0.5 ML 0.5 ML 30 GAUGE X 5/16"		2	PA; ST
MAGELLAN INSULIN SYR 0.3 ML 0.3 ML 29 GAUGE X 1/2"		2	PA; ST
MAGELLAN INSULIN SYR 0.5 ML 0.5 ML 29 GAUGE X 1/2"		2	PA; ST
MAGELLAN INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16"		2	PA; ST
MAXICOMFORT II PEN NDL 31GX6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
MAXICOMFORT INS 0.5 ML 27GX1/2" 1/2 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한	
MAXI-COMFORT INS 0.5 ML 28G 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MAXICOMFORT INS 1 ML 27GX1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MAXI-COMFORT INS 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MAXICOMFORT PEN NDL 29G X 5MM 29 GAUGE X 3/16"		2	PA; ST
MAXICOMFORT PEN NDL 29G X 8MM 29 GAUGE X 5/16"		2	PA; ST
MICRODOT PEN NEEDLE 31GX6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
MICRODOT PEN NEEDLE 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
MICRODOT PEN NEEDLE 33GX4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
MICRODOT READYGARD NDL 31G 5MM OUTER 31 GAUGE X 3/16"		2	PA; ST
MINI PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(1st Tier Unifine Pentips)	2	PA; ST
MINI PEN NEEDLE 32G 5MM 32 GAUGE X 3/16"	(CareFine Pen Needle)	2	PA; ST
MINI PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(CareFine Pen Needle)	2	PA; ST
MINI PEN NEEDLE 32G 8MM 32 GAUGE X 5/16"	(Comfort EZ Pen Needles)	2	PA; ST
MINI PEN NEEDLE 33G 4MM 33 GAUGE X 5/32"	(Advocate Pen Needle)	2	PA; ST
MINI PEN NEEDLE 33G 5MM 33 GAUGE X 3/16"	(Comfort EZ Pen Needles)	2	PA; ST
MINI PEN NEEDLE 33G 6MM 33 GAUGE X 1/4"	(Comfort EZ Pen Needles)	2	PA; ST
MINI ULTRA-THIN II PEN NDL 31G STERILE 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
MONOJECT 0.5 ML SYRN 28GX1/2" 1/2 ML 28 GAUGE	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT 1 ML SYRN 27X1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
MONOJECT 1 ML SYRN 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	PA; ST
MONOJECT INSUL SYR U100 (OTC) 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	PA; ST
MONOJECT INSUL SYR U100 .5ML,29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	PA; ST
MONOJECT INSUL SYR U100 0.5 ML CONVERTS TO 29G (OTC) 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	PA; ST
MONOJECT INSUL SYR U100 1 ML 1 ML 25 GAUGE X 5/8"	(insulin syringe-needle u-100) 2	PA; ST
MONOJECT INSUL SYR U100 1 ML 3'S, 29GX1/2" (OTC) 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	PA; ST
MONOJECT INSUL SYR U100 1 ML W/O NEEDLE (OTC)	(insulin syringes (disposable)) 2	PA; ST
MONOJECT INSULIN SYR 0.3 ML (OTC) 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	PA; ST
MONOJECT INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	PA; ST
MONOJECT INSULIN SYR 0.5 ML (OTC) 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	PA; ST
MONOJECT INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	PA; ST
MONOJECT INSULIN SYR 1 ML 3'S (OTC) 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100) 2	PA; ST
MONOJECT INSULIN SYR U-100 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	PA; ST
MONOJECT INSULIN SYR U-100 29 GAUGE X 1/2"	2	PA; ST
MONOJECT SYRINGE 0.3 ML 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	PA; ST
MONOJECT SYRINGE 0.5 ML 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	PA; ST
MONOJECT SYRINGE 1 ML 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100) 2	PA; ST
NOVOFINE 30 NEEDLE	2	PA; ST
NOVOFINE 32G NEEDLES 32 GAUGE X 1/4"	(pen needle, diabetic) 2	PA; ST

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
NOVOFINE PLUS PEN NDL 32GX1/6" 32 GAUGE X 1/6"	2	PA; ST
NOVOTWIST NEEDLE 32G 5MM 32 GAUGE X 1/5"	2	PA; ST
OMNIPOD 5 (G6/LIBRE 2 PLUS) SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
OMNIPOD 5 G6-G7 INTRO KT(GEN5) SUBCUTANEOUS CARTRIDGE	3	QL (1 per 365 days)
OMNIPOD 5 G6-G7 PODS (GEN 5) SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
OMNIPOD 5 INTRO(G6/LIBRE2PLUS) SUBCUTANEOUS CARTRIDGE	3	QL (1 per 365 days)
OMNIPOD CLASSIC PDM KIT(GEN 3)	3	QL (1 per 365 days)
OMNIPOD CLASSIC PODS (GEN 3) SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
OMNIPOD DASH INTRO KIT (GEN 4) SUBCUTANEOUS CARTRIDGE	3	QL (1 per 365 days)
OMNIPOD DASH PDM KIT (GEN 4)	3	QL (1 per 365 days)
OMNIPOD DASH PODS (GEN 4) SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
PC UNIFINE PENTIPS 8MM NEEDLE SHORT 31 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST
PEN NEEDLE 30G 5MM OUTER 30 GAUGE X 3/16" (Embrace Pen Needle)	2	PA; ST
PEN NEEDLE 30G 8MM INNER 30 GAUGE X 5/16" (CareFine Pen Needle)	2	PA; ST
PEN NEEDLE 30G X 5/16" 30 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST
PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2" (1st Tier Unifine Pentips Plus)	2	PA; ST
PEN NEEDLES 12MM 29G 29GX12MM,STRL 29 GAUGE X 1/2" (pen needle, diabetic)	2	PA; ST

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
PEN NEEDLES 4MM 32G 32 GAUGE X 5/32" (pen needle, diabetic)	2	PA; ST
PEN NEEDLES 6MM 31G 31GX6MM, STRL 31 GAUGE X 1/4" (1st Tier Unifine Pentips)	2	PA; ST
PEN NEEDLES 8MM 31G 31GX8MM,STRL,SHORT (OTC) 31 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST
PENTIPS PEN NEEDLE 29G 1/2" 29 GAUGE X 1/2" (pen needle, diabetic)	2	PA; ST
PENTIPS PEN NEEDLE 31G 1/4" 31 GAUGE X 1/4" (pen needle, diabetic)	2	PA; ST
PENTIPS PEN NEEDLE 31GX3/16" MINI, 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	2	PA; ST
PENTIPS PEN NEEDLE 31GX5/16" SHORT, 8MM 31 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST
PENTIPS PEN NEEDLE 32G 1/4" 32 GAUGE X 1/4" (pen needle, diabetic)	2	PA; ST
PENTIPS PEN NEEDLE 32GX5/32" 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	PA; ST
PIP PEN NEEDLE 31G X 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	2	PA; ST
PIP PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	PA; ST
PREVENT PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	2	PA; ST
PREVENT PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	2	PA; ST
PRO COMFORT 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
PRO COMFORT 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
PRO COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
PRO COMFORT 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
PRO COMFORT 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
PRO COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
PRO COMFORT ALCOHOL 70% PADS (alcohol swabs)	1	PA; ST
PRO COMFORT PEN NDL 31GX5/16" 31 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST
PRO COMFORT PEN NDL 32G X 1/4" 32 GAUGE X 1/4" (pen needle, diabetic)	2	PA; ST
PRO COMFORT PEN NDL 4MM 32G 32 GAUGE X 5/32" (pen needle, diabetic)	2	PA; ST
PRO COMFORT PEN NDL 5MM 32G 32 GAUGE X 3/16" (pen needle, diabetic)	2	PA; ST
PRODIGY INS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
PRODIGY SYRNG 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
PRODIGY SYRNGE 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
PURE CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic, safety)	2	PA; ST
PURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"	2	PA; ST
PURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"	2	PA; ST
PURE COMFORT ALCOHOL 70% PADS (alcohol swabs)	1	PA; ST
PURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	PA; ST
PURE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16" (pen needle, diabetic)	2	PA; ST
PURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4" (pen needle, diabetic)	2	PA; ST
PURE COMFORT PEN NDL 32G 8MM 32 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST
RAYA SURE PEN NEEDLE 29G 12MM 29 GAUGE X 15/32"	2	PA; ST
RAYA SURE PEN NEEDLE 31G 4MM 31 GAUGE X 5/32" (Comfort Touch Pen Needle)	2	PA; ST
RAYA SURE PEN NEEDLE 31G 5MM 31 GAUGE X 13/64"	2	PA; ST

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한	
RAYA SURE PEN NEEDLE 31G 6MM 31 GAUGE X 15/64"	2	PA; ST	
RELION INS SYR 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64"	(Comfort EZ Insulin Syringe)	2	PA; ST
RELION INS SYR 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64"	(Comfort EZ Insulin Syringe)	2	PA; ST
RELION INS SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64"	(Comfort EZ Insulin Syringe)	2	PA; ST
RELI-ON INSULIN 0.5 ML SYR 1/2 ML 29	(Ultilet Insulin Syringe)	2	PA; ST
RELI-ON INSULIN 1 ML SYR 1 ML 29 GAUGE X 7/16"		2	PA; ST
RELION MINI PEN 31G X 1/4" NDL 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
SAFESNAP INS SYR UNITS-100 0.3 ML 30GX5/16",10X10 0.3 ML 30 GAUGE X 5/16"		2	PA; ST
SAFESNAP INS SYR UNITS-100 0.5 ML 29GX1/2",10X10 0.5 ML 29 GAUGE X 1/2"		2	PA; ST
SAFESNAP INS SYR UNITS-100 0.5 ML 30GX5/16",10X10 0.5 ML 30 GAUGE X 5/16"		2	PA; ST
SAFESNAP INS SYR UNITS-100 1 ML 28GX1/2",10X10 1 ML 28 GAUGE X 1/2"		2	PA; ST
SAFESNAP INS SYR UNITS-100 1 ML 29GX1/2",10X10 1 ML 29 GAUGE X 1/2"		2	PA; ST
SAFETY PEN NEEDLE 31G 4MM 31 GAUGE X 5/32"	(Comfort EZ PRO Safety Pen Ndl)	2	PA; ST
SAFETY PEN NEEDLE 5MM X 31G 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	PA; ST
SAFETY SYRINGE 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"		2	PA; ST
SECURESAFE PEN NDL 30GX5/16" OUTER 30 GAUGE X 5/16"		2	PA; ST

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
SECURES SAFE SYR 0.5 ML 29G 1/2" OUTER 0.5 ML 29 GAUGE X 1/2"	2	PA; ST
SECURES SAFE SYRNG 1 ML 29G 1/2" OUTER 1 ML 29 GAUGE X 1/2"	2	PA; ST
SKY SAFETY PEN NEEDLE 30G 5MM 30 GAUGE X 3/16"	2	PA; ST
SKY SAFETY PEN NEEDLE 30G 8MM 30 GAUGE X 5/16"	2	PA; ST
SM ULT CFT 0.3 ML 31GX5/16(1/2) 0.3 ML 31 GAUGE X 5/16"	2	PA; ST
STERILE PADS 2" X 2" 2 X 2 " (gauze bandage)	1	PA; ST
SURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"	2	PA; ST
SURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"	2	PA; ST
NEEDLES, INSULIN DISP., SAFETY (insulin syringe-needle u-100)	2	PA; ST
SURE COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
SURE COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	PA; ST
SURE COMFORT 3/10 ML SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
SURE COMFORT 3/10 ML SYRINGE INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
SURE COMFORT 30G PEN NEEDLE 30 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST
SURE COMFORT ALCOHOL PREP PADS (alcohol swabs)	1	PA; ST

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한	
SURE COMFORT INS 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	PA; ST
SURE COMFORT INS 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	PA; ST
SURE COMFORT INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	PA; ST
SURE COMFORT PEN NDL 29GX1/2" 12.7MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
SURE COMFORT PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
SURE COMFORT PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
SURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
SURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
SURE-FINE PEN NEEDLES 12.7MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
SURE-FINE PEN NEEDLES 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
SURE-FINE PEN NEEDLES 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
SURE-JECT INSU SYR U100 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
SURE-JECT INSU SYR U100 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
SURE-JECT INSU SYR U100 1 ML 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
SURE-JECT INSUL SYR U100 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
SURE-JECT INSULIN SYRINGE 1 ML 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
SURE-PREP ALCOHOL PREP PADS	(alcohol swabs)	1	PA; ST

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한	
TECHLITE 0.3 ML 29GX12MM (1/2) 0.3 ML 29 GAUGE X 1/2"	2	PA; ST	
TECHLITE 0.3 ML 30GX12MM (1/2) 0.3 ML 30 GAUGE X 1/2"	2	PA; ST	
TECHLITE 0.3 ML 30GX8MM (1/2) 0.3 ML 30 GAUGE X 5/16"	2	PA; ST	
TECHLITE 0.3 ML 31GX6MM (1/2) 0.3 ML 31 GAUGE X 15/64"	2	PA; ST	
TECHLITE 0.3 ML 31GX8MM (1/2) 0.3 ML 31 GAUGE X 5/16"	2	PA; ST	
TECHLITE 0.5 ML 30GX12MM (1/2) 0.5 ML 30 GAUGE X 1/2"	2	PA; ST	
TECHLITE 0.5 ML 30GX8MM (1/2) 0.5 ML 30 GAUGE X 5/16"	2	PA; ST	
TECHLITE 0.5 ML 31GX6MM (1/2) 0.5 ML 31 GAUGE X 15/64"	2	PA; ST	
TECHLITE 0.5 ML 31GX8MM (1/2) 0.5 ML 31 GAUGE X 5/16"	2	PA; ST	
TECHLITE INS SYR 1 ML 29GX12MM 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
TECHLITE INS SYR 1 ML 30GX12MM 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
TECHLITE INS SYR 1 ML 30GX8MM 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
TECHLITE INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
TECHLITE INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
TECHLITE PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
TECHLITE PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8"		2	PA; ST
TECHLITE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
TECHLITE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic) 2	PA; ST
TECHLITE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic) 2	PA; ST
TECHLITE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic) 2	PA; ST
TECHLITE PEN NEEDLE 32GX5/16" 32 GAUGE X 5/16"	(pen needle, diabetic) 2	PA; ST
TECHLITE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic) 2	PA; ST
TECHLITE PLUS PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic) 2	PA; ST
TERUMO INS SYRINGE U100-1 ML 1 ML 27 GAUGE X 1/2", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	PA; ST
TERUMO INS SYRINGE U100-1 ML 1 ML 30 GAUGE X 3/8"	(Thinpro Insulin Syringe) 2	PA; ST
TERUMO INS SYRINGE U100-1/2 ML 1/2 ML 30 X 3/8"	(insulin syringe-needle u-100) 2	PA; ST
TERUMO INS SYRINGE U100-1/3 ML 0.3 ML 30 X 3/8"	(insulin syringe-needle u-100) 2	PA; ST
TERUMO INS SYRNG U100-1/2 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 27 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	PA; ST
THINPRO INS SYRIN U100-0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 X 3/8"	(insulin syringe-needle u-100) 2	PA; ST
THINPRO INS SYRIN U100-0.3 ML 0.3 ML 31 X 3/8"	2	PA; ST
THINPRO INS SYRIN U100-0.5 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2", 1/2 ML 30 X 3/8"	(insulin syringe-needle u-100) 2	PA; ST
THINPRO INS SYRIN U100-0.5 ML 0.5 ML 31 X 3/8"	2	PA; ST
THINPRO INS SYRIN U100-1 ML 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 3/8"	(insulin syringe-needle u-100) 2	PA; ST

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
THINPRO INS SYRIN U100-1 ML 1 ML 31 X 3/8"	2	PA; ST
TOPCARE CLICKFINE 31G X 1/4" 31 GAUGE X 1/4"	(pen needle, diabetic) 2	PA; ST
TOPCARE CLICKFINE 31G X 5/16" 31 GAUGE X 5/16"	(pen needle, diabetic) 2	PA; ST
TOPCARE ULTRA COMFORT SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100) 2	PA; ST
TRUE CMFRT PRO 0.5 ML 30G 5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	PA; ST
TRUE CMFRT PRO 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	PA; ST
TRUE CMFRT PRO 0.5 ML 32G 5/16" 1/2 ML 32 GAUGE X 5/16"	2	PA; ST
TRUE CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety) 2	PA; ST
TRUE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"	2	PA; ST
TRUE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"	2	PA; ST
TRUE COMFORT 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"	2	PA; ST
TRUE COMFORT 0.5 ML 30G 5/16" 0.5 ML 30 GAUGE X 5/16"	2	PA; ST
TRUE COMFORT 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16"	2	PA; ST
TRUE COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	PA; ST
TRUE COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100) 2	PA; ST
TRUE COMFORT ALCOHOL 70% PADS	(alcohol swabs) 1	PA; ST

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
TRUE COMFORT PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic) 2	PA; ST
TRUE COMFORT PEN NDL 31GX5MM 31 GAUGE X 3/16"	(pen needle, diabetic) 2	PA; ST
TRUE COMFORT PEN NDL 31GX6MM 31 GAUGE X 1/4"	(pen needle, diabetic) 2	PA; ST
TRUE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16"	(pen needle, diabetic) 2	PA; ST
TRUE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic) 2	PA; ST
TRUE COMFORT PEN NDL 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic) 2	PA; ST
TRUE COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32"	(pen needle, diabetic) 2	PA; ST
TRUE COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16"	(pen needle, diabetic) 2	PA; ST
TRUE COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4"	(pen needle, diabetic) 2	PA; ST
TRUE COMFORT PRO 1 ML 30G 1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	PA; ST
TRUE COMFORT PRO 1 ML 30G 5/16" 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	PA; ST
TRUE COMFORT PRO 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	PA; ST
TRUE COMFORT PRO 1 ML 32G 5/16" 1 ML 32 GAUGE X 5/16"	2	PA; ST
TRUE COMFORT PRO ALCOHOL PADS	(alcohol swabs) 1	PA; ST
TRUE COMFORT SFTY 1 ML 30G 1/2" 1 ML 30 GAUGE X 1/2"	2	PA; ST
TRUE COMFRT PRO 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	PA; ST
TRUE COMFRT SFTY 1 ML 30G 5/16" 1 ML 30 GAUGE X 5/16"	2	PA; ST
TRUE COMFRT SFTY 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16"	2	PA; ST
TRUE COMFRT SFTY 1 ML 32G 5/16" 1 ML 32 GAUGE X 5/16"	2	PA; ST
TRUEPLUS PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic) 2	PA; ST

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
TRUEPLUS PEN NEEDLE 31G X 1/4" 31 GAUGE X 1/4" (pen needle, diabetic)	2	PA; ST
TRUEPLUS PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic)	2	PA; ST
TRUEPLUS PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST
TRUEPLUS PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32" (pen needle, diabetic)	2	PA; ST
TRUEPLUS SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
ULTICAR INS 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4" (insulin syr/ndl u100 half mark)	2	PA; ST
ULTICARE INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4" (insulin syringe-needle u-100)	2	PA; ST

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
ULTICARE INS SYR 0.3 ML 30G 8MM 0.3 ML 30 GAUGE X 5/16" (Advocate Syringes)	2	PA; ST
ULTICARE INS SYR 0.3 ML 31G 6MM 0.3 ML 31 GAUGE X 1/4" (insulin syringe-needle u-100)	2	PA; ST
ULTICARE INS SYR 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16" (Advocate Syringes)	2	PA; ST
ULTICARE INS SYR 0.5 ML 31G 6MM 1/2 ML 31 GAUGE X 1/4" (insulin syringe-needle u-100)	2	PA; ST
ULTICARE INS SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
ULTICARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic)	2	PA; ST
ULTICARE PEN NEEDLE 6MM 31G 31 GAUGE X 1/4" (pen needle, diabetic)	2	PA; ST
ULTICARE PEN NEEDLE 8MM 31G 31 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST
ULTICARE PEN NEEDLES 12MM 29G 29 GAUGE X 1/2" (pen needle, diabetic)	2	PA; ST
ULTICARE PEN NEEDLES 4MM 32G MICRO, 32GX4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	PA; ST
ULTICARE PEN NEEDLES 6MM 32G 32 GAUGE X 1/4" (pen needle, diabetic)	2	PA; ST
ULTICARE SAFE PEN NDL 30G 8MM 30 GAUGE X 5/16"	2	PA; ST
ULTICARE SAFE PEN NDL 5MM 30G 30 GAUGE X 3/16"	2	PA; ST
ULTICARE SYR 0.3 ML 29G 12.7MM 0.3 ML 29 GAUGE X 1/2" (Comfort EZ Insulin Syringe)	2	PA; ST
ULTICARE SYR 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
ULTICARE SYR 0.3 ML 31GX5/16" SHORT NDL 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
ULTICARE SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
ULTICARE SYR 0.5 ML 31GX5/16" SHORT NDL 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한	
ULTICARE SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
ULTIGUARD SAFE 1 ML 30G 12.7MM 1 ML 30 X 1/2"		2	PA; ST
ULTIGUARD SAFE0.3 ML 30G 12.7MM 0.3 ML 30 X 1/2"		2	PA; ST
ULTIGUARD SAFE0.5 ML 30G 12.7MM 1/2 ML 30 X 1/2"		2	PA; ST
ULTIGUARD SAFEPACK 1 ML 31G 8MM 1 ML 31 X 5/16"		2	PA; ST
ULTIGUARD SAFEPACK 29G 12.7MM 29 GAUGE X 1/2"		2	PA; ST
ULTIGUARD SAFEPACK 31G 5MM 31 GAUGE X 3/16"		2	PA; ST
ULTIGUARD SAFEPACK 31G 6MM 31 GAUGE X 1/4"		2	PA; ST
ULTIGUARD SAFEPACK 31G 8MM 31 GAUGE X 5/16"		2	PA; ST
ULTIGUARD SAFEPACK 32G 4MM 32 GAUGE X 5/32"		2	PA; ST
ULTIGUARD SAFEPACK 32G 6MM 32 GAUGE X 1/4"		2	PA; ST
ULTIGUARD SAFEPK 0.3 ML 31G 8MM 0.3 ML 31 X 5/16"		2	PA; ST
ULTIGUARD SAFEPK 0.5 ML 31G 8MM 1/2 ML 31 X 5/16"		2	PA; ST
ULTILET ALCOHOL STERL SWAB	(alcohol swabs)	1	PA; ST
ULTILET INSULIN SYRINGE 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTILET INSULIN SYRINGE 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTILET INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
ULTILET PEN NEEDLE 29 GAUGE	2	PA; ST
ULTILET PEN NEEDLE 4MM 32G (pen needle, diabetic) 32 GAUGE X 5/32"	2	PA; ST
ULTRA COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
ULTRA COMFORT 0.5 ML 28GX1/2" CONVERTS TO 29G 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
ULTRA COMFORT 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
ULTRA COMFORT 0.5 ML SYRINGE 1/2 ML 28 GAUGE (insulin syringe-needle u-100)	2	PA; ST
ULTRA COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	PA; ST
ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
ULTRA FLO 0.3 ML 30G 1/2" (1/2) 0.3 ML 30 GAUGE X 1/2"	2	PA; ST
ULTRA FLO 0.3 ML 30G 5/16"(1/2) 0.3 ML 30 GAUGE X 5/16"	2	PA; ST
ULTRA FLO 0.3 ML 31G 5/16"(1/2) 0.3 ML 31 GAUGE X 5/16"	2	PA; ST
ULTRA FLO PEN NEEDLE 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	2	PA; ST
ULTRA FLO PEN NEEDLE 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST
ULTRA FLO PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	PA; ST
ULTRA FLO PEN NEEDLE 33G 4MM 33 GAUGE X 5/32" (pen needle, diabetic)	2	PA; ST
ULTRA FLO PEN NEEDLES 12MM 29G 29 GAUGE X 1/2" (pen needle, diabetic)	2	PA; ST
ULTRA FLO SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
ULTRA FLO SYR 0.3 ML 30G 5/16" 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름		약물 등급	요건/제한
ULTRA FLO SYR 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA FLO SYR 0.5 ML 29G 1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA THIN PEN NDL 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ULTRACARE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRACARE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRACARE INS 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRACARE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRACARE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRACARE INS 1 ML 30G X 5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
ULTRACARE INS 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRACARE INS 1 ML 31G X 5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
ULTRACARE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
ULTRACARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
ULTRACARE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
ULTRACARE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
ULTRACARE PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
ULTRACARE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
ULTRACARE PEN NEEDLE 33GX5/32" 33 GAUGE X 5/32"	(pen needle, diabetic) 2	PA; ST
ULTRA-FINE 0.3 ML 31G 6MM (1/2) 0.3 ML 31 GAUGE X 15/64"	2	PA; ST
ULTRA-FINE 0.3 ML 31G 8MM (1/2) 0.3 ML 31 GAUGE X 5/16"	2	PA; ST
ULTRA-FINE PEN NDL 29G 12.7MM 29 GAUGE X 1/2"	(pen needle, diabetic) 2	PA; ST
ULTRA-FINE PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic) 2	PA; ST
ULTRA-THIN II 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100) 2	PA; ST
ULTRA-THIN II INS 0.3 ML 30G 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	PA; ST
ULTRA-THIN II INS 0.3 ML 31G 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	PA; ST
ULTRA-THIN II INS 0.5 ML 29G 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	PA; ST
ULTRA-THIN II INS 0.5 ML 30G 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	PA; ST
ULTRA-THIN II INS 0.5 ML 31G 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	PA; ST
ULTRA-THIN II INS SYR 1 ML 29G 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	PA; ST
ULTRA-THIN II INS SYR 1 ML 30G 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100) 2	PA; ST
ULTRA-THIN II PEN NDL 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic) 2	PA; ST
ULTRA-THIN II PEN NDL 31GX5/16 31 GAUGE X 5/16"	(pen needle, diabetic) 2	PA; ST
UNIFINE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic) 2	PA; ST
UNIFINE PENTIPS 12MM 29G 29GX12MM, STRL 29 GAUGE X 1/2"	(pen needle, diabetic) 2	PA; ST
UNIFINE PENTIPS 31GX3/16" 31GX5MM,STRL,MINI 31 GAUGE X 3/16"	(pen needle, diabetic) 2	PA; ST
UNIFINE PENTIPS 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic) 2	PA; ST

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
UNIFINE PENTIPS 32GX5/32" (pen needle, diabetic) 32GX4MM, STRL, NANO 32 GAUGE X 5/32"	2	PA; ST
UNIFINE PENTIPS 33GX5/32" 33 (pen needle, diabetic) GAUGE X 5/32"	2	PA; ST
UNIFINE PENTIPS 6MM 31G 31 (pen needle, diabetic) GAUGE X 1/4"	2	PA; ST
UNIFINE PENTIPS MAX (pen needle, diabetic) 30GX3/16" 30 GAUGE X 3/16"	2	PA; ST
UNIFINE PENTIPS NEEDLES 29G 29 GAUGE	2	PA; ST
UNIFINE PENTIPS PLUS (pen needle, diabetic) 29GX1/2" 12MM 29 GAUGE X 1/2"	2	PA; ST
UNIFINE PENTIPS PLUS (pen needle, diabetic) 30GX3/16" 30 GAUGE X 3/16"	2	PA; ST
UNIFINE PENTIPS PLUS (pen needle, diabetic) 31GX1/4" ULTRA SHORT, 6MM 31 GAUGE X 1/4"	2	PA; ST
UNIFINE PENTIPS PLUS (pen needle, diabetic) 31GX3/16" MINI 31 GAUGE X 3/16"	2	PA; ST
UNIFINE PENTIPS PLUS (pen needle, diabetic) 31GX5/16" SHORT 31 GAUGE X 5/16"	2	PA; ST
UNIFINE PENTIPS PLUS (pen needle, diabetic) 32GX5/32" 32 GAUGE X 5/32"	2	PA; ST
UNIFINE PENTIPS PLUS (pen needle, diabetic) 33GX5/32" 33 GAUGE X 5/32"	2	PA; ST
UNIFINE PROTECT 30G 5MM 30 GAUGE X 3/16"	2	PA; ST
UNIFINE PROTECT 30G 8MM 30 GAUGE X 5/16"	2	PA; ST
UNIFINE PROTECT 32G 4MM 32 GAUGE X 5/32"	2	PA; ST
UNIFINE SAFECONTROL 30G 5MM 30 GAUGE X 3/16"	2	PA; ST
UNIFINE SAFECONTROL 30G 8MM 30 GAUGE X 5/16"	2	PA; ST
UNIFINE SAFECONTROL 31G (pen needle, diabetic) 5MM 31 GAUGE X 3/16"	2	PA; ST

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
UNIFINE SAFECONTROL 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic) 2	PA; ST
UNIFINE SAFECONTROL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic) 2	PA; ST
UNIFINE SAFECONTROL 32G 4MM 32 GAUGE X 5/32"	2	PA; ST
UNIFINE ULTRA PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic) 2	PA; ST
UNIFINE ULTRA PEN NDL 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic) 2	PA; ST
UNIFINE ULTRA PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic) 2	PA; ST
UNIFINE ULTRA PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic) 2	PA; ST
VANISHPOINT 0.5 ML 30GX1/2" SY OUTER 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	PA; ST
VANISHPOINT INS 1 ML 30GX3/16" 1 ML 30 GAUGE X 3/16"	2	PA; ST
VANISHPOINT U-100 29X1/2 SYR 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	PA; ST
VERIFINE INS SYR 1 ML 29G 1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	PA; ST
VERIFINE PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic) 2	PA; ST
VERIFINE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic) 2	PA; ST
VERIFINE PEN NEEDLE 31G X 6MM 31 GAUGE X 1/4"	(pen needle, diabetic) 2	PA; ST
VERIFINE PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16"	(pen needle, diabetic) 2	PA; ST
VERIFINE PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic) 2	PA; ST
VERIFINE PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic) 2	PA; ST
VERIFINE PEN NEEDLE 32G X 5MM 32 GAUGE X 3/16"	(pen needle, diabetic) 2	PA; ST
VERIFINE PLUS PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic) 2	PA; ST

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
VERIFINE PLUS PEN NDL 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST
VERIFINE PLUS PEN NDL 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	PA; ST
VERIFINE PLUS PEN NDL 32G 4MM-SHARPS CONTAINER 32 GAUGE X 5/32"	2	PA; ST
VERIFINE SYRING 0.5 ML 29G 1/2" 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
VERIFINE SYRING 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	PA; ST
VERIFINE SYRNG 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
VERIFINE SYRNG 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
VERSALON ALL PURPOSE SPONGE 25'S,N-STERILE,3PLY 2 X 2 "	1	PA; ST
V-GO 20 DEVICE	3	QL (30 per 30 days)
V-GO 30 DEVICE	3	QL (30 per 30 days)
V-GO 40 DEVICE	3	QL (30 per 30 days)
WEBCOL ALCOHOL PREPS 20'S,LARGE (alcohol swabs)	1	PA; ST
Enzyme Cofactors/Chaperones		
Enzyme Cofactors/Chaperones		
MIPLYFFA ORAL CAPSULE 124 MG, 47 MG, 62 MG, 93 MG	5	PA; NDS; QL (90 per 30 days)
Enzyme Replacement/Modifiers		
Enzyme Replacement/Modifiers		
CERDELGA ORAL CAPSULE 84 MG	5	PA; NDS
CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) 12,000-38,000 - 60,000 UNIT, 24,000-76,000 - 120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT	3	

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
GALAFOLD ORAL CAPSULE 123 MG	5	PA; NDS; QL (14 per 28 days)
<i>javygtor oral tablet, soluble 100 mg</i> (sapropterin)	5	PA; NDS
<i>miglustat oral capsule 100 mg</i> (Yargesa)	5	PA; NDS; QL (90 per 30 days)
<i>nitisinone oral capsule 10 mg, 2 mg, 20 mg, 5 mg</i> (Orfadin)	5	PA; NDS
ORFADIN ORAL SUSPENSION 4 MG/ML	5	PA; NDS
PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 2.5 MG/0.5 ML, 20 MG/ML	5	PA; NDS
PULMOZYME INHALATION SOLUTION 1 MG/ML	5	PA BvD; NDS
REVCovi INTRAMUSCULAR SOLUTION 2.4 MG/1.5 ML (1.6 MG/ML)	5	PA; NDS
<i>sapropterin oral tablet, soluble 100 mg</i> (Javygtor)	5	PA; NDS
STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML	5	PA; LA; NDS
<i>yargesa oral capsule 100 mg</i> (miglustat)	5	PA; NDS; QL (90 per 30 days)
ZENPEP ORAL CAPSULE, DELAYED RELEASE (DR/EC) 10,000-32,000 - 42,000 UNIT, 15,000-47,000 - 63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 - 14,000-UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000- 24,000 UNIT, 60,000-189,600- 252,600 UNIT	3	
Eye, Ear, Nose, Throat Agents		
Eye, Ear, Nose, Throat Agents, Miscellaneous		
<i>apraclonidine ophthalmic (eye) drops 0.5 %</i>	2	

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>atropine ophthalmic (eye) drops 1 %</i> (Isopto Atropine)	2	
<i>azelastine nasal spray,non-aerosol 137 mcg (0.1 %)</i>	2	QL (60 per 30 days)
<i>azelastine nasal spray,non-aerosol 205.5 mcg (0.15 %)</i> (Astepro Allergy)	2	QL (30 per 25 days)
<i>azelastine ophthalmic (eye) drops 0.05 %</i>	2	
<i>bepotastine besilate ophthalmic (eye) drops 1.5 %</i> (Bepreve)	2	ST
<i>cromolyn ophthalmic (eye) drops 4 %</i>	2	
<i>epinastine ophthalmic (eye) drops 0.05 %</i>	2	
<i>ipratropium bromide nasal spray,non-aerosol 21 mcg (0.03 %)</i>	2	QL (30 per 28 days)
<i>ipratropium bromide nasal spray,non-aerosol 42 mcg (0.06 %)</i>	2	QL (15 per 10 days)
<i>olopatadine nasal spray,non-aerosol 0.6 %</i>	2	QL (30.5 per 30 days)
<i>olopatadine ophthalmic (eye) drops 0.1 %</i> (Eye Allergy Itch-Redness Rlf)	2	
<i>olopatadine ophthalmic (eye) drops 0.2 %</i> (Eye Allergy Itch Relief)	2	
Eye, Ear, Nose, Throat Anti-Infectives Agents		
<i>acetic acid otic (ear) solution 2 %</i>	2	
<i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i>	2	
<i>bacitracin-polymyxin b ophthalmic (eye) ointment 500-10,000 unit/gram</i> (Polycin)	2	
<i>ciprofloxacin hcl ophthalmic (eye) drops 0.3 %</i>	2	
<i>ciprofloxacin-dexamethasone otic (ear) drops,suspension 0.3-0.1 %</i>	2	QL (7.5 per 7 days)
<i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i>	2	QL (3.5 per 4 days)
<i>gatifloxacin ophthalmic (eye) drops 0.5 %</i>	2	
<i>gentak ophthalmic (eye) ointment 0.3 % (3 mg/gram)</i>	2	

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
gentamicin ophthalmic (eye) drops 0.3 %	2	
hydrocortisone-acetic acid otic (ear) drops 1-2 %	2	
moxifloxacin ophthalmic (eye) drops (Vigamox) 0.5 %	2	
NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 %	4	
neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400- 10,000 mg-unit/g-1% (Neo-Polycin HC)	2	
neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400- 10,000 mg-unit-unit/g (Neo-Polycin)	2	
neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 % (Maxitrol)	2	
neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g- 10,000 unit/g-0.1 % (Maxitrol)	2	
neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg- 10,000 unit-0.025mg/ml	2	
neomycin-polymyxin-hc ophthalmic (eye) drops,suspension 3.5-10,000-10 mg-unit-mg/ml	2	
neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%	2	
neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml- %	2	
neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g- 1% (neomycin-bacitracin- poly-hc)	2	
neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit- unit/g (neomycin-bacitracin- polymyxin)	2	
ofloxacin ophthalmic (eye) drops 0.3 % (Ocuflox)	2	
ofloxacin otic (ear) drops 0.3 %	2	

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>polycin ophthalmic (eye) ointment</i> (bacitracin-polymyxin b) 500-10,000 unit/gram	2	
<i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops</i> 10,000 unit- 1 mg/ml	1	
<i>sulfacetamide sodium ophthalmic (eye) drops</i> 10 %	2	
<i>sulfacetamide sodium ophthalmic (eye) ointment</i> 10 %	2	
<i>sulfacetamide-prednisolone ophthalmic (eye) drops</i> 10 %-0.23 % (0.25 %)	2	
<i>tobramycin ophthalmic (eye) drops</i> 0.3 %	1	
<i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension</i> 0.3-0.1 %	2	
<i>trifluridine ophthalmic (eye) drops</i> 1 %	2	
XDEMVY OPHTHALMIC (EYE) DROPS 0.25 %	5	PA; NDS; QL (10 per 42 days)
ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %	4	
ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 %	3	
Eye, Ear, Nose, Throat Anti-Inflammatory Agents		
ALREX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.2 % (loteprednol etabonate)	3	ST
<i>bromfenac ophthalmic (eye) drops</i> 0.07 % (Prolensa)	2	
<i>bromfenac ophthalmic (eye) drops</i> 0.075 % (BromSite)	2	
<i>bromfenac ophthalmic (eye) drops</i> 0.09 %	2	
<i>cyclosporine ophthalmic (eye) dropperette</i> 0.05 % (Restasis)	2	QL (60 per 30 days)
<i>dexamethasone sodium phosphate ophthalmic (eye) drops</i> 0.1 %	2	

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>diclofenac sodium ophthalmic (eye) drops 0.1 %</i>	2	
<i>difluprednate ophthalmic (eye) drops 0.05 %</i> (Durezol)	2	
EYSUVIS OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 %	3	QL (8.3 per 14 days)
<i>flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)</i>	2	QL (50 per 25 days)
<i>fluocinolone acetonide oil otic (ear) drops 0.01 %</i> (DermOtic Oil)	2	
<i>fluorometholone ophthalmic (eye) drops,suspension 0.1 %</i> (FML Liquifilm)	4	
<i>flurbiprofen sodium ophthalmic (eye) drops 0.03 %</i>	2	
<i>fluticasone propionate nasal spray,suspension 50 mcg/actuation</i> (24 Hour Allergy Relief)	1	QL (16 per 30 days)
ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 %	3	
INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %	3	QL (5.6 per 14 days)
<i>ketorolac ophthalmic (eye) drops 0.5 %</i> (Acular)	2	QL (10 per 25 days)
LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 %	3	QL (3.5 per 14 days)
LOTEMAX SM OPHTHALMIC (EYE) DROPS,GEL 0.38 %	3	QL (5 per 16 days)
<i>loteprednol etabonate ophthalmic (eye) drops,gel 0.5 %</i> (Lotemax)	2	QL (10 per 14 days)
<i>loteprednol etabonate ophthalmic (eye) drops,suspension 0.2 %</i> (Alrex)	2	ST
<i>loteprednol etabonate ophthalmic (eye) drops,suspension 0.5 %</i> (Lotemax)	2	QL (15 per 19 days)
<i>mometasone nasal spray,non-aerosol 50 mcg/actuation</i> (Allergy Nasal (mometasone))	2	QL (34 per 30 days)
<i>prednisolone acetate ophthalmic (eye) drops,suspension 1 %</i> (Pred Forte)	4	
<i>prednisolone sodium phosphate ophthalmic (eye) drops 1 %</i>	2	
XIIDRA OPHTHALMIC (EYE) DROPPERETTE 5 %	3	QL (60 per 30 days)

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
Gastrointestinal Agents		
Antiulcer Agents And Acid Suppressants		
<i>amoxicil-clarithromy-lansopraz oral combo pack 500-500-30 mg</i>	2	
<i>cimetidine hcl oral solution 300 mg/5 ml</i>	2	
<i>cimetidine oral tablet 200 mg</i> (Acid Reducer (cimetidine))	2	
<i>cimetidine oral tablet 300 mg, 400 mg, 800 mg</i>	2	
<i>esomeprazole magnesium oral capsule, delayed release(dr/ec) 20 mg</i> (Acid Reducer (esomeprazole))	2	QL (30 per 30 days)
<i>esomeprazole magnesium oral capsule, delayed release(dr/ec) 40 mg</i> (Nexium)	2	QL (60 per 30 days)
<i>esomeprazole magnesium oral granules dr for susp in packet 10 mg, 20 mg</i> (Nexium Packet)	2	ST; QL (30 per 30 days)
<i>esomeprazole magnesium oral granules dr for susp in packet 40 mg</i> (Nexium Packet)	2	ST; QL (60 per 30 days)
<i>famotidine oral suspension for reconstitution 40 mg/5 ml (8 mg/ml)</i>	2	
<i>famotidine oral tablet 20 mg</i> (Acid Controller)	1	
<i>famotidine oral tablet 40 mg</i> (Pepcid)	1	
<i>lansoprazole oral capsule, delayed release(dr/ec) 15 mg</i> (Acid Reducer (lansoprazole))	2	QL (30 per 30 days)
<i>lansoprazole oral capsule, delayed release(dr/ec) 30 mg</i> (Prevacid)	2	QL (60 per 30 days)
<i>misoprostol oral tablet 100 mcg, 200 mcg</i> (Cytotec)	2	
<i>nizatidine oral capsule 150 mg, 300 mg</i>	2	
<i>nizatidine oral solution 150 mg/10 ml</i>	2	
<i>omeprazole oral capsule, delayed release(dr/ec) 10 mg, 20 mg, 40 mg</i>	1	
<i>omeprazole-sodium bicarbonate oral capsule 20-1.1 mg-gram</i> (Zegerid OTC)	5	ST; NDS; QL (30 per 30 days)
<i>omeprazole-sodium bicarbonate oral capsule 40-1.1 mg-gram</i>	2	ST; QL (30 per 30 days)

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>pantoprazole oral tablet, delayed release (dr/ec) 20 mg</i> (Protonix)	1	QL (30 per 30 days)
<i>pantoprazole oral tablet, delayed release (dr/ec) 40 mg</i> (Protonix)	1	QL (60 per 30 days)
<i>rabeprazole oral tablet, delayed release (dr/ec) 20 mg</i> (AcipHex)	2	QL (30 per 30 days)
<i>sucralfate oral tablet 1 gram</i> (Carafate)	2	
Gastrointestinal Agents, Other		
<i>carglumic acid oral tablet, dispersible 200 mg</i> (Carbaglu)	5	PA; NDS
<i>constulose oral solution 10 gram/15 ml</i> (lactulose)	2	
<i>cromolyn oral concentrate 100 mg/5 ml</i> (Gastrocrom)	2	
<i>dicyclomine oral capsule 10 mg</i>	2	
<i>dicyclomine oral solution 10 mg/5 ml</i>	2	
<i>dicyclomine oral tablet 20 mg</i>	2	
<i>diphenoxylate-atropine oral liquid 2.5-0.025 mg/5 ml</i>	2	
<i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i> (Lomotil)	2	
<i>enulose oral solution 10 gram/15 ml</i> (lactulose)	2	
GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG	5	PA; NDS
<i>generlac oral solution 10 gram/15 ml</i> (lactulose)	2	
<i>glycopyrrolate oral tablet 1 mg</i> (Robinul)	2	
<i>glycopyrrolate oral tablet 2 mg</i> (Robinul Forte)	2	
IQIRVO ORAL TABLET 80 MG	5	PA; NDS; QL (30 per 30 days)
<i>kionex (with sorbitol) oral suspension 15-19.3 gram/60 ml, 15-20 gram/60 ml</i>	2	
<i>lactulose oral solution 10 gram/15 ml</i> (Constulose)	2	
LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG	3	QL (30 per 30 days)
LIVDELZI ORAL CAPSULE 10 MG	5	PA; NDS; QL (30 per 30 days)
LOKELMA ORAL POWDER IN PACKET 10 GRAM, 5 GRAM	3	

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>loperamide oral capsule 2 mg</i> (Anti-Diarrheal (loperamide))	2	
<i>lubiprostone oral capsule 24 mcg, 8 mcg</i> (Amitiza)	2	QL (60 per 30 days)
<i>methscopolamine oral tablet 2.5 mg, 5 mg</i>	2	
<i>metoclopramide hcl oral solution 5 mg/5 ml</i>	2	
<i>metoclopramide hcl oral tablet 10 mg, 5 mg</i> (Reglan)	1	
MOVANTIK ORAL TABLET 12.5 MG, 25 MG	3	QL (30 per 30 days)
OCALIVA ORAL TABLET 10 MG, 5 MG	5	PA; NDS; QL (30 per 30 days)
RAVICTI ORAL LIQUID 1.1 GRAM/ML	5	PA; NDS
RELISTOR ORAL TABLET 150 MG	5	PA; NDS; QL (90 per 30 days)
RELISTOR SUBCUTANEOUS SOLUTION 12 MG/0.6 ML	5	PA; NDS; QL (16.8 per 28 days)
RELISTOR SUBCUTANEOUS SYRINGE 12 MG/0.6 ML	5	PA; NDS; QL (16.8 per 28 days)
RELISTOR SUBCUTANEOUS SYRINGE 8 MG/0.4 ML	5	PA; NDS; QL (11.2 per 28 days)
<i>sodium phenylbutyrate oral tablet 500 mg</i> (Buphenyl)	5	PA; NDS
<i>sodium polystyrene sulfonate oral powder</i>	2	
<i>sps (with sorbitol) oral suspension 15-20 gram/60 ml</i>	2	
<i>ursodiol oral capsule 200 mg, 400 mg</i> (Reltone)	5	NDS
<i>ursodiol oral capsule 300 mg</i>	2	
<i>ursodiol oral tablet 250 mg</i>	2	
<i>ursodiol oral tablet 500 mg</i> (URSO Forte)	2	
VELTASSA ORAL POWDER IN PACKET 1 GRAM, 16.8 GRAM, 25.2 GRAM, 8.4 GRAM	3	

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
XERMELO ORAL TABLET 250 MG	5	PA; NDS; QL (84 per 28 days)
Laxatives		
CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM- 12 GRAM/160 ML, 10 MG-3.5 GRAM- 12 GRAM/175 ML	3	
<i>gavilyte-c oral recon soln 240-22.72-6.72 -5.84 gram</i> (peg 3350-electrolytes)	2	
<i>gavilyte-g oral recon soln 236-22.74-6.74 -5.86 gram</i> (peg 3350-electrolytes)	2	
<i>gavilyte-n oral recon soln 420 gram</i> (peg-electrolyte soln)	2	
<i>peg 3350-electrolytes oral recon soln 236-22.74-6.74 -5.86 gram</i> (GaviLyte-G)	2	
<i>peg-electrolyte soln oral recon soln 420 gram</i> (GaviLyte-N)	2	
<i>sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram</i> (Suprep Bowel Prep Kit)	3	
<i>sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram 2 pack (480ml)</i>	2	
SUTAB ORAL TABLET 1.479-0.188- 0.225 GRAM	3	
Phosphate Binders		
<i>calcium acetate(phosphat bind) oral capsule 667 mg</i>	2	
<i>calcium acetate(phosphat bind) oral tablet 667 mg</i>	2	
<i>lanthanum oral tablet,chewable 1,000 mg, 500 mg, 750 mg</i> (Fosrenol)	5	NDS
<i>sevelamer carbonate oral powder in packet 0.8 gram, 2.4 gram</i> (Renvela)	2	
<i>sevelamer carbonate oral tablet 800 mg</i> (Renvela)	2	
<i>sevelamer hcl oral tablet 400 mg, 800 mg</i>	2	
Genitourinary Agents		
Antispasmodics, Urinary		

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i>	2	
<i>fesoterodine oral tablet extended release 24 hr 4 mg, 8 mg</i> (Toviaz)	2	
<i>flavoxate oral tablet 100 mg</i>	2	
MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG (mirabegron)	2	
<i>oxybutynin chloride oral syrup 5 mg/5 ml</i>	2	
<i>oxybutynin chloride oral tablet 2.5 mg, 5 mg</i>	2	
<i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 15 mg, 5 mg</i>	2	
<i>solifenacin oral tablet 10 mg, 5 mg</i> (Vesicare)	1	
<i>tolterodine oral capsule, extended release 24hr 2 mg, 4 mg</i>	2	
<i>tolterodine oral tablet 1 mg, 2 mg</i>	2	
<i>tropium oral capsule, extended release 24hr 60 mg</i>	2	
<i>tropium oral tablet 20 mg</i>	2	
Genitourinary Agents, Miscellaneous		
<i>alfuzosin oral tablet extended release 24 hr 10 mg</i> (Uroxatral)	2	QL (30 per 30 days)
<i>dutasteride oral capsule 0.5 mg</i> (Avodart)	2	
<i>dutasteride-tamsulosin oral capsule, er multiphase 24 hr 0.5-0.4 mg</i> (Jalyn)	2	
<i>finasteride oral tablet 5 mg</i> (Proscar)	1	
<i>tamsulosin oral capsule 0.4 mg</i> (Flomax)	1	
<i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	1	
<i>tiopronin oral tablet 100 mg</i> (Thiola)	5	NDS
Heavy Metal Antagonists		
Heavy Metal Antagonists		
<i>deferasirox oral granules in packet 180 mg, 360 mg, 90 mg</i> (Jadenu Sprinkle)	5	PA; NDS

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>deferasirox oral tablet 180 mg, 360 mg, 90 mg</i> (Jadenu)	2	PA
<i>deferasirox oral tablet, dispersible 125 mg, 250 mg, 500 mg</i> (Exjade)	2	PA
<i>deferiprone oral tablet 1,000 mg, 500 mg</i> (Ferriprox)	5	PA; NDS
FERRIPROX ORAL SOLUTION 100 MG/ML	5	PA; NDS
<i>penicillamine oral tablet 250 mg</i> (Depen Titratabs)	5	PA; NDS
<i>trientine oral capsule 250 mg</i> (Syprine)	5	PA; NDS; QL (240 per 30 days)
Hormonal Agents, Stimulant/Replacement/Modifying		
Androgens		
<i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>	2	
<i>oxandrolone oral tablet 10 mg, 2.5 mg</i>	2	PA
<i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml</i> (Depo-Testosterone)	2	PA
<i>testosterone cypionate intramuscular oil 200 mg/ml (1 ml)</i>	2	PA
<i>testosterone enanthate intramuscular oil 200 mg/ml</i>	2	PA; QL (5 per 28 days)
<i>testosterone transdermal gel in metered-dose pump 12.5 mg/ 1.25 gram (1 %)</i> (Vogelxo)	2	PA; QL (300 per 30 days)
<i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %)</i> (AndroGel)	2	PA; QL (150 per 30 days)
<i>testosterone transdermal gel in packet 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram)</i> (AndroGel)	2	PA; QL (300 per 30 days)
<i>testosterone transdermal solution in metered pump w/app 30 mg/actuation (1.5 ml)</i>	2	PA; QL (180 per 30 days)
XYOSTED SUBCUTANEOUS AUTO-INJECTOR 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML	3	PA; QL (2 per 28 days)

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
Estrogens And Antiestrogens		
<i>amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg</i>	(estradiol-norethindrone acet)	2
<i>dotti transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	(estradiol)	2 QL (8 per 28 days)
DUAVEE ORAL TABLET 0.45-20 MG		3
<i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i>	(Estrace)	1
<i>estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	(Dotti)	2 QL (8 per 28 days)
<i>estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	(Climara)	2 QL (4 per 28 days)
<i>estradiol vaginal cream 0.01 % (0.1 mg/gram)</i>	(Estrace)	2
<i>estradiol vaginal tablet 10 mcg</i>	(Yuvaferm)	2 QL (18 per 28 days)
<i>estradiol valerate intramuscular oil 10 mg/ml, 20 mg/ml, 40 mg/ml</i>	(Delestrogen)	2
<i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg</i>		2
<i>estradiol-norethindrone acet oral tablet 1-0.5 mg</i>	(Mimvey)	2
FEMRING VAGINAL RING 0.05 MG/24 HR, 0.1 MG/24 HR		4 QL (1 per 84 days)
<i>fyavolv oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>	(norethindrone ac-eth estradiol)	2
<i>jinteli oral tablet 1-5 mg-mcg</i>	(norethindrone ac-eth estradiol)	2
<i>lyllana transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	(estradiol)	2 QL (8 per 28 days)
<i>mimvey oral tablet 1-0.5 mg</i>	(estradiol-norethindrone acet)	2

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i> (Fyavolv)	2	
PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.9 MG	3	
PREMARIN ORAL TABLET 0.625 MG, 1.25 MG (conjugated estrogens)	3	
PREMARIN VAGINAL CREAM 0.625 MG/GRAM	3	
PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14)	3	
PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG	3	
<i>raloxifene oral tablet 60 mg</i> (Evista)	2	
<i>yuvafem vaginal tablet 10 mcg</i> (estradiol)	2	QL (18 per 28 days)
Glucocorticoids/Mineralocorticoids		
<i>dexamethasone oral solution 0.5 mg/5 ml</i>	2	
<i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg</i>	2	
<i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i>	1	
<i>fludrocortisone oral tablet 0.1 mg</i>	2	
HEMADY ORAL TABLET 20 MG	4	
<i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i> (Cortef)	2	
<i>methylprednisolone acetate injection suspension 40 mg/ml</i> (Depo-Medrol)	2	
<i>methylprednisolone oral tablet 16 mg, 4 mg, 8 mg</i> (Medrol)	2	
<i>methylprednisolone oral tablet 32 mg</i>	2	
<i>methylprednisolone oral tablets, dose pack 4 mg</i> (Medrol (Pak))	1	
<i>prednisolone 15 mg/5 ml soln d/f 15 mg/5 ml (3 mg/ml)</i>	2	PA BvD
<i>prednisolone oral solution 15 mg/5 ml</i>	2	PA BvD

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml)</i>	2	PA BvD
<i>prednisolone sodium phosphate oral solution 5 mg base/5 ml (6.7 mg/5 ml)</i> (Pediapred)	2	PA BvD
<i>prednisone oral solution 5 mg/5 ml</i>	2	PA BvD
<i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>	1	PA BvD
<i>prednisone oral tablets, dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i>	2	
<i>triamcinolone acetonide injection suspension 40 mg/ml</i> (Kenalog)	2	
Pituitary		
ACTHAR INJECTION GEL 80 UNIT/ML	5	PA; NDS; QL (35 per 28 days)
ACTHAR SELFJECT SUBCUTANEOUS PEN INJECTOR 40 UNIT/0.5 ML	5	PA; NDS; QL (15 per 30 days)
ACTHAR SELFJECT SUBCUTANEOUS PEN INJECTOR 80 UNIT/ML	5	PA; NDS; QL (30 per 30 days)
CORTROPHIN GEL INJECTION GEL 80 UNIT/ML	5	PA; NDS; QL (35 per 28 days)
<i>desmopressin 10 mcg/0.1 ml spr 10 mcg/spray (0.1 ml)</i>	2	
<i>desmopressin nasal spray, non-aerosol 10 mcg/spray (0.1 ml)</i>	2	
<i>desmopressin oral tablet 0.1 mg, 0.2 mg</i> (DDAVP)	2	
EGRIFTA SV SUBCUTANEOUS RECON SOLN 2 MG	5	PA; NDS; QL (30 per 30 days)
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	5	PA; NDS
<i>lanreotide subcutaneous syringe 120 mg/0.5 ml</i> (Somatuline Depot)	5	PA NSO; NDS; QL (0.5 per 28 days)
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG	5	PA NSO; NDS

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG	5	PA NSO; NDS
LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG, 30 MG	5	PA; NDS
LUPRON DEPOT-PED INTRAMUSCULAR KIT 11.25 MG, 15 MG, 7.5 MG (PED)	5	PA; NDS
LUPRON DEPOT-PED INTRAMUSCULAR SYRINGE KIT 45 MG	5	PA; NDS
NORDITROPIN FLEXPRO SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	5	PA; NDS
<i>octreotide acetate injection solution</i> <i>1,000 mcg/ml, 200 mcg/ml</i>	2	
<i>octreotide acetate injection solution</i> (Sandostatin) <i>100 mcg/ml, 50 mcg/ml, 500 mcg/ml</i>	2	
ORGOVYX ORAL TABLET 120 MG	5	PA NSO; NDS
ORILISSA ORAL TABLET 150 MG	5	PA; NDS; QL (28 per 28 days)
ORILISSA ORAL TABLET 200 MG	5	PA; NDS; QL (56 per 28 days)
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG	5	PA; NDS
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	5	PA; NDS; QL (60 per 30 days)
SOMATULINE DEPOT (lanreotide) SUBCUTANEOUS SYRINGE 60 MG/0.2 ML	5	PA NSO; NDS; QL (0.2 per 28 days)
SOMATULINE DEPOT (lanreotide) SUBCUTANEOUS SYRINGE 90 MG/0.3 ML	5	PA NSO; NDS; QL (0.3 per 28 days)

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NDS
SYNAREL NASAL SPRAY, NON-AEROSOL 2 MG/ML	5	PA; NDS
Progestins		
DEPO-SUBQ PROVERA 104 SUBCUTANEOUS SYRINGE 104 MG/0.65 ML	3	QL (0.65 per 84 days)
<i>gallifrey oral tablet 5 mg</i> (norethindrone acetate)	2	
<i>medroxyprogesterone intramuscular suspension 150 mg/ml</i> (Depo-Provera)	2	QL (1 per 84 days)
<i>medroxyprogesterone intramuscular syringe 150 mg/ml</i> (Depo-Provera)	2	QL (1 per 84 days)
<i>medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg</i> (Provera)	1	
<i>megestrol oral suspension 400 mg/10 ml (40 mg/ml), 625 mg/5 ml (125 mg/ml)</i>	2	
<i>norethindrone acetate oral tablet 5 mg</i> (Gallifrey)	2	
<i>progesterone micronized oral capsule 100 mg, 200 mg</i> (Prometrium)	2	
Thyroid And Antithyroid Agents		
<i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i> (Euthyrox)	1	
<i>levothyroxine oral tablet 300 mcg</i> (Levo-T)	1	
<i>liothyronine oral tablet 25 mcg, 5 mcg, 50 mcg</i> (Cytomel)	2	
<i>methimazole oral tablet 10 mg, 5 mg</i>	1	
<i>propylthiouracil oral tablet 50 mg</i>	2	
Immunological Agents		
Immunological Agents		
ACTEMRA ACTPEN SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML	5	PA; NDS

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
ACTEMRA INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML)	5	PA; NDS
ACTEMRA SUBCUTANEOUS SYRINGE 162 MG/0.9 ML	5	PA; NDS
ARCALYST SUBCUTANEOUS RECON SOLN 220 MG	5	PA; NDS
ASTAGRAF XL ORAL CAPSULE, EXTENDED RELEASE 24HR 0.5 MG, 1 MG (tacrolimus)	4	PA BvD
ASTAGRAF XL ORAL CAPSULE, EXTENDED RELEASE 24HR 5 MG (tacrolimus)	5	PA BvD; NDS
<i>auranofin oral capsule 3 mg</i> (Ridaura)	5	NDS
AVSOLA INTRAVENOUS RECON SOLN 100 MG	5	PA; NDS
<i>azathioprine oral tablet 50 mg</i> (Imuran)	2	PA BvD
<i>azathioprine sodium injection recon soln 100 mg</i>	2	PA BvD
BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML	5	PA; NDS; QL (8 per 28 days)
BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML	5	PA; NDS; QL (8 per 28 days)
BESREMI SUBCUTANEOUS SYRINGE 500 MCG/ML	5	PA NSO; NDS; QL (2 per 28 days)
CIMZIA POWDER FOR RECONSTITUTION SUBCUTANEOUS KIT 400 MG (200 MG X 2 VIALS)	5	PA; NDS
CIMZIA SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2)	5	PA; NDS
COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; NDS
COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NDS
COSENTYX SUBCUTANEOUS SYRINGE 75 MG/0.5 ML	5	PA; NDS

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
COSENTYX UNOREADY PEN SUBCUTANEOUS PEN INJECTOR 300 MG/2 ML	5	PA; NDS
<i>cyclosporine intravenous solution</i> (Sandimmune) 250 mg/5 ml	2	PA BvD
<i>cyclosporine modified oral capsule</i> (Gengraf) 100 mg, 25 mg	2	PA BvD
<i>cyclosporine modified oral capsule</i> 50 mg	2	PA BvD
<i>cyclosporine modified oral solution</i> (Gengraf) 100 mg/ml	2	PA BvD
<i>cyclosporine oral capsule</i> 100 mg, 25 mg (Sandimmune)	2	PA BvD
DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NDS
DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 100 MG/0.67 ML, 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NDS
ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML)	5	PA; NDS
ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML)	5	PA; NDS
ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5 ML	5	PA; NDS
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML)	5	PA; NDS
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML)	5	PA; NDS
<i>everolimus (immunosuppressive) oral</i> (Zortress) <i>tablet</i> 0.25 mg, 0.5 mg, 0.75 mg, 1 mg	5	PA BvD; NDS
GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN 10 GRAM, 5 GRAM	5	PA BvD; NDS
GAMMAPLEX INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML)	5	PA BvD; NDS

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
GAMUNEX-C INJECTION SOLUTION 1 GRAM/10 ML (10 %)	5	PA BvD; NDS
<i>gengraf oral capsule 100 mg, 25 mg</i> (cyclosporine modified)	2	PA BvD
<i>gengraf oral solution 100 mg/ml</i> (cyclosporine modified)	2	PA BvD
HUMIRA PEN CROHNS-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NDS; Only NDCs starting with 00074
HUMIRA PEN PSOR-UVEITS-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NDS; Only NDCs starting with 00074
HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NDS; Only NDCs starting with 00074
HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	5	PA; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEN CROHNS-UC-HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEN PEDIATRIC UC SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NDS
HUMIRA(CF) PEN PSOR-UV-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 80 MG/0.8 ML	5	PA; NDS; Only NDCs starting with 00074
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML	5	PA; NDS; Only NDCs starting with 00074
ILARIS (PF) SUBCUTANEOUS SOLUTION 150 MG/ML	5	PA; NDS
ILUMYA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NDS
INFLECTRA INTRAVENOUS RECON SOLN 100 MG	5	PA; NDS

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>infliximab intravenous recon soln 100 mg</i> (Remicade)	5	PA; NDS
KINERET SUBCUTANEOUS SYRINGE 100 MG/0.67 ML	5	PA; NDS
<i>leflunomide oral tablet 10 mg, 20 mg</i> (Arava)	2	
<i>mycophenolate mofetil (hcl) intravenous recon soln 500 mg</i> (CellCept Intravenous)	2	PA BvD
<i>mycophenolate mofetil oral capsule 250 mg</i> (CellCept)	2	PA BvD
<i>mycophenolate mofetil oral suspension for reconstitution 200 mg/ml</i> (CellCept)	5	PA BvD; NDS
<i>mycophenolate mofetil oral tablet 500 mg</i> (CellCept)	2	PA BvD
<i>mycophenolate sodium oral tablet, delayed release (dr/ec) 180 mg, 360 mg</i> (Myfortic)	2	PA BvD
NIKTIMVO INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NDS
NULOJIX INTRAVENOUS RECON SOLN 250 MG	5	PA BvD; NDS
ORENCIA (WITH MALTOSE) INTRAVENOUS RECON SOLN 250 MG	5	PA; NDS
ORENCIA CLICKJECT SUBCUTANEOUS AUTO-INJECTOR 125 MG/ML	5	PA; NDS
ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML	5	PA; NDS
OTEZLA ORAL TABLET 20 MG, 30 MG	5	PA; NDS
OTEZLA STARTER ORAL TABLETS, DOSE PACK 10 MG (4)-20 MG (51), 10 MG (4)-20 MG (4)-30 MG (47), 10 MG (4)-20 MG (4)-30 MG(19)	5	PA; NDS
PROGRAF INTRAVENOUS SOLUTION 5 MG/ML	4	PA BvD

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG	4	PA BvD
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML	4	ST
RENFLEXIS INTRAVENOUS RECON SOLN 100 MG	5	PA; NDS
REZUROCK ORAL TABLET 200 MG	5	PA NSO; NDS
RIDAURA ORAL CAPSULE 3 MG (auranofin)	5	NDS
RINVOQ LQ ORAL SOLUTION 1 MG/ML	5	PA; NDS; QL (360 per 30 days)
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG, 30 MG, 45 MG	5	PA; NDS
<i>sirolimus oral solution 1 mg/ml</i>	5	PA BvD; NDS
<i>sirolimus oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	PA BvD
SKYRIZI INTRAVENOUS SOLUTION 60 MG/ML	5	PA; NDS
SKYRIZI SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NDS
SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.83 ML	5	PA; NDS
SKYRIZI SUBCUTANEOUS SYRINGE KIT 150MG/1.66ML(75 MG/0.83 ML X2)	5	PA; NDS
SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 180 MG/1.2 ML (150 MG/ML), 360 MG/2.4 ML (150 MG/ML)	5	PA; NDS
STELARA INTRAVENOUS SOLUTION 130 MG/26 ML	5	PA; NDS
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	5	PA; NDS

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML	5	PA; NDS
<i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i> (Prograf)	2	PA BvD
TAVNEOS ORAL CAPSULE 10 MG	5	PA; NDS; QL (180 per 30 days)
TREMFYA INTRAVENOUS SOLUTION 200 MG/20 ML (10 MG/ML)	5	PA; NDS
TREMFYA PEN SUBCUTANEOUS PEN INJECTOR 200 MG/2 ML	5	PA; NDS
TREMFYA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; NDS
TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML, 200 MG/2 ML	5	PA; NDS
XELJANZ ORAL SOLUTION 1 MG/ML	5	PA; NDS
XELJANZ ORAL TABLET 10 MG, 5 MG	5	PA; NDS
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG	5	PA; NDS
Vaccines		
ABRYSVO (PF) INTRAMUSCULAR RECON SOLN 120 MCG/0.5 ML	6	\$0 copay
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	6	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	6	\$0 copay
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	6	\$0 copay

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
AREXVY (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 120 MCG/0.5 ML	6	\$0 copay
AREXVY ANTIGEN COMPONENT 120 MCG	6	\$0 copay
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG	6	\$0 copay
BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML	6	\$0 copay
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG-LF/0.5ML	6	\$0 copay
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5-8-5 LF-MCG-LF/0.5ML	6	\$0 copay
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG-LF/0.5ML	6	
DENGVAXIA (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP4.5-6 CCID50/0.5 ML	6	QL (3 per 365 days)
ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML	6	PA BvD; \$0 copay
ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	6	PA BvD; \$0 copay
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	6	PA BvD; \$0 copay
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	6	\$0 copay
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	6	\$0 copay

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML	6	\$0 copay
HAVRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT/0.5 ML	6	
HEPLISAV-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/0.5 ML	6	PA BvD; \$0 copay
HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	6	
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	6	PA BvD; \$0 copay
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25-58-10 LF-MCG-LF/0.5ML	6	
IPOL INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML	6	\$0 copay
IXCHIQ (PF) INTRAMUSCULAR RECON SOLN 1,000 TCID50/0.5 ML	6	\$0 copay
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	6	\$0 copay
JYNNEOS (PF) SUBCUTANEOUS SUSPENSION 0.5X TO 3.95X 10EXP8 UNIT/0.5	6	\$0 copay
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	6	
MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML	6	\$0 copay
MENQUADFI (PF) INTRAMUSCULAR SOLUTION 10 MCG/0.5 ML	6	\$0 copay
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	6	\$0 copay
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML	6	\$0 copay

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
MRESVIA (PF) INTRAMUSCULAR SYRINGE 50 MCG/0.5 ML	6	\$0 copay
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML	6	
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	6	
PENBRAYA (PF) INTRAMUSCULAR KIT 5-120 MCG/0.5 ML	6	\$0 copay
PENBRAYA MENACWY COMPONENT(PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 5 MCG/0.5 ML	6	\$0 copay
PENBRAYA MENB COMPONENT (PF) INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	6	\$0 copay
PENTACEL (PF) INTRAMUSCULAR KIT 15 LF UNIT-20 MCG-5 LF/0.5 ML, 15LF- 20MCG-5LF- 62 DU/0.5 ML	6	
PREHEVBRIO (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML	6	PA BvD; \$0 copay
PRIORIX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3.4-4.2- 3.3CCID50/0.5ML	6	\$0 copay
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3-4.3-3- 3.99 TCID50/0.5	6	
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML	6	
QUADRACEL (PF) INTRAMUSCULAR SYRINGE 15 LF-48 MCG- 5 LF UNIT/0.5ML	6	

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	6	PA BvD; \$0 copay
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML	6	PA BvD; \$0 copay
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	6	PA BvD; \$0 copay
ROTARIX ORAL SUSPENSION 10EXP6 CCID50 /1.5 ML	6	
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML	6	
ROTATEQ VACCINE ORAL SOLUTION 2 ML	6	
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML	6	\$0 copay; QL (2 per 365 days)
TDVAX INTRAMUSCULAR (tetanus-diphtheria SUSPENSION 2-2 LF UNIT/0.5 ML toxoids-td)	6	\$0 copay
TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML	6	\$0 copay
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML	6	\$0 copay
TETANUS,DIPHThERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML	6	
TICOVAC INTRAMUSCULAR SYRINGE 1.2 MCG/0.25 ML	6	
TICOVAC INTRAMUSCULAR SYRINGE 2.4 MCG/0.5 ML	6	\$0 copay
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	6	\$0 copay

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한	
TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML	6	\$0 copay	
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML	6	\$0 copay	
TYPHIM VI INTRAMUSCULAR SYRINGE 25 MCG/0.5 ML	(typhoid vi polysacch vaccine)	6	\$0 copay
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML	6		
VAQTA (PF) INTRAMUSCULAR SUSPENSION 50 UNIT/ML	6	\$0 copay	
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML	6		
VAQTA (PF) INTRAMUSCULAR SYRINGE 50 UNIT/ML	6	\$0 copay	
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML	6	\$0 copay	
VAXCHORA VACCINE ORAL SUSPENSION FOR RECONSTITUTION 4X10EXP8 TO 2X 10EXP9 CF UNIT	6	\$0 copay	
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML, 10 EXP4.74 UNIT/0.5 ML(2.5 ML IN 1 VIAL)	6	\$0 copay	
Inflammatory Bowel Disease Agents			
Inflammatory Bowel Disease Agents			
<i>alosectron oral tablet 0.5 mg, 1 mg</i> (Lotronex)	2		
<i>balsalazide oral capsule 750 mg</i> (Colazal)	2		
<i>budesonide oral capsule, delayed, extend. release 3 mg</i>	2		
<i>budesonide rectal foam 2 mg/actuation</i> (Uceris)	2		
DIPENTUM ORAL CAPSULE 250 MG	5	ST; NDS	

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>hydrocortisone rectal enema 100 mg/60 ml</i> (Cortenema)	2	
<i>mesalamine oral capsule (with del rel tablets) 400 mg</i> (Delzicol)	2	
<i>mesalamine oral capsule, extended release 500 mg</i> (Pentasa)	2	
<i>mesalamine oral capsule, extended release 24hr 0.375 gram</i> (Apriso)	2	
<i>mesalamine oral tablet, delayed release (dr/ec) 1.2 gram</i> (Lialda)	2	QL (120 per 30 days)
<i>mesalamine oral tablet, delayed release (dr/ec) 800 mg</i>	2	
<i>mesalamine rectal enema 4 gram/60 ml</i> (Rowasa)	2	
<i>mesalamine rectal suppository 1,000 mg</i> (Canasa)	2	
<i>sulfasalazine oral tablet 500 mg</i> (Azulfidine)	2	
<i>sulfasalazine oral tablet, delayed release (dr/ec) 500 mg</i> (Azulfidine EN-tabs)	4	
Metabolic Bone Disease Agents		
Metabolic Bone Disease Agents		
<i>alendronate oral solution 70 mg/75 ml</i>	2	QL (300 per 28 days)
<i>alendronate oral tablet 10 mg</i>	1	QL (30 per 30 days)
<i>alendronate oral tablet 35 mg</i>	1	QL (4 per 28 days)
<i>alendronate oral tablet 70 mg</i> (Fosamax)	1	QL (4 per 28 days)
<i>calcitonin (salmon) nasal spray, non-aerosol 200 unit/actuation</i>	2	
<i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i>	2	
<i>calcitriol oral solution 1 mcg/ml</i> (Rocaltrol)	2	
<i>cinacalcet oral tablet 30 mg, 60 mg</i> (Sensipar)	2	QL (60 per 30 days)
<i>cinacalcet oral tablet 90 mg</i> (Sensipar)	5	NDS; QL (120 per 30 days)
<i>doxercalciferol oral capsule 0.5 mcg, 1 mcg, 2.5 mcg</i>	2	
<i>ibandronate oral tablet 150 mg</i>	2	QL (1 per 28 days)

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE	5	PA; NDS; QL (2 per 28 days)
<i>paricalcitol oral capsule 1 mcg, 2 mcg</i> (Zemplar)	2	
<i>paricalcitol oral capsule 4 mcg</i>	2	
PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML	4	QL (1 per 180 days)
RAYALDEE ORAL CAPSULE,EXTENDED RELEASE 24 HR 30 MCG	3	QL (60 per 30 days)
<i>risedronate oral tablet 150 mg</i> (Actonel)	2	QL (1 per 28 days)
<i>risedronate oral tablet 30 mg, 5 mg</i>	2	QL (30 per 30 days)
<i>risedronate oral tablet 35 mg</i> (Actonel)	2	QL (4 per 28 days)
<i>risedronate oral tablet 35 mg (12 pack), 35 mg (4 pack)</i>	2	QL (4 per 28 days)
<i>risedronate oral tablet, delayed release (dr/ec) 35 mg</i> (Atelvia)	2	QL (4 per 28 days)
<i>teriparatide subcutaneous pen injector 20 mcg/dose (620mcg/2.48ml)</i>	5	PA; NDS; QL (2.48 per 28 days)
TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)	5	PA; NDS; QL (1.56 per 30 days)
XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)	5	PA; NDS
Miscellaneous Therapeutic Agents		
Miscellaneous Therapeutic Agents		
ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML	5	PA; NDS
<i>betaine oral powder 1 gram/scoop</i> (Cystadane)	5	PA; NDS
<i>bupirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>	2	
COSENTYX INTRAVENOUS SOLUTION 25 MG/ML	5	PA; NDS
<i>diazoxide oral suspension 50 mg/ml</i> (Proglycem)	2	

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
ELMIRON ORAL CAPSULE 100 MG	4	
EVRYSDI ORAL RECON SOLN 0.75 MG/ML	5	PA; NDS
EVRYSDI ORAL TABLET 5 MG	5	PA; NDS
<i>glutamine (sickle cell) oral powder in packet 5 gram</i> (Endari)	5	PA; NDS; QL (180 per 30 days)
GVOKE HYPOPEN 2-PACK SUBCUTANEOUS AUTO-INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	
GVOKE PFS 1-PACK SYRINGE SUBCUTANEOUS SYRINGE 1 MG/0.2 ML	3	
GVOKE PFS 2-PACK SYRINGE SUBCUTANEOUS SYRINGE 0.5 MG/0.1 ML	3	
GVOKE SUBCUTANEOUS SOLUTION 1 MG/0.2 ML	3	
<i>hydroxyzine pamoate oral capsule 100 mg</i>	2	
<i>hydroxyzine pamoate oral capsule 25 mg, 50 mg</i>	1	
<i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg</i>	2	
<i>levocarnitine (with sugar) oral solution 100 mg/ml</i> (Carnitor)	2	
<i>levocarnitine oral tablet 330 mg</i> (Carnitor)	2	
<i>levocarnitine sf 1 g/10 ml sol 100 mg/ml</i> (Carnitor (sugar-free))	2	
<i>mesna oral tablet 400 mg</i> (Mesnex)	5	NDS
<i>nitroglycerin rectal ointment 0.4 % (w/w)</i> (Rectiv)	2	QL (30 per 30 days)
<i>pyridostigmine bromide oral syrup 60 mg/5 ml</i> (Mestinon)	2	
<i>pyridostigmine bromide oral tablet 30 mg</i>	2	
<i>pyridostigmine bromide oral tablet 60 mg</i> (Mestinon)	2	

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>pyridostigmine bromide oral tablet extended release 180 mg</i> (Mestinon Timespan)	2	
RIVFLOZA SUBCUTANEOUS SOLUTION 80 MG/0.5 ML (160 MG/ML)	5	PA; NDS
RIVFLOZA SUBCUTANEOUS SYRINGE 128 MG/0.8 ML, 160 MG/ML	5	PA; NDS
TAKHZYRO SUBCUTANEOUS SOLUTION 300 MG/2 ML (150 MG/ML)	5	PA; NDS; QL (4 per 28 days)
TAKHZYRO SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; NDS; QL (2 per 28 days)
TAKHZYRO SUBCUTANEOUS SYRINGE 300 MG/2 ML (150 MG/ML)	5	PA; NDS; QL (4 per 28 days)
THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NDS; QL (56 per 28 days)
TYBOST ORAL TABLET 150 MG	3	QL (30 per 30 days)
VEOZAH ORAL TABLET 45 MG	4	PA; QL (30 per 30 days)
VOWST ORAL CAPSULE	5	PA; NDS; QL (12 per 30 days)
ZEGALOGUE AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 0.6 MG/0.6 ML	3	
ZEGALOGUE SYRINGE SUBCUTANEOUS SYRINGE 0.6 MG/0.6 ML	3	
ZYMFENTRA SUBCUTANEOUS PEN INJECTOR KIT 120 MG/ML	5	PA; NDS
ZYMFENTRA SUBCUTANEOUS SYRINGE KIT 120 MG/ML	5	PA; NDS
Ophthalmic Agents		
Antiglaucoma Agents		
<i>acetazolamide oral capsule, extended release 500 mg</i>	2	
<i>acetazolamide oral tablet 125 mg, 250 mg</i>	2	
<i>acetazolamide sodium injection recon soln 500 mg</i>	2	

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>betaxolol ophthalmic (eye) drops 0.5 %</i>	2	
<i>bimatoprost ophthalmic (eye) drops 0.03 %</i>	2	QL (2.5 per 25 days)
<i>brimonidine ophthalmic (eye) drops 0.1 %, 0.15 %</i> (Alphagan P)	2	
<i>brimonidine ophthalmic (eye) drops 0.2 %</i>	2	
<i>brimonidine-timolol ophthalmic (eye) drops 0.2-0.5 %</i> (Combigan)	2	
<i>brinzolamide ophthalmic (eye) drops,suspension 1 %</i> (Azopt)	2	
<i>carteolol ophthalmic (eye) drops 1 %</i>	2	
<i>dorzolamide ophthalmic (eye) drops 2 %</i>	2	
<i>dorzolamide-timolol ophthalmic (eye) drops 22.3-6.8 mg/ml</i> (Cosopt)	2	
<i>latanoprost ophthalmic (eye) drops 0.005 %</i> (Xalatan)	1	QL (2.5 per 25 days)
<i>levobunolol ophthalmic (eye) drops 0.5 %</i>	2	
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %	3	QL (2.5 per 25 days)
<i>methazolamide oral tablet 25 mg, 50 mg</i>	2	
<i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %</i>	2	
RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 %	3	QL (2.5 per 25 days)
ROCKLATAN OPHTHALMIC (EYE) DROPS 0.02-0.005 %	3	QL (2.5 per 25 days)
SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %	3	
<i>tafluprost (pf) ophthalmic (eye) dropperette 0.0015 %</i> (Zioptan (PF))	2	QL (30 per 30 days)
<i>timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 %</i>	1	
<i>timolol maleate ophthalmic (eye) gel forming solution 0.25 %, 0.5 %</i>	2	

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>timolol ophthalmic (eye) drops 0.5 %</i> (Betimol)	1	
<i>travoprost ophthalmic (eye) drops 0.004 %</i> (Travatan Z)	2	QL (2.5 per 25 days)
VYZULTA OPHTHALMIC (EYE) DROPS 0.024 %	4	QL (5 per 30 days)
Replacement Preparations		
Replacement Preparations		
<i>d5 % and 0.9 % sodium chloride intravenous parenteral solution</i>	2	
<i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i>	2	
ISOLYTE S IV SOLUTION-EXCEL SINGLE USE	4	
ISOLYTE S PH 7.4 INTRAVENOUS PARENTERAL SOLUTION	4	
ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	
<i>klor-con m10 oral tablet,er particles/crystals 10 meq</i> (potassium chloride)	2	
<i>klor-con m15 oral tablet,er particles/crystals 15 meq</i> (potassium chloride)	2	
<i>klor-con m20 oral tablet,er particles/crystals 20 meq</i> (potassium chloride)	2	
<i>magnesium sulfate injection solution 500 mg/ml (50 %)</i>	4	
<i>magnesium sulfate injection syringe 500 mg/ml (50 %)</i>	2	
PLASMA-LYTE A INTRAVENOUS PARENTERAL SOLUTION (electrolyte-a)	4	
<i>potassium chloride intravenous solution 2 meq/ml</i>	2	PA BvD
<i>potassium chloride oral capsule, extended release 10 meq, 8 meq</i>	2	
<i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>	2	
<i>potassium chloride oral tablet extended release 10 meq</i> (Klor-Con 10)	2	

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>potassium chloride oral tablet extended release 15 meq</i>	2	
<i>potassium chloride oral tablet extended release 20 meq</i> (K-Tab)	2	
<i>potassium chloride oral tablet extended release 8 meq</i> (Klor-Con 8)	2	
<i>potassium chloride oral tablet, er particles/crystals 10 meq</i> (Klor-Con M10)	2	
<i>potassium chloride oral tablet, er particles/crystals 15 meq</i> (Klor-Con M15)	2	
<i>potassium chloride oral tablet, er particles/crystals 20 meq</i> (Klor-Con M20)	2	
<i>potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/l</i>	2	
<i>potassium citrate oral tablet extended release 10 meq (1,080 mg)</i> (Urocit-K 10)	2	
<i>potassium citrate oral tablet extended release 15 meq</i> (Urocit-K 15)	2	
<i>potassium citrate oral tablet extended release 5 meq (540 mg)</i>	2	
<i>sodium chloride 0.45 % intravenous parenteral solution 0.45 %</i>	2	
<i>sodium chloride 0.9 % intravenous parenteral solution</i>	2	
<i>sodium chloride 0.9% solution mini-bag, single use</i>	2	
Respiratory Tract Agents		
Anti-Inflammatories, Inhaled Corticosteroids		
ADVAIR HFA INHALATION HFA AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION (fluticasone propion-salmeterol)	3	QL (12 per 30 days)
AIRSUPRA 90-80 MCG INHALER 90-80 MCG/ACTUATION	3	QL (32.1 per 30 days)

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION	3	QL (30 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE	(fluticasone furoate- vilanterol) 3	QL (60 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 50-25 MCG/DOSE	3	QL (60 per 30 days)
<i>breyana inhalation hfa aerosol inhaler</i> <i>160-4.5 mcg/actuation, 80-4.5</i> <i>mcg/actuation</i>	(budesonide-formoterol) 2	QL (30.9 per 30 days)
<i>budesonide inhalation suspension for</i> <i>nebulization 0.25 mg/2 ml, 0.5 mg/2</i> <i>ml, 1 mg/2 ml</i>	(Pulmicort) 2	PA BvD; QL (120 per 30 days)
<i>budesonide-formoterol inhalation hfa</i> <i>aerosol inhaler 160-4.5</i> <i>mcg/actuation, 80-4.5 mcg/actuation</i>	(Breyna) 2	QL (30.6 per 30 days)
<i>fluticasone propionate inhalation hfa</i> <i>aerosol inhaler 110 mcg/actuation</i>	2	QL (12 per 30 days)
<i>fluticasone propionate inhalation hfa</i> <i>aerosol inhaler 220 mcg/actuation</i>	2	QL (24 per 30 days)
<i>fluticasone propionate inhalation hfa</i> <i>aerosol inhaler 44 mcg/actuation</i>	2	QL (21.2 per 30 days)
<i>fluticasone propion-salmeterol</i> <i>inhalation blister with device 100-50</i> <i>mcg/dose, 250-50 mcg/dose, 500-50</i> <i>mcg/dose</i>	(Wixela Inhub) 2	QL (60 per 30 days)
<i>wixela inhub inhalation blister with</i> <i>device 100-50 mcg/dose, 250-50</i> <i>mcg/dose, 500-50 mcg/dose</i>	(fluticasone propion- salmeterol) 2	QL (60 per 30 days)
Antileukotrienes		
<i>montelukast oral tablet 10 mg</i>	(Singulair) 1	
<i>montelukast oral tablet, chewable 4</i> <i>mg, 5 mg</i>	(Singulair) 2	
<i>zafirlukast oral tablet 10 mg, 20 mg</i>	(Accolate) 2	
Bronchodilators		

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
AIRSUPRA INHALATION HFA AEROSOL INHALER 90-80 MCG/ACTUATION	3	QL (32.1 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation</i> (Ventolin HFA)	2	QL (17 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020503)</i>	2	QL (13.4 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020983)</i>	2	QL (36 per 30 days)
<i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %), 2.5 mg/0.5 ml</i>	2	PA BvD
<i>albuterol sulfate oral syrup 2 mg/5 ml</i>	2	
<i>albuterol sulfate oral tablet 2 mg, 4 mg</i>	2	
ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION	3	QL (60 per 30 days)
ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION	4	QL (25.8 per 28 days)
BREZTRI AEROSPHERE INHALATION HFA AEROSOL INHALER 160-9-4.8 MCG/ACTUATION	3	QL (10.7 per 30 days)
COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION	3	QL (8 per 30 days)
<i>ipratropium bromide inhalation solution 0.02 %</i>	2	PA BvD
<i>ipratropium-albuterol inhalation solution for nebulization 0.5 mg-3 mg(2.5 mg base)/3 ml</i>	2	PA BvD; QL (540 per 30 days)
PROAIR RESPICLICK INHALATION AEROSOL POWDR BREATH ACTIVATED 90 MCG/ACTUATION	4	QL (2 per 30 days)

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE	3	QL (60 per 30 days)
SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION	3	QL (4 per 30 days)
SPIRIVA RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	3	QL (4 per 30 days)
STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION	3	QL (4 per 30 days)
STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	3	QL (4 per 28 days)
<i>terbutaline oral tablet 2.5 mg, 5 mg</i>	2	
<i>theophylline oral solution 80 mg/15 ml</i>	2	
<i>theophylline oral tablet extended release 12 hr 100 mg, 200 mg, 300 mg, 450 mg</i>	2	
<i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i>	2	
<i>tiotropium bromide inhalation (Spiriva with capsule, w/inhalation device 18 mcg HandiHaler)</i>	2	QL (30 per 30 days)
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG, 200- 62.5-25 MCG	3	QL (60 per 30 days)
Respiratory Tract Agents, Other		
<i>acetylcysteine solution 100 mg/ml (10 %), 200 mg/ml (20 %)</i>	2	PA BvD
ALYFTREK ORAL TABLET 10- 50-125 MG	5	PA; NDS; QL (60 per 30 days)
ALYFTREK ORAL TABLET 4-20- 50 MG	5	PA; NDS; QL (90 per 30 days)
BRONCHITOL INHALATION CAPSULE, W/INHALATION DEVICE 40 MG	5	NDS; QL (560 per 28 days)

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
CINQAIR INTRAVENOUS SOLUTION 10 MG/ML	5	PA; NDS
<i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i>	2	PA BvD
FASENRA PEN SUBCUTANEOUS AUTO-INJECTOR 30 MG/ML	5	PA; NDS; QL (1 per 28 days)
FASENRA SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 30 MG/ML	5	PA; NDS; QL (1 per 28 days)
KALYDECO ORAL GRANULES IN PACKET 13.4 MG, 25 MG, 5.8 MG, 50 MG, 75 MG	5	PA; NDS; QL (56 per 28 days)
KALYDECO ORAL TABLET 150 MG	5	PA; NDS; QL (56 per 28 days)
NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS RECON SOLN 100 MG	5	PA; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 40 MG/0.4 ML	5	PA; LA; NDS; QL (0.4 per 28 days)
OFEV ORAL CAPSULE 100 MG, 150 MG	5	PA; NDS; QL (60 per 30 days)
ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150-188 MG, 75-94 MG	5	PA; NDS; QL (56 per 28 days)
ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG	5	PA; NDS; QL (112 per 28 days)
<i>pirfenidone oral capsule 267 mg</i> (Esbriet)	5	PA; NDS; QL (270 per 30 days)
<i>pirfenidone oral tablet 267 mg</i> (Esbriet)	5	PA; NDS; QL (270 per 30 days)
<i>pirfenidone oral tablet 534 mg</i>	5	PA; NDS; QL (90 per 30 days)
<i>pirfenidone oral tablet 801 mg</i> (Esbriet)	5	PA; NDS; QL (90 per 30 days)
<i>roflumilast oral tablet 250 mcg</i> (Daliresp)	2	QL (28 per 28 days)
<i>roflumilast oral tablet 500 mcg</i> (Daliresp)	2	QL (30 per 30 days)

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N)	5	PA; NDS; QL (56 per 28 days)
TRIKAFTA ORAL GRANULES IN PACKET, SEQUENTIAL 100-50- 75MG (D) /75 MG (N), 80-40-60 MG (D) /59.5 MG (N)	5	PA; NDS; QL (56 per 28 days)
TRIKAFTA ORAL TABLETS, SEQUENTIAL 100-50-75 MG(D) /150 MG (N), 50-25-37.5 MG (D)/75 MG (N)	5	PA; NDS; QL (84 per 28 days)
WINREVAIR SUBCUTANEOUS KIT 45 MG, 45 MG (2 PACK), 60 MG, 60 MG (2 PACK)	5	PA; NDS; QL (1 per 21 days)
XOLAIR SUBCUTANEOUS AUTO-INJECTOR 150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML	5	PA; NDS
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG	5	PA; NDS
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML	5	PA; NDS

Skeletal Muscle Relaxants

Skeletal Muscle Relaxants

<i>baclofen oral tablet 10 mg, 15 mg, 20 mg, 5 mg</i>	2	
<i>chlorzoxazone oral tablet 500 mg</i>	2	
<i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>	2	
<i>dantrolene oral capsule 100 mg, 50 mg</i>	2	
<i>dantrolene oral capsule 25 mg</i> (Dantrium)	2	
<i>methocarbamol oral tablet 500 mg, 750 mg</i>	2	
<i>tizanidine oral tablet 2 mg</i>	2	
<i>tizanidine oral tablet 4 mg</i> (Zanaflex)	2	

Sleep Disorder Agents

Sleep Disorder Agents

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i> (Nuvigil)	2	PA; QL (30 per 30 days)
BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG	3	QL (30 per 30 days)
<i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i> (Lunesta)	2	QL (30 per 30 days)
HETLIOZ LQ ORAL SUSPENSION 4 MG/ML	5	PA; NDS; QL (150 per 30 days)
<i>modafinil oral tablet 100 mg</i> (Provigil)	2	PA; QL (30 per 30 days)
<i>modafinil oral tablet 200 mg</i> (Provigil)	2	PA; QL (60 per 30 days)
<i>sodium oxybate oral solution 500 mg/ml</i> (Xyrem)	5	PA; LA; NDS; QL (540 per 30 days)
<i>tasimelteon oral capsule 20 mg</i> (HetlioZ)	5	PA; NDS; QL (30 per 30 days)
<i>zaleplon oral capsule 10 mg, 5 mg</i>	2	QL (30 per 30 days)
<i>zolpidem oral tablet 10 mg, 5 mg</i> (Ambien)	1	QL (30 per 30 days)
<i>zolpidem oral tablet, ext release multiphase 12.5 mg, 6.25 mg</i> (Ambien CR)	2	QL (30 per 30 days)
Vasodilating Agents		
Vasodilating Agents		
ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG	5	PA; NDS; QL (90 per 30 days)
<i>alyq oral tablet 20 mg</i> (tadalafil (pulm. hypertension))	2	PA; QL (60 per 30 days)
<i>ambrisentan oral tablet 10 mg, 5 mg</i> (Letairis)	5	PA; NDS; QL (30 per 30 days)
<i>bosentan oral tablet 125 mg, 62.5 mg</i> (Tracleer)	5	PA; LA; NDS; QL (60 per 30 days)
OPSUMIT ORAL TABLET 10 MG	5	PA; NDS; QL (30 per 30 days)
<i>sildenafil (pulm.hypertension) oral tablet 20 mg</i> (Revatio)	2	PA; QL (360 per 30 days)
<i>sildenafil oral tablet 100 mg, 25 mg, 50 mg</i> (Viagra)	6	EX; CB (6 EA per 30 days)
<i>tadalafil oral tablet 2.5 mg</i>	2	PA
<i>tadalafil oral tablet 5 mg</i> (Cialis)	2	PA
<i>treprostinil sodium injection solution 1 mg/ml, 10 mg/ml, 2.5 mg/ml, 5 mg/ml</i> (Remodulin)	5	PA; NDS

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
TYVASO INHALATION SOLUTION FOR NEBULIZATION 1.74 MG/2.9 ML (0.6 MG/ML)	5	PA; NDS
UPTRAVI INTRAVENOUS RECON SOLN 1,800 MCG	5	PA; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG	5	PA; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 200 MCG	5	PA; NDS; QL (240 per 30 days)
UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)	5	PA; NDS
Vitamins And Minerals		
Vitamins And Minerals		
<i>bal-care dha combo pack 27-1-430 mg</i>	2	
<i>bal-care dha essential pack 27 mg iron-1 mg -374 mg</i>	2	
<i>c-nate dha softgel 28 mg iron-1 mg - 200 mg</i>	2	
<i>completenate tablet chew 29 mg iron-1 mg</i>	2	
<i>cyanocobalamin (vitamin b-12) injection solution</i> (Dodex)	6	EX
<i>dodex injection solution 1,000 mcg/ml</i> (cyanocobalamin (vitamin b-12))	6	EX
<i>ergocalciferol (vitamin d2) oral capsule 1,250 mcg (50,000 unit)</i> (Vitamin D2)	6	EX
<i>folic acid oral tablet 1 mg</i>	6	EX
<i>folivane-ob capsule 85-1 mg</i>	2	
<i>kosher prenatal plus iron tab 30 mg iron- 1 mg</i>	2	
<i>marnatal-f capsule 60 mg iron-1 mg</i>	2	
<i>m-natal plus tablet 27 mg iron- 1 mg</i> (pnv,calcium 72-iron-folic acid)	2	
<i>mynatal advance oral tablet 90-1-50 mg</i>	2	

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>mynatal capsule 65 mg iron- 1 mg</i>	2	
<i>mynatal oral tablet 90-1-50 mg</i>	2	
<i>mynatal plus captab 65 mg iron- 1 mg</i>	2	
<i>mynatal-z captab 65 mg iron- 1 mg</i>	2	
<i>mynate 90 plus oral tablet extended release 90 mg iron-1 mg</i>	2	
<i>newgen tablet 32-1,000 mg-mcg</i>	2	
<i>niva-plus tablet 27 mg iron- 1 mg</i>	2	
<i>obstetrix dha combo pack 29 mg iron- 1,700 mcg dfe</i>	2	
<i>obstetrix dha oral combo pack,tablet and cap,dr 29 mg iron-1 mg -50 mg</i>	2	
<i>o-cal prenatal oral tablet 15 mg iron- 1,000 mcg</i>	2	
<i>pnv 29-1 tablet (rx) 29 mg iron- 1 mg</i>	2	
<i>pnv prenatal plus multivit tab gluten-free (rx) 27 mg iron- 1 mg</i>	(pnv,calcium 72-iron-folic acid) 2	
<i>pnv-dha + docusate oral capsule 27-1.25-55-300 mg</i>	2	
<i>pnv-omega softgel 28-1-300 mg</i>	2	
<i>pr natal 400 combo pack 29-1-400 mg</i>	2	
<i>pr natal 400 ec combo pack 29-1-400 mg</i>	2	
<i>pr natal 430 combo pack 29 mg iron- 1 mg -430 mg</i>	2	
<i>pr natal 430 ec combo pack 29-1-430 mg</i>	2	
<i>prenal true combo pack 30 mg iron- 1.4 mg-300 mg</i>	2	
<i>prenaissance oral capsule 29-1.25-55-325 mg</i>	2	
<i>prenaissance plus oral capsule 28-1-50-250 mg</i>	2	
<i>prenatabs fa tablet 29-1 mg</i>	2	
<i>prenatal 19 (with docusate) oral tablet 29 mg iron- 1 mg-25 mg</i>	2	

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>prenatal 19 chewable tablet 29 mg iron- 1 mg</i>	2	
<i>prenatal low iron oral tablet 27 mg iron- 1 mg</i>	2	
<i>prenatal plus iron tablet (rx) 29 mg iron- 1 mg</i>	(pnv,calcium 72-iron,carb-folic) 2	
<i>prenatal vitamin plus low iron oral tablet 27 mg iron- 1 mg</i>	(pnv,calcium 72-iron-folic acid) 2	
<i>prenatal-u capsule 106.5-1 mg</i>	2	
<i>preplus ca-fe 27 mg-fa 1 mg tb (rx) 27 mg iron- 1 mg</i>	(pnv,calcium 72-iron-folic acid) 2	
<i>pretab 29 mg-1 mg tablet (rx) 29-1 mg</i>	2	
<i>r-natal ob softgel 20 mg iron- 1 mg-320 mg</i>	2	
<i>select-ob chewable caplet 29 mg iron- 1 mg</i>	2	
<i>select-ob chewable caplet 29 mg iron- 1 mg</i>	2	
<i>se-natal 19 chewable tablet 29 mg iron- 1 mg</i>	2	
<i>taron-c dha capsule 35-1-200 mg</i>	2	
<i>taron-prex prenatal-dha oral capsule 30 mg iron-1.2 mg-55 mg-265 mg</i>	2	
<i>triveen-duo dha oral combo pack 29-1-400 mg</i>	2	
<i>virt-c dha softgel (rx) 35-1-200 mg</i>	2	
<i>virt-nate dha softgel 28 mg iron-1 mg -200 mg</i>	2	
<i>virt-pn dha softgel (rx) 27 mg iron-1 mg -300 mg</i>	2	
<i>virt-pn plus softgel (rx) 28-1-300 mg</i>	2	
<i>vitafol gummies 3.33 mg iron- 0.33 mg</i>	2	
<i>vitafol nano tablet 18 mg iron- 1 mg</i>	2	
<i>vitafol-ob+dha combo pack 65-1-250 mg</i>	2	
<i>vp-ch-pnv oral capsule 30 mg iron-1 mg -50 mg-260 mg</i>	2	

번호 viii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

약 이름	약물 등급	요건/제한
<i>vp-pnv-dha softgel (rx) 28 mg iron- 1 mg-200 mg</i>	2	
<i>zatean-pn dha capsule 27 mg iron-1 mg -300 mg</i>	2	
<i>zatean-pn plus softgel 28-1-300 mg</i>	2	
<i>zingiber tablet 1.2 mg-40 mg- 124.1 mg-100 mg</i>	2	

번호 vii로 이동하면 이 표의 기호 및 약어가 무엇을 의미하는지에 대한 정보를 찾아볼 수 있습니다.

인덱스

<p>1 1ST TIER UNIFINE PENTIPS 108, 109 1ST TIER UNIFINE PENTIPS PLUS 109 A <i>abacavir</i> 66 <i>abacavir-lamivudine</i> 66 ABELCET 50 ABILIFY ASIMTUFII 59 ABILIFY MAINTENA 59, 60 <i>abiraterone</i> 18 ABOUTTIME PEN NEEDLE 109 ABRYSVO (PF) 172 <i>acamprosate</i> 8 <i>acarbose</i> 45 <i>accutane</i> 103 <i>acebutolol</i> 80 <i>acetaminophen-codeine</i> 3 <i>acetazolamide</i> 181 <i>acetazolamide sodium</i> 181 <i>acetic acid</i> 152 <i>acetylcysteine</i> 187 <i>acitretin</i> 103 ACTEMRA 167 ACTEMRA ACTPEN 166 ACTHAR 164 ACTHAR SELFJECT 164 ACTHIB (PF) 172 ACTIMMUNE 179 <i>acyclovir</i> 71, 72, 103 <i>acyclovir sodium</i> 72 ADACEL(TDAP ADOLESN/ADULT)(PF) 172 <i>adapalene</i> 108 <i>adefovir</i> 72</p>	<p>ADEMPAS 190 <i>adrucil</i> 18 ADVAIR HFA 184 ADVOCATE PEN NEEDLE 110 ADVOCATE SYRINGES.. 109, 110 <i>afirmelle</i> 93 AIRSUPRA 184, 186 AJOVY AUTOINJECTOR... 53 AJOVY SYRINGE 54 AKEEGA 18 <i>ala-cort</i> 105 <i>ala-scalp</i> 105 <i>albendazole</i> 56 <i>albuterol sulfate</i> 186 <i>alclometasone</i> 105 ALCOHOL PADS 110 ALCOHOL PREP PADS 128 ALCOHOL PREP SWABS. 110 ALCOHOL SWABS 110 ALCOHOL WIPES 110 ALECENSA 18 <i>alendronate</i> 178 <i>alfuzosin</i> 160 <i>aliskiren</i> 87 <i>allopurinol</i> 52 <i>alose tron</i> 177 <i>alprazolam</i> 9 ALREX 154 <i>altavera (28)</i> 93 ALTRENO 108 ALUNBRIG 18 ALVAIZ 73 <i>alyacen 1/35 (28)</i> 93 <i>alyacen 7/7/7 (28)</i> 93 ALYFTREK 187</p>	<p><i>alyq</i> 190 <i>amabelz</i> 162 <i>amantadine hcl</i> 57 <i>ambrisentan</i> 190 <i>amethia</i> 93 <i>amethyst (28)</i> 93 <i>amikacin</i> 11 <i>amiloride</i> 84 <i>amiloride-hydrochlorothiazide</i> 84 <i>amiodarone</i> 79 <i>amitriptyline</i> 42 <i>amitriptyline-chlordiazepoxide</i> 42 <i>amlodipine</i> 83 <i>amlodipine-atorvastatin</i> 85 <i>amlodipine-benazepril</i> 83 <i>amlodipine-olmesartan</i> 83 <i>amlodipine-valsartan</i> 83 <i>amlodipine-valsartan-hcthiamid</i> 84 <i>ammonium lactate</i> 103 <i>amoxapine</i> 42 <i>amoxicil-clarithromy-lansopraz</i> 156 <i>amoxicillin</i> 15 <i>amoxicillin-pot clavulanate</i> ... 15 <i>amphotericin b</i> 50 <i>amphotericin b liposome</i> 50 <i>ampicillin</i> 15 <i>ampicillin sodium</i> 15 <i>ampicillin-sulbactam</i> 16 <i>anagrelide</i> 75 <i>anastrozole</i> 19 ANKTIVA 19 ANORO ELLIPTA 186 <i>apomorphine</i> 58</p>
---	---	--

<i>apraclonidine</i>	151	AUGTYRO.....	19	BD INSULIN SYRINGE....	111, 112
<i>aprepitant</i>	55	<i>auranofin</i>	167	BD INSULIN SYRINGE	
APRETUDE.....	66	<i>aurovela 1.5/30 (21)</i>	94	(HALF UNIT).....	111
<i>apri</i>	93	<i>aurovela 1/20 (21)</i>	94	BD INSULIN SYRINGE SLIP	
APTIOM.....	36	<i>aurovela 24 fe</i>	94	TIP.....	112
APTIVUS.....	66	<i>aurovela fe 1.5/30 (28)</i>	94	BD INSULIN SYRINGE U-500	
AQINJECT PEN NEEDLE..	110	<i>aurovela fe 1-20 (28)</i>	94	111
<i>aranelle (28)</i>	93	AUSTEDO.....	88	BD INSULIN SYRINGE	
ARCALYST.....	167	AUSTEDO XR	88	ULTRA-FINE.....	111, 112
AREXVY (PF).....	173	AUSTEDO XR TITRATION		BD NANO 2ND GEN PEN	
AREXVY ANTIGEN		KT(WK1-4).....	89	NEEDLE.....	112
COMPONENT	173	AUTOSHIELD DUO PEN		BD SAFETYGLIDE INSULIN	
ARIKAYCE	11	NEEDLE.....	111	SYRINGE	112
<i>aripiprazole</i>	60	AUVELITY	42	BD SAFETYGLIDE SYRINGE	
ARISTADA.....	60	<i>aviane</i>	94	112
ARISTADA INITIO	60	AVONEX	89	BD ULTRA-FINE MICRO	
<i>armodafinil</i>	190	AVSOLA.....	167	PEN NEEDLE	113
ARNUITY ELLIPTA.....	185	AXTLE	19	BD ULTRA-FINE MINI PEN	
<i>ascomp with codeine</i>	3	<i>ayuna</i>	94	NEEDLE.....	113
<i>asenapine maleate</i>	60	AYVAKIT	19	BD ULTRA-FINE NANO PEN	
<i>ashlyna</i>	93	<i>azacitidine</i>	19	NEEDLE.....	113
<i>aspirin-dipyridamole</i>	75	<i>azathioprine</i>	167	BD ULTRA-FINE ORIG PEN	
ASSURE ID DUO PRO SFTY		<i>azathioprine sodium</i>	167	NEEDLE.....	113
PEN NDL	110	<i>azelastine</i>	152	BD ULTRA-FINE SHORT	
ASSURE ID DUO-SHIELD	110	<i>azithromycin</i>	14	PEN NEEDLE	113
ASSURE ID INSULIN		<i>aztreonam</i>	14	BD VEO INSULIN SYR	
SAFETY.....	110, 111	<i>azurette (28)</i>	94	(HALF UNIT).....	113
ASSURE ID PEN NEEDLE	110, 111	B		BD VEO INSULIN SYRINGE	
ASSURE ID PRO PEN		<i>bacitracin</i>	152	UF	113
NEEDLE	111	<i>bacitracin-polymyxin b</i>	152	BELSOMRA.....	190
ASTAGRAF XL	167	<i>baclofen</i>	189	<i>benazepril</i>	78
<i>atazanavir</i>	66	<i>bal-care dha</i>	191	<i>benazepril-hydrochlorothiazide</i>	
<i>atenolol</i>	80	<i>bal-care dha essential</i>	191	78
<i>atenolol-chlorthalidone</i>	80	<i>balsalazide</i>	177	<i>bendamustine</i>	19
<i>atomoxetine</i>	88	BALVERSA	19	BENDAMUSTINE.....	19
<i>atorvastatin</i>	85	<i>balziva (28)</i>	94	BENDEKA	19
<i>atovaquone</i>	56	BCG VACCINE, LIVE (PF)	173	BENLYSTA.....	167
<i>atovaquone-proguanil</i>	56, 57	BD ALCOHOL SWABS....	112	<i>benzonatate</i>	103
<i>atropine</i>	152	BD AUTOSHIELD DUO PEN		<i>benztropine</i>	58
ATROVENT HFA	186	NEEDLE.....	111	<i>bepotastine besilate</i>	152
<i>aubra eq</i>	93	BD ECLIPSE LUER-LOK..	111	BESREMI	167

<i>betaine</i>	179	<i>budesonide-formoterol</i>	185	CAREFINE PEN NEEDLE .	113
<i>betamethasone dipropionate</i>	105	<i>bumetanide</i>	84	CARETOUCH ALCOHOL	
<i>betamethasone valerate</i>	105, 106	<i>buprenorphine</i>	3	PREP PAD	113
<i>betamethasone, augmented</i> ..	106	<i>buprenorphine hcl</i>	8	CARETOUCH INSULIN	
BETASERON	89	<i>buprenorphine-naloxone</i>	8	SYRINGE	114
<i>betaxolol</i>	80, 182	<i>bupropion hcl</i>	42	CARETOUCH PEN NEEDLE	
<i>bethanechol chloride</i>	160	<i>bupropion hcl (smoking deter)</i>	8	113, 114
<i>bexarotene</i>	19	<i>buspirone</i>	179	<i>carglumic acid</i>	157
BEXSERO.....	173	<i>butalbital-acetaminop-caf-cod</i>	3	<i>carteolol</i>	182
<i>bicalutamide</i>	19	<i>butalbital-acetaminophen</i>	3	<i>cartia xt</i>	81
BICILLIN L-A	16	<i>butalbital-acetaminophen-caff.</i>	3	<i>carvedilol</i>	80
BIKTARVY	66	<i>butalbital-aspirin-caffeine</i>	3	CAYSTON.....	14
<i>bimatoprost</i>	182	<i>butorphanol</i>	3	<i>cefaclor</i>	12
<i>bisoprolol fumarate</i>	80	C		<i>cefadroxil</i>	12
<i>bisoprolol-hydrochlorothiazide</i>		CABENUVA.....	66	<i>cefazolin</i>	12
.....	80	<i>cabergoline</i>	58	<i>cefdinir</i>	12, 13
BIZENGRI	19	CABLIVI.....	75	<i>cefepime</i>	13
<i>bleomycin</i>	19	CABOMETYX.....	20	<i>cefixime</i>	13
<i>blisovi 24 fe</i>	94	<i>cabotegravir</i>	66	<i>cefoxitin</i>	13
<i>blisovi fe 1.5/30 (28)</i>	94	<i>calcipotriene</i>	103	<i>cefpodoxime</i>	13
<i>blisovi fe 1/20 (28)</i>	94	<i>calcitonin (salmon)</i>	178	<i>cefprozil</i>	13
BOOSTRIX TDAP	173	<i>calcitriol</i>	178	<i>ceftazidime</i>	13
BORDERED GAUZE.....	113	<i>calcium acetate(phosphat bind)</i>		<i>ceftriaxone</i>	13
<i>bortezomib</i>	19	159	<i>cefuroxime axetil</i>	13
BORUZU	20	CALQUENCE	20	<i>cefuroxime sodium</i>	13
<i>bosentan</i>	190	CALQUENCE		<i>celecoxib</i>	6
BOSULIF	20	(ACALABRUTINIB MAL)		<i>cephalexin</i>	13
BRAFTOVI.....	20	20	CERDELGA	150
BREO ELLIPTA	185	<i>camila</i>	94	<i>cevimeline</i>	103
<i>breyna</i>	185	<i>candesartan</i>	77	<i>chateal eq (28)</i>	94
BREZTRI AEROSPHERE ..	186	<i>candesartan-hydrochlorothiazid</i>		<i>chlordiazepoxide hcl</i>	9
<i>brillyn</i>	94	77	<i>chlorhexidine gluconate</i>	103
BRILINTA	75	CAPLYTA.....	60	<i>chloroquine phosphate</i>	57
<i>brimonidine</i>	182	CAPRELSA.....	20	<i>chlorpromazine</i>	60
<i>brimonidine-timolol</i>	182	<i>captopril</i>	78	<i>chlorthalidone</i>	84
<i>brinzolamide</i>	182	<i>carbamazepine</i>	36	<i>chlorzoxazone</i>	189
BRIVIACT	36	<i>carbidopa</i>	58	<i>cholestyramine (with sugar)</i> ..	85
<i>bromfenac</i>	154	<i>carbidopa-levodopa</i>	58	<i>cholestyramine light</i>	85
<i>bromocriptine</i>	58	<i>carbidopa-levodopa-entacapone</i>		<i>ciclopirox</i>	50
BRONCHITOL	187	58	<i>cilostazol</i>	75
BRUKINSA	20	<i>carbinoxamine maleate</i>	53	CIMDUO	66
<i>budesonide</i>	177, 185	<i>carboplatin</i>	20	<i>cimetidine</i>	156

<i>cimetidine hcl</i>	156	CLINIMIX E 4.25%/D5W		COMFORT TOUCH PEN	
CIMZIA.....	167	SULF FREE.....	76	NEEDLE.....	116, 117
CIMZIA POWDER FOR		CLINIMIX E 5%/D15W		COMPLERA.....	66
RECONST.....	167	SULFIT FREE.....	76	<i>completenate</i>	191
<i>cinacalcet</i>	178	CLINIMIX E 5%/D20W		<i>compro</i>	55
CINQAIR.....	188	SULFIT FREE.....	76	<i>constulose</i>	157
CINRYZE.....	73	CLINIMIX E 8%-D10W		COPIKTRA.....	20
<i>ciprofloxacin hcl</i>	16, 152	SULFITEFREE	76	CORLANOR.....	82
<i>ciprofloxacin in 5 % dextrose</i> ..	16	CLINIMIX E 8%-D14W		CORTROPHIN GEL	164
<i>ciprofloxacin-dexamethasone</i>		SULFITEFREE	76	COSENTYX	167, 179
.....	152	<i>clobazam</i>	36	COSENTYX (2 SYRINGES)	
<i>citalopram</i>	42	<i>clobetasol</i>	106	167
<i>cladribine</i>	20	<i>clobetasol-emollient</i>	106	COSENTYX PEN (2 PENS)	167
<i>clarithromycin</i>	14	<i>clomipramine</i>	42	COSENTYX UNOREADY	
<i>clemastine</i>	53	<i>clonazepam</i>	9	PEN.....	168
CLENPIQ.....	159	<i>clonidine</i>	77	COTELLIC	20
CLICKFINE PEN NEEDLE	114	<i>clonidine hcl</i>	77, 89	CREON.....	150
<i>clindamycin hcl</i>	11	<i>clopidogrel</i>	75	<i>cromolyn</i>	152, 157, 188
<i>clindamycin pediatric</i>	11	<i>clorazepate dipotassium</i>	9	<i>cryselle (28)</i>	94
<i>clindamycin phosphate</i>	11, 53,	<i>clotrimazole</i>	50, 51	CURAD GAUZE PAD.....	117
104		<i>clotrimazole-betamethasone</i> ..	51	CURITY ALCOHOL SWABS	
<i>clindamycin-benzoyl peroxide</i>		<i>clozapine</i>	60, 61	117
.....	104	<i>c-nate dha</i>	191	CURITY GAUZE.....	117
CLINIMIX 5%/D15W		COARTEM.....	57	<i>cyanocobalamin (vitamin b-12)</i>	
SULFITE FREE.....	75	COBENFY.....	61	191
CLINIMIX 4.25%/D10W SULF		COBENFY STARTER PACK		<i>cyclafem 1/35 (28)</i>	94
FREE	75	61	<i>cyclafem 7/7/7 (28)</i>	94
CLINIMIX 4.25%/D5W		<i>codeine sulfate</i>	3	<i>cyclobenzaprine</i>	189
SULFIT FREE.....	75	<i>codeine-butalbital-asa-caff</i>	3	<i>cyclophosphamide</i>	21
CLINIMIX 5%-		<i>colchicine</i>	52	<i>cyclosporine</i>	154, 168
D20W(SULFITE-FREE) ...	75	<i>colesevelam</i>	85	<i>cyclosporine modified</i>	168
CLINIMIX 6%-D5W		<i>colestipol</i>	85	<i>cyproheptadine</i>	53
(SULFITE-FREE)	76	<i>colistin (colistimethate na)</i>	11	<i>cyred eq</i>	94
CLINIMIX 8%-		COMBIVENT RESPIMAT. 186		D	
D10W(SULFITE-FREE) ...	76	COMETRIQ	20	<i>d5 % and 0.9 % sodium chloride</i>	
CLINIMIX 8%-		COMFORT EZ INSULIN		183
D14W(SULFITE-FREE) ...	76	SYRINGE.....	114, 115, 116	<i>d5 %-0.45 % sodium chloride</i>	
CLINIMIX E 2.75%/D5W		COMFORT EZ PEN NEEDLES		183
SULF FREE	76	115, 116	<i>dabigatran etexilate</i>	72
CLINIMIX E 4.25%/D10W		COMFORT EZ PRO SAFETY		<i>dalfampridine</i>	89
SUL FREE.....	76	PEN NDL	116	<i>danazol</i>	161
				<i>dantrolene</i>	189

DANYELZA	21	<i>dextroamphetamine sulfate</i>	89	<i>doxepin</i>	43
DANZITEN.....	21	<i>dextroamphetamine-</i>		<i>doxercalciferol</i>	178
<i>dapsone</i>	55	<i>amphetamine</i>	89	<i>doxorubicin, peg-liposomal</i> ...	21
DAPTACEL (DTAP		<i>dextrose 5 % in water (d5w)</i> ..	76	<i>doxy-100</i>	17
PEDIATRIC) (PF).....	173	DIACOMIT	36	<i>doxycycline hyclate</i>	17
<i>daptomycin</i>	11	<i>diazepam</i>	9, 10, 36	<i>doxycycline monohydrate</i>	18
<i>darunavir</i>	66	<i>diazepam intensol</i>	9	DRIZALMA SPRINKLE	43
DARZALEX	21	<i>diazoxide</i>	179	<i>dronabinol</i>	56
DARZALEX FASPRO	21	<i>diclofenac potassium</i>	6	DROPLET INSULIN	
<i>dasatinib</i>	21	<i>diclofenac sodium</i>	6, 155	SYR(HALF UNIT)..	117, 118
<i>dasetta 1/35 (28)</i>	94	<i>diclofenac-misoprostol</i>	6	DROPLET INSULIN	
<i>dasetta 7/7/7 (28)</i>	95	<i>dicloxacillin</i>	16	SYRINGE	117, 118, 119
DATROWAY.....	21	<i>dicyclomine</i>	157	DROPLET MICRON PEN	
DAURISMO.....	21	<i>didanosine</i>	67	NEEDLE	119
<i>daysee</i>	95	DIFICID.....	14	DROPLET PEN NEEDLE ..	119
<i>deblitane</i>	95	<i>diflorasone</i>	106	DROPSAFE ALCOHOL PREP	
<i>decitabine</i>	21	<i>diflunisal</i>	6	PADS	119
<i>deferasirox</i>	160, 161	<i>difluprednate</i>	155	DROPSAFE INSULIN	
<i>deferiprone</i>	161	<i>digoxin</i>	82	SYRINGE	119, 120
DELSTRIGO.....	66	<i>dihydroergotamine</i>	54	DROPSAFE PEN NEEDLE	120
<i>demeclocycline</i>	17	DILANTIN	37	<i>drosipirenone-ethinyl estradiol</i>	
DENGVAXIA (PF).....	173	<i>diltiazem hcl</i>	81, 82	95
<i>denta 5000 plus</i>	103	<i>dilt-xr</i>	82	DROXIA	75
<i>dentagel</i>	103	<i>dimethyl fumarate</i>	90	<i>droxidopa</i>	77
DEPO-SUBQ PROVERA	104	DIPENTUM.....	177	DUAVEE	162
.....	166	<i>diphenoxylate-atropine</i>	157	<i>duloxetine</i>	43
DERMACEA	117	<i>dipyridamole</i>	75	DUPIXENT PEN	168
DERMACEA NON-WOVEN		<i>disopyramide phosphate</i>	79	DUPIXENT SYRINGE	168
.....	117	<i>disulfiram</i>	8	<i>dutasteride</i>	160
<i>dermacinrx lidocan</i>	7	<i>divalproex</i>	37	<i>dutasteride-tamsulosin</i>	160
DESCOVY	66	<i>dodex</i>	191	E	
<i>desipramine</i>	42	<i>dofetilide</i>	79	EASY COMFORT ALCOHOL	
<i>desmopressin</i>	164	<i>dolishale</i>	95	PAD.....	121
<i>desog-e.estradiol/e.estradiol</i> ..	95	<i>donepezil</i>	41	EASY COMFORT INSULIN	
<i>desogestrel-ethinyl estradiol</i> ..	95	DOPTELET (10 TAB PACK)73		SYRINGE	120, 121
<i>desonide</i>	106	DOPTELET (15 TAB PACK)73		EASY COMFORT PEN	
<i>desoximetasone</i>	106	DOPTELET (30 TAB PACK)73		NEEDLES.....	121
<i>desvenlafaxine succinate</i>	42	<i>dorzolamide</i>	182	EASY COMFORT SAFETY	
<i>dexamethasone</i>	163	<i>dorzolamide-timolol</i>	182	PEN NEEDLE	120
<i>dexamethasone sodium</i>		<i>dotti</i>	162	EASY GLIDE INSULIN	
<i>phosphate</i>	154, 163	DOVATO	67	SYRINGE	121
<i>dexmethylphenidate</i>	89	<i>doxazosin</i>	77		

EASY GLIDE PEN NEEDLE	<i>eluryng</i>	<i>ergoloid</i>
..... 121	EMBRACE PEN NEEDLE. 124	ERIVEDGE..... 22
EASY TOUCH..... 123	EMCYT 22	ERLEADA..... 22
EASY TOUCH ALCOHOL	EMEND..... 56	<i>erlotinib</i> 22
PREP PADS..... 122	EMGALITY PEN..... 54	<i>errin</i> 95
EASY TOUCH FLIPLOCK	EMGALITY SYRINGE..... 54	<i>ertapenem</i> 15
INSULIN..... 122, 123	<i>emoquette</i> 95	<i>ery pads</i> 104
EASY TOUCH FLIPLOCK	EMSAM..... 43	<i>erythromycin</i> 14, 152
SYRINGE..... 122	<i>emtricitabine</i> 67	<i>erythromycin ethylsuccinate</i> .. 14
EASY TOUCH INSULIN	<i>emtricitabine-tenofovir (tdf)</i> .. 67	<i>erythromycin with ethanol</i> .. 104,
SAFETY SYR..... 122	EMTRIVA..... 67	105
EASY TOUCH INSULIN	<i>emzahh</i> 95	<i>erythromycin-benzoyl peroxide</i>
SYRINGE. 121, 122, 123, 124	<i>enalapril maleate</i> 78, 79 105
EASY TOUCH LUER LOCK	<i>enalapril-hydrochlorothiazide</i> 79	ERZOFRI..... 61
INSULIN..... 123	ENBREL..... 168	<i>escitalopram oxalate</i> 43
EASY TOUCH PEN NEEDLE	ENBREL MINI 168	<i>esomeprazole magnesium</i> 156
..... 123	ENBREL SURECLICK 168	<i>estarylla</i> 95
EASY TOUCH SAFETY PEN	<i>endocet</i> 3, 4	<i>estazolam</i> 10
NEEDLE 123, 124	ENGERIX-B (PF)..... 173	<i>estradiol</i> 162
EASY TOUCH	ENGERIX-B PEDIATRIC (PF)	<i>estradiol valerate</i> 162
SHEATHLOCK INSULIN 173	<i>estradiol-norethindrone acet</i> 162
..... 122, 123	<i>enilloring</i> 95	<i>eszopiclone</i> 190
EASY TOUCH UNI-SLIP ... 124	<i>enoxaparin</i> 72	<i>ethambutol</i> 55
<i>ec-naproxen</i> 6	<i>enpresse</i> 95	<i>ethosuximide</i> 37
<i>econazole nitrate</i> 51	<i>enskyce</i> 95	<i>ethynodiol diac-eth estradiol</i> . 95
EDURANT..... 67	ENSPRYNG 90	<i>etodolac</i> 6
<i>efavirenz</i> 67	<i>entacapone</i> 58	<i>etonogestrel-ethinyl estradiol</i> 96
<i>efavirenz-emtricitabin-tenofov</i> 67	<i>entecavir</i> 72	ETOPOPHOS 22
<i>efavirenz-lamivuv-tenofov disop</i>	ENTRESTO..... 77	<i>etoposide</i> 22
..... 67	ENTRESTO SPRINKLE..... 77	<i>etravirine</i> 67
EGRIFTA SV 164	<i>enulose</i> 157	EUCRISA 106
ELAHERE..... 21	EPCLUSA 71	<i>everolimus (antineoplastic)</i> ... 22,
ELIGARD 22	EPIDIOLEX 37	23
ELIGARD (3 MONTH)..... 21	<i>epinastine</i> 152	<i>everolimus</i>
ELIGARD (4 MONTH)..... 22	<i>epinephrine</i> 83	(<i>immunosuppressive</i>) 168
ELIGARD (6 MONTH)..... 22	<i>epitol</i> 37	EVOTAZ..... 67
<i>elinest</i> 95	EPIVIR HBV 67	EVRYSDI 180
ELIQUIS 72	EPKINLY 22	<i>exemestane</i> 23
ELIQUIS DVT-PE TREAT 30D	<i>eplerenone</i> 87	EXTENCILLINE..... 16
START 72	EPRONTIA 37	EYSUVIS..... 155
ELMIRON..... 180	ERBITUX..... 22	EZALLOR SPRINKLE 86
ELREXFIO..... 22	<i>ergocalciferol (vitamin d2)</i> .. 191	<i>ezetimibe</i> 86

<i>ezetimibe-simvastatin</i>	86	<i>fludrocortisone</i>	163	GALAFOLD	151
F		<i>flunisolide</i>	155	<i>galantamine</i>	41
<i>falmina (28)</i>	96	<i>fluocinolone</i>	106	<i>gallifrey</i>	166
<i>famciclovir</i>	72	<i>fluocinolone acetonide oil</i> ...	155	GAMMAGARD S-D (IGA < 1	
<i>famotidine</i>	156	<i>fluocinonide</i>	106, 107	MCG/ML).....	168
FANAPT	61	<i>fluocinonide-emollient</i>	107	GAMMAPLEX.....	168
FARXIGA	45	<i>fluoride (sodium)</i>	103	GAMUNEX-C	169
FASENRA.....	188	<i>fluorometholone</i>	155	GARDASIL 9 (PF).....	173
FASENRA PEN.....	188	<i>fluorouracil</i>	23, 103, 104	<i>gatifloxacin</i>	152
<i>febuxostat</i>	52	<i>fluoxetine</i>	43	GATTEX 30-VIAL.....	157
<i>feirza</i>	96	<i>fluphenazine decanoate</i>	61	GAUZE PAD	125
<i>felbamate</i>	37	<i>fluphenazine hcl</i>	61	<i>gavilyte-c</i>	159
<i>felodipine</i>	84	<i>flurazepam</i>	10	<i>gavilyte-g</i>	159
FEMRING	162	<i>flurbiprofen</i>	7	<i>gavilyte-n</i>	159
<i>femynor</i>	96	<i>flurbiprofen sodium</i>	155	GAVRETO	23
<i>fenofibrate</i>	86	<i>flutamide</i>	23	<i>gefitinib</i>	23
<i>fenofibrate micronized</i>	86	<i>fluticasone propionate</i> 107, 155,		<i>gemcitabine</i>	23
<i>fenofibrate nanocrystallized</i> ...86		185		<i>gemfibrozil</i>	86
<i>fenofibric acid (choline)</i>	86	<i>fluticasone propion-salmeterol</i>		<i>gemmily</i>	96
<i>fenoprofen</i>	7	185	<i>generlac</i>	157
<i>fentanyl</i>	4	<i>fluvastatin</i>	86	<i>gengraf</i>	169
<i>fentanyl citrate</i>	4	<i>fluvoxamine</i>	43	<i>gentak</i>	152
FERRIPROX.....	161	<i>folic acid</i>	191	<i>gentamicin</i>	11, 105, 153
<i>fesoterodine</i>	160	<i>folivane-ob</i>	191	<i>gentamicin sulfate (ped) (pf)</i> ..	11
FETZIMA.....	43	<i>fondaparinux</i>	73	<i>gentamicin sulfate (pf)</i>	11
FIASP FLEXTOUCH U-100		<i>fosamprenavir</i>	67	GENVOYA.....	67
INSULIN.....	47	<i>fosinopril</i>	79	GILOTRIF	23
FIASP PENFILL U-100		<i>fosinopril-hydrochlorothiazide</i>		<i>glatiramer</i>	90
INSULIN.....	48	79	<i>glatopa</i>	90
FIASP U-100 INSULIN.....	48	<i>fosphenytoin</i>	37	GLEOSTINE.....	24
<i>finasteride</i>	160	FOTIVDA.....	23	<i>glimepiride</i>	50
<i> fingolimod</i>	90	FREESTYLE PRECISION .	125	<i>glipizide</i>	50
FINTEPLA.....	37	FRUZAQLA.....	23	<i>glipizide-metformin</i>	50
<i>fioricet</i>	4	<i>fulvestrant</i>	23	<i>glutamine (sickle cell)</i>	180
FIRMAGON KIT W DILUENT		<i>furosemide</i>	84	<i>glyburide</i>	50
SYRINGE.....	23	FUZEON	67	<i>glyburide micronized</i>	50
<i>flavoxate</i>	160	FYARRO	23	<i>glyburide-metformin</i>	50
<i>flecainide</i>	79	<i>fyavolv</i>	162	<i>glycopyrrolate</i>	157
<i>floxuridine</i>	23	FYCOMPA.....	37	<i>glydo</i>	7
<i>fluconazole</i>	51	FYLNETRA	73	GLYXAMBI.....	45
<i>fluconazole in nacl (iso-osm)</i> .51		G		GOMEKLI	24
<i>flucytosine</i>	51	<i>gabapentin</i>	37	<i>granisetron hcl</i>	56

<i>griseofulvin microsize</i>	51	HUMIRA(CF)	169	<i>ifosfamide</i>	24
<i>griseofulvin ultramicrosize</i>	51	HUMIRA(CF) PEDI CROHNS		ILARIS (PF).....	169
<i>guanfacine</i>	77, 90	STARTER	169	ILEVRO	155
GVOKE.....	180	HUMIRA(CF) PEN.....	169	ILUMYA.....	169
GVOKE HYPOPEN 2-PACK		HUMIRA(CF) PEN CROHNS-		<i>imatinib</i>	24
.....	180	UC-HS	169	IMBRUVICA.....	24
GVOKE PFS 1-PACK		HUMIRA(CF) PEN		IMDELLTRA	25
SYRINGE.....	180	PEDIATRIC UC.....	169	<i>imipenem-cilastatin</i>	15
GVOKE PFS 2-PACK		HUMIRA(CF) PEN PSOR-UV-		<i>imipramine hcl</i>	43
SYRINGE.....	180	ADOL HS	169	<i>imipramine pamoate</i>	43
H		HUMULIN R U-500 (CONC)		<i>imiquimod</i>	104
HAEGARDA	74	INSULIN	48	IMJUDO	25
<i>hailey 24 fe</i>	96	HUMULIN R U-500 (CONC)		IMKELDI.....	25
<i>hailey fe 1.5/30 (28)</i>	96	KWIKPEN.....	48	IMOVAX RABIES VACCINE	
<i>hailey fe 1/20 (28)</i>	96	<i>hydralazine</i>	83	(PF)	174
<i>halobetasol propionate</i>	107	<i>hydrochlorothiazide</i>	84	IMPAVIDO.....	57
<i>haloette</i>	96	<i>hydrocodone-acetaminophen</i> ... 4		INBRIJA	58
<i>haloperidol</i>	62	<i>hydrocodone-ibuprofen</i>	4	<i>incassia</i>	96
<i>haloperidol decanoate</i>	62	<i>hydrocortisone</i>	107, 163, 178	INCONTROL ALCOHOL	
<i>haloperidol lactate</i>	62	HYDROCORTISONE.....	107	PADS	126
HARVONI	71	<i>hydrocortisone butyrate</i>	107	INCONTROL PEN NEEDLE	
HAVRIX (PF)	174	HYDROCORTISONE LOTION		126
HEALTHWISE INSULIN		COMPLETE	107	INCRELEX.....	164
SYRINGE.....	125	<i>hydrocortisone valerate</i>	107	<i>indapamide</i>	84
HEALTHWISE PEN NEEDLE		<i>hydrocortisone-acetic acid</i> ..	153	<i>indomethacin</i>	7
.....	126	<i>hydromorphone</i>	4	INFANRIX (DTAP) (PF)	174
HEALTHY ACCENTS		<i>hydromorphone (pf)</i>	4	INFLECTRA.....	169
UNIFINE PENTIP	126	<i>hydroxychloroquine</i>	57	<i>infliximab</i>	170
<i>heather</i>	96	<i>hydroxyurea</i>	24	INGREZZA.....	90
HEMADY	163	<i>hydroxyzine hcl</i>	53	INGREZZA INITIATION	
<i>heparin (porcine)</i>	73	<i>hydroxyzine pamoate</i>	180	PK(TARDIV).....	90
HEPLISAV-B (PF)	174	I		INGREZZA SPRINKLE	90
HERCEPTIN HYLECTA	24	<i>ibandronate</i>	178	INLYTA.....	25
HERZUMA	24	IBRANCE.....	24	INPEN (FOR HUMALOG)	
HETLIOZ LQ.....	190	<i>ibu</i>	7	BLUE	126
HIBERIX (PF).....	174	<i>ibuprofen</i>	7	INPEN (NOVOLOG OR	
HUMIRA.....	169	<i>ibuprofen-famotidine</i>	7	FIASP) BLUE.....	126
HUMIRA PEN	169	<i>icatibant</i>	83	INQOVI	25
HUMIRA PEN CROHNS-UC-		<i>iclevia</i>	96	INREBIC.....	25
HS START	169	ICLUSIG	24	<i>insulin asp prt-insulin aspart</i> .48	
HUMIRA PEN PSOR-		<i>icosapent ethyl</i>	86	<i>insulin aspart u-100</i>	48
UVEITS-ADOL HS	169	IDHIFA.....	24		

INSULIN SYR/NDL U100		
HALF MARK	126	
INSULIN SYRINGE.....	112	
INSULIN SYRINGE		
MICROFINE.....	112	
INSULIN SYRINGE		
NEEDLELESS.....	112	
INSULIN SYRINGE-NEEDLE		
U-100.....	110, 124, 126, 127,	
135, 139, 143		
INSUPEN PEN NEEDLE....	128	
INTELENCE.....	67	
INTRON A.....	71	
INVEGA HAFYERA.....	62	
INVEGA SUSTENNA.....	62	
INVEGA TRINZA.....	62, 63	
INVELTYS	155	
IPOL.....	174	
<i>ipratropium bromide</i>	152, 186	
<i>ipratropium-albuterol</i>	186	
IQIRVO.....	157	
<i>irbesartan</i>	77	
<i>irbesartan-hydrochlorothiazide</i>		
.....	77	
<i>irinotecan</i>	25	
ISENTRESS.....	67, 68	
ISENTRESS HD	67	
<i>isibloom</i>	96	
ISOLYTE S PH 7.4.....	183	
ISOLYTE-P IN 5 %		
DEXTROSE.....	183	
ISOLYTE-S.....	183	
<i>isoniazid</i>	55	
ISOPROPYL ALCOHOL....	104	
<i>isosorbide dinitrate</i>	87	
<i>isosorbide mononitrate</i>	88	
<i>isosorbide-hydralazine</i>	88	
<i>isradipine</i>	84	
ITOVEBI.....	25	
<i>itraconazole</i>	51	
IV PREP WIPES	128	
<i>ivabradine</i>	83	
<i>ivermectin</i>	57	
IWILFIN.....	25	
IXCHIQ (PF).....	174	
IXIARO (PF).....	174	
J		
<i>jaimiess</i>	96	
JAKAFI	25	
<i>jantoven</i>	73	
JANUMET.....	45	
JANUMET XR.....	45	
JANUVIA.....	45	
JARDIANCE.....	45	
<i>jasmiel (28)</i>	96	
<i>javygtor</i>	151	
JAYPIRCA	25	
JEMPERLI.....	25	
<i>jencycla</i>	96	
JENTADUETO	45	
JENTADUETO XR.....	45, 46	
<i>jinteli</i>	162	
<i>jolessa</i>	96	
<i>juleber</i>	96	
JULUCA.....	68	
<i>junel 1.5/30 (21)</i>	96	
<i>junel 1/20 (21)</i>	97	
<i>junel fe 1.5/30 (28)</i>	97	
<i>junel fe 1/20 (28)</i>	97	
<i>junel fe 24</i>	97	
JUXTAPID	86	
JYLAMVO	25	
JYNARQUE	85	
JYNNEOS (PF).....	174	
K		
KALYDECO	188	
KANJINTI.....	25	
<i>kariva (28)</i>	97	
KATERZIA	84	
<i>kelnor 1/35 (28)</i>	97	
<i>kelnor 1/50 (28)</i>	97	
KERENDIA.....	87	
KESIMPTA PEN.....	90	
<i>ketoconazole</i>	51	
<i>ketoprofen</i>	7	
<i>ketorolac</i>	7, 155	
KEYTRUDA.....	25	
KIMMTRAK	25	
KINERET	170	
KINRIX (PF)	174	
<i>kionex (with sorbitol)</i>	157	
KISQALI.....	26	
KISQALI FEMARA CO-PACK		
.....	26	
KLISYRI.....	104	
<i>klor-con m10</i>	183	
<i>klor-con m15</i>	183	
<i>klor-con m20</i>	183	
KLOXXADO.....	8	
KOSELUGO	26	
<i>kosher prenatal plus iron</i>	191	
KRAZATI.....	26	
<i>kurvelo (28)</i>	97	
KYLEENA.....	97	
KYNMOBI	58	
L		
<i>l norgest/e.estradiol-e.estrad</i> .	97	
<i>labetalol</i>	80	
<i>lacosamide</i>	37, 38	
<i>lactulose</i>	157	
<i>lagevrio (eua)</i>	72	
<i>lamivudine</i>	68	
<i>lamivudine-zidovudine</i>	68	
<i>lamotrigine</i>	38	
<i>lanreotide</i>	164	
<i>lansoprazole</i>	156	
<i>lanthanum</i>	159	
LANTUS SOLOSTAR U-100		
INSULIN.....	48	
LANTUS U-100 INSULIN... 48		
<i>lapatinib</i>	26	
<i>larin 1.5/30 (21)</i>	97	
<i>larin 1/20 (21)</i>	97	
<i>larin 24 fe</i>	97	
<i>larin fe 1.5/30 (28)</i>	97	
<i>larin fe 1/20 (28)</i>	97	

<i>larissia</i>	97	<i>lisinopril-hydrochlorothiazide</i> 79	<i>lutea (28)</i>	98
<i>latanoprost</i>	182	LITE TOUCH INSULIN PEN	LYBALVI.....	63
LAZCLUZE.....	26	NEEDLES.....	<i>lyleq</i>	98
<i>leflunomide</i>	170	LITE TOUCH INSULIN	<i>lyllana</i>	162
<i>lenalidomide</i>	26	SYRINGE.....	LYNPARZA.....	27
LENTOCILIN S.....	16	128, 129	LYSODREN.....	27
LENVIMA.....	26	<i>lithium carbonate</i>	LYTGOBI.....	28
<i>lessina</i>	98	90, 91	<i>lyza</i>	98
<i>letrozole</i>	26	<i>lithium citrate</i>	M	
<i>leucovorin calcium</i>	180	LIVDELZI.....	MAGELLAN INSULIN	
LEUKERAN.....	26	LIVTENCITY.....	SAFETY SYRNG.....	129
LEUKINE.....	74	LOKELMA.....	MAGELLAN SYRINGE.....	129
<i>leuprolide</i>	27	LONSURF.....	<i>magnesium sulfate</i>	183
<i>leuprolide (3 month)</i>	26	<i>loperamide</i>	<i>malathion</i>	108
<i>levetiracetam</i>	38	<i>lopinavir-ritonavir</i>	<i>maraviroc</i>	68
<i>levobunolol</i>	182	LOQTORZI.....	MARGENZA.....	28
<i>levocarnitine</i>	180	<i>lorazepam</i>	<i>marlissa (28)</i>	98
<i>levocarnitine (with sugar)</i>	180	<i>lorazepam intensol</i>	<i>marnatal-f</i>	191
<i>levocetirizine</i>	53	LORBRENA.....	MARPLAN.....	43
<i>levofloxacin</i>	17	<i>loryna (28)</i>	MATULANE.....	28
<i>levofloxacin in d5w</i>	16	<i>losartan</i>	<i>matzim la</i>	82
<i>levonest (28)</i>	98	<i>losartan-hydrochlorothiazide</i>	MAVENCLAD (10 TABLET	
<i>levonorgest-eth.estradiol-iron</i>	98	78	PACK).....	91
<i>levonorgestrel-ethinyl estrad.</i>	98	LOTEMAX.....	MAVENCLAD (4 TABLET	
<i>levonorg-eth estrad triphasic</i>	98	LOTESMAX SM.....	PACK).....	91
<i>levora-28</i>	98	<i>loteprednol etabonate</i>	MAVENCLAD (5 TABLET	
<i>levothyroxine</i>	166	155	PACK).....	91
LEXIVA.....	68	<i>lovastatin</i>	MAVENCLAD (6 TABLET	
LIBERVANT.....	38	86	PACK).....	91
<i>lidocaine</i>	8	<i>low-ogestrel (28)</i>	MAVENCLAD (7 TABLET	
<i>lidocaine hcl</i>	7, 8	<i>loxapine succinate</i>	PACK).....	91
<i>lidocaine viscous</i>	8	<i>lo-zumandimine (28)</i>	MAVENCLAD (8 TABLET	
<i>lidocaine-prilocaine</i>	8	98	PACK).....	91
<i>lidocan iii</i>	8	<i>lubiprostone</i>	MAVENCLAD (9 TABLET	
LILETTA.....	98	LUMAKRAS.....	PACK).....	91
<i>lillow (28)</i>	98	LUMIGAN.....	MAVYRET.....	71
<i>linezolid</i>	11	LUNSUMIO.....	MAXICOMFORT II PEN	
<i>linezolid in dextrose 5%</i>	11	LUPRON DEPOT.....	NEEDLE.....	129
LINZESS.....	157	27, 165	MAXICOMFORT INSULIN	
<i>liothyronine</i>	166	LUPRON DEPOT (3 MONTH)	SYRINGE.....	129, 130
LISCO.....	128	27, 164	MAXI-COMFORT INSULIN	
<i>lisinopril</i>	79	LUPRON DEPOT (4 MONTH)	SYRINGE.....	130
		27		
		LUPRON DEPOT (6 MONTH)		
		27		
		LUPRON DEPOT-PED.....		
		165		
		LUPRON DEPOT-PED (3		
		MONTH).....		
		165		
		<i>lurasidone</i>		
		63		

MAXI-COMFORT INSULIN SYRINGE.....	130	<i>methylprednisolone acetate</i> .	163	<i>mometasone</i>	107, 108, 155
MAXICOMFORT SAFETY PEN NEEDLE.....	130	<i>metoclopramide hcl</i>	158	MONOJECT INSULIN SAFETY SYRING.....	131
MAYZENT	91	<i>metolazone</i>	85	MONOJECT INSULIN SYRINGE	130, 131
MAYZENT STARTER(FOR 1MG MAINT).....	91	<i>metoprolol succinate</i>	80	MONOJECT SYRINGE.....	130
MAYZENT STARTER(FOR 2MG MAINT).....	91	<i>metoprolol ta-hydrochlorothiaz</i>	80	MONOJECT ULTRA COMFORT INSULIN	145
<i>meclizine</i>	56	<i>metoprolol tartrate</i>	81	<i>mono-lynyah</i>	99
<i>medroxyprogesterone</i>	166	<i>metronidazole</i>	12, 53, 105	<i>montelukast</i>	185
<i>mefenamic acid</i>	7	<i>metronidazole in nacl (iso-os)</i>	12	<i>morphine</i>	4, 5
<i>mefloquine</i>	57	<i>metryrosine</i>	83	MORPHINE.....	5
<i>megestrol</i>	28, 166	<i>mexiletine</i>	80	<i>morphine concentrate</i>	4
MEKINIST.....	28	<i>micafungin</i>	51	MOUNJARO	46
MEKTOVI	28	<i>miconazole-3</i>	51	MOVANTIK.....	158
<i>meloxicam</i>	7	MICRODOT INSULIN PEN NEEDLE.....	130	<i>moxifloxacin</i>	17, 153
<i>memantine</i>	41	MICRODOT READYGARD PEN NEEDLE	130	<i>moxifloxacin-sod.ace,sul-water</i>	17
<i>memantine-donepezil</i>	41	<i>microgestin 1.5/30 (21)</i>	99	<i>moxifloxacin-sod.chloride(iso)</i>	17
MENACTRA (PF)	174	<i>microgestin 1/20 (21)</i>	99	MRESVIA (PF)	175
MENQUADFI (PF).....	174	<i>microgestin 24 fe</i>	99	MULTAQ	80
MENVEO A-C-Y-W-135-DIP (PF).....	174	<i>microgestin fe 1.5/30 (28)</i>	99	<i>mupirocin</i>	105
<i>mercaptopurine</i>	28	<i>microgestin fe 1/20 (28)</i>	99	MVASI.....	28
<i>meropenem</i>	15	<i>midodrine</i>	77	<i>mycophenolate mofetil</i>	170
<i>merzee</i>	98	<i>mifepristone</i>	46	<i>mycophenolate mofetil (hcl)</i> .	170
<i>mesalamine</i>	178	<i>miglitol</i>	46	<i>mycophenolate sodium</i>	170
<i>mesna</i>	180	<i>miglustat</i>	151	<i>mynatal</i>	192
<i>metadate er</i>	91	<i>mili</i>	99	<i>mynatal advance</i>	191
<i>metformin</i>	46	<i>mimvey</i>	162	<i>mynatal plus</i>	192
<i>methadone</i>	4	MINI ULTRA-THIN II	130	<i>mynatal-z</i>	192
<i>methazolamide</i>	182	<i>minitran</i>	88	<i>mynate 90 plus</i>	192
<i>methenamine hippurate</i>	12	<i>minocycline</i>	18	MYRBETRIQ.....	160
<i>methimazole</i>	166	<i>minoxidil</i>	88	N	
<i>methocarbamol</i>	189	MIPLYFFA	150	<i>nabumetone</i>	7
<i>methotrexate sodium</i>	28	MIRENA	99	<i>nadolol</i>	81
<i>methotrexate sodium (pf)</i>	28	<i>mirtazapine</i>	43, 44	<i>nafacillin</i>	16
<i>methoxsalen</i>	104	<i>misoprostol</i>	156	<i>naloxone</i>	8, 9
<i>methscopolamine</i>	158	<i>mitoxantrone</i>	28	<i>naltrexone</i>	9
<i>methsuximide</i>	38	M-M-R II (PF).....	174	NAMZARIC	41, 42
<i>methylphenidate hcl</i>	91, 92	<i>m-natal plus</i>	191	<i>naproxen</i>	7
<i>methylprednisolone</i>	163	<i>modafinil</i>	190	<i>naratriptan</i>	54
		<i>moexipril</i>	79		
		<i>molindone</i>	63		

NATACYN	153	<i>niva-plus</i>	192	<i>nylia 7/7/7 (28)</i>	100
<i>nateglinide</i>	46	NIVESTYM.....	74	<i>nymyo</i>	100
NATPARA.....	179	<i>nizatidine</i>	156	<i>nystatin</i>	52
NAYZILAM.....	38	NORDITROPIN FLEXPRO	165	<i>nystatin-triamcinolone</i>	52
<i>nebivolol</i>	81	<i>norelgestromin-ethin.estradiol</i>		<i>nystop</i>	52
<i>nefazodone</i>	44	99	NYVEPRIA	74
<i>neomycin</i>	11	<i>norethindrone (contraceptive)</i>	99	O	
<i>neomycin-bacitracin-poly-hc</i>	153	<i>norethindrone acetate</i>	166	<i>obstetrix dha</i>	192
<i>neomycin-bacitracin-polymyxin</i>		<i>norethindrone ac-eth estradiol</i>		<i>obstetrix dha prenatal duo</i> ...	192
.....	153	99, 163	<i>o-cal prenatal</i>	192
<i>neomycin-polymyxin b-</i>		<i>norethindrone-e.estradiol-iron</i>		OCALIVA.....	158
<i>dexameth</i>	153	99	OCREVUS.....	92
<i>neomycin-polymyxin-gramicidin</i>		<i>norgestimate-ethinyl estradiol</i>		OCREVUS ZUNOVO.....	92
.....	153	100	<i>octreotide acetate</i>	165
<i>neomycin-polymyxin-hc</i>	153	<i>norlyda</i>	100	ODEFSEY.....	68
<i>neo-polycin</i>	153	<i>nortrel 1/35 (21)</i>	100	ODOMZO.....	28
<i>neo-polycin hc</i>	153	<i>nortrel 1/35 (28)</i>	100	OFEV	188
NERLYNX.....	28	<i>nortrel 7/7/7 (28)</i>	100	<i>ofloxacin</i>	153
<i>neuac</i>	105	<i>nortriptyline</i>	44	OGIVRI.....	29
NEULASTA ONPRO	74	NORVIR.....	68	OGSIVEO	29
NEUPRO	58	NOVOFINE 30.....	131	OJEMDA	29
<i>nevirapine</i>	68	NOVOFINE 32.....	131	OJJAARA	29
<i>newgen</i>	192	NOVOFINE PLUS.....	132	<i>olanzapine</i>	63
NEXLETOL	86	NOVOLIN 70/30 U-100		<i>olmesartan</i>	78
NEXLIZET.....	86	INSULIN	48	<i>olmesartan-amlodipin-hcthiazid</i>	
NEXPLANON	99	NOVOLIN 70-30 FLEXPEN U-		78
<i>niacin</i>	87	100	48	<i>olmesartan-hydrochlorothiazide</i>	
<i>niacor</i>	87	NOVOLIN N FLEXPEN.....	49	78
<i>nicardipine</i>	84	NOVOLIN N NPH U-100		<i>olopatadine</i>	152
NICOTROL.....	9	INSULIN	49	<i>omega-3 acid ethyl esters</i>	87
NICOTROL NS.....	9	NOVOLIN R FLEXPEN.....	49	<i>omeprazole</i>	156
<i>nifedipine</i>	84	NOVOLIN R REGULAR U100		<i>omeprazole-sodium bicarbonate</i>	
<i>nikki (28)</i>	99	INSULIN	49	156
NIKTIMVO.....	170	NOVOTWIST	132	OMNIPOD 5 (G6/LIBRE 2	
<i>nilutamide</i>	28	NOXAFIL.....	52	PLUS)	132
NINLARO.....	28	NUBEQA.....	28	OMNIPOD 5 G6-G7 INTRO	
<i>nitazoxanide</i>	57	NUCALA.....	188	KT(GEN5)	132
<i>nitisinone</i>	151	NULOJIX	170	OMNIPOD 5 G6-G7 PODS	
<i>nitrofurantoin macrocrystal</i> ...	12	NUPLAZID	63	(GEN 5).....	132
<i>nitrofurantoin monohyd/m-cryst</i>		NURTEC ODT	54	OMNIPOD 5	
.....	12	<i>nyamyc</i>	52	INTRO(G6/LIBRE2PLUS)	
<i>nitroglycerin</i>	88, 180	<i>nylia 1/35 (28)</i>	100	132

OMNIPOD CLASSIC PDM KIT(GEN 3)	132
OMNIPOD CLASSIC PODS (GEN 3).....	132
OMNIPOD DASH INTRO KIT (GEN 4).....	132
OMNIPOD DASH PDM KIT (GEN 4).....	132
OMNIPOD DASH PODS (GEN 4).....	132
ONAPGO	59
ondansetron.....	56
ondansetron hcl.....	56
ONGENTYS	59
ONTRUZANT	29
ONUREG	29
OPDIVO.....	29
OPDIVO QVANTIG.....	29
OPDUALAG.....	29
OPSUMIT	190
ORENCIA	170
ORENCIA (WITH MALTOSE)	170
ORENCIA CLICKJECT	170
ORFADIN	151
ORGOVYX.....	165
ORLISSA.....	165
ORKAMBI.....	188
ORSERDU	29
oseltamivir.....	70
OSMOLEX ER	59
OTEZLA	170
OTEZLA STARTER.....	170
oxaliplatin.....	29
oxandrolone.....	161
oxazepam	10
oxcarbazepine.....	38, 39
oxybutynin chloride	160
oxycodone.....	5
oxycodone-acetaminophen	5
oxymorphone	5
OZEMPIC	46

P	
<i>pacerone</i>	80
<i>paclitaxel</i>	29
<i>paclitaxel protein-bound</i>	30
<i>paliperidone</i>	63
PALYNZIQ	151
PANRETIN	104
<i>pantoprazole</i>	157
<i>paricalcitol</i>	179
<i>paromomycin</i>	57
<i>paroxetine hcl</i>	44
PAXLOVID.....	70
<i>pazopanib</i>	30
PEDIARIX (PF)	175
PEDVAX HIB (PF).....	175
<i>peg 3350-electrolytes</i>	159
PEGASYS	71
<i>peg-electrolyte soln</i>	159
PEMAZYRE.....	30
<i>pemetrexed</i>	30
<i>pemetrexed disodium</i>	30
PEMRYDI RTU	30
PEN NEEDLE 124, 132, 133, 135	
PEN NEEDLE, DIABETIC 116, 130, 132, 133, 134, 135	
PEN NEEDLE, DIABETIC, SAFETY	135
PENBRAYA (PF).....	175
PENBRAYA MENACWY COMPONENT(PF)	175
PENBRAYA MENB COMPONENT (PF)	175
<i>penciclovir</i>	104
<i>penicillamine</i>	161
<i>penicillin g potassium</i>	16
<i>penicillin g procaine</i>	16
<i>penicillin v potassium</i>	16
PENTACEL (PF).....	175
<i>pentamidine</i>	57
PENTIPS PEN NEEDLE	133
<i>pentoxifylline</i>	75

<i>perindopril erbumine</i>	79
<i>periogard</i>	103
<i>permethrin</i>	108
<i>perphenazine</i>	63
<i>perphenazine-amitriptyline</i>	44
PERSERIS	63
<i>phenelzine</i>	44
<i>phenobarbital</i>	39
PHENYTEK	39
<i>phenytoin</i>	39
<i>phenytoin sodium</i>	39
<i>phenytoin sodium extended</i>	39
<i>philith</i>	100
PIFELTRO	68
<i>pilocarpine hcl</i>	103, 182
<i>pimecrolimus</i>	108
<i>pimozide</i>	63
<i>pimtree (28)</i>	100
<i>pindolol</i>	81
<i>pioglitazone</i>	46
<i>pioglitazone-metformin</i>	46
PIP PEN NEEDLE.....	133
<i>piperacillin-tazobactam</i>	16
PIQRAY.....	30
<i>pirfenidone</i>	188
<i>pirmella</i>	100
<i>piroxicam</i>	7
<i>pitavastatin calcium</i>	87
PLASMA-LYTE A.....	183
PLEGRIDY.....	92, 93
<i>pnv 29-1</i>	192
<i>pnv-dha + docusate</i>	192
<i>pnv-omega</i>	192
<i>podofilox</i>	104
<i>polycin</i>	154
<i>polymyxin b sulfate</i>	12
<i>polymyxin b sulf-trimethoprim</i>	154
POMALYST	30
<i>portia 28</i>	100
<i>posaconazole</i>	52
<i>potassium chloride</i>	183, 184

<i>potassium chloride-0.45 % nacl</i>	PREZISTA.....	69	PURE COMFORT SAFETY
.....	PRIFTIN	55	PEN NEEDLE
<i>potassium citrate</i>	PRIMAQUINE	57	PURIXAN.....
<i>pr natal 400</i>	<i>primidone</i>	39	<i>pyrazinamide</i>
<i>pr natal 400 ec</i>	PRIORIX (PF).....	175	<i>pyridostigmine bromide</i> 180, 181
<i>pr natal 430</i>	PRO COMFORT ALCOHOL		<i>pyrimethamine</i>
<i>pr natal 430 ec</i>	PADS.....	134	Q
<i>pramipexole</i>	PRO COMFORT INSULIN		QINLOCK.....
<i>prasugrel hcl</i>	SYRINGE.....	133	QUADRACEL (PF).....
<i>pravastatin</i>	PRO COMFORT PEN		<i>quetiapine</i>
<i>praziquantel</i>	NEEDLE.....	134	<i>quinapril</i>
<i>prazosin</i>	PROAIR RESPICLICK.....	186	<i>quinapril-hydrochlorothiazide</i> 79
<i>prednisolone</i>	<i>probenecid</i>	53	<i>quinidine gluconate</i>
<i>prednisolone acetate</i>	<i>probenecid-colchicine</i>	53	<i>quinidine sulfate</i>
<i>prednisolone sodium phosphate</i>	PROCALAMINE 3%.....	76	<i>quinine sulfate</i>
.....	<i>prochlorperazine</i>	56	QULIPTA
<i>prednisone</i>	<i>prochlorperazine edisylate</i> ...	56,	R
<i>pregabalin</i>	64		RABAVERT (PF).....
PREHEVBRIO (PF).....	<i>prochlorperazine maleate</i>	56	<i>rabeprazole</i>
PREMARIN	<i>procto-med hc</i>	108	<i>raloxifene</i>
PREMPHASE	<i>proctosol hc</i>	108	<i>ramipril</i>
PREMPRO	<i>proctozone-hc</i>	108	<i>ranolazine</i>
<i>prenal true</i>	PRODIGY INSULIN		<i>rasagiline</i>
<i>prenaissance</i>	SYRINGE.....	134	RASUVO (PF).....
<i>prenaissance plus</i>	<i>progesterone micronized</i>	166	RAVICTI
<i>prenatabs fa</i>	PROGRAF.....	170, 171	RAYALDEE.....
<i>prenatal 19</i>	PROLIA.....	179	<i>reclipsen (28)</i>
<i>prenatal 19 (with docusate)</i> ..	PROMACTA.....	74	RECOMBIVAX HB (PF)....
<i>prenatal low iron</i>	<i>promethazine</i>	53, 56	REGANEX.....
<i>prenatal plus</i>	<i>promethegan</i>	56	RELENZA DISKHALER.....
<i>prenatal plus (calcium carb)</i>	<i>propafenone</i>	80	RELISTOR
<i>prenatal vitamin plus low iron</i>	<i>propranolol</i>	81	RENFLEXIS.....
.....	<i>propylthiouracil</i>	166	<i>repaglinide</i>
<i>prenatal-u</i>	PROQUAD (PF).....	175	REPATHA PUSHTRONEX..
<i>preplus</i>	PROSOL 20 %	76	REPATHA SURECLICK.....
<i>pretab</i>	<i>protriptyline</i>	44	REPATHA SYRINGE.....
<i>prevalite</i>	PULMOZYME.....	151	RETACRIT
PREVENT DROPSAFE PEN	PURE COMFORT ALCOHOL		RETEVMO
NEEDLE	PADS.....	134	RETROVIR.....
<i>previfem</i>	PURE COMFORT PEN		REVCIVI.....
PREVYMIS.....	NEEDLE.....	134	REVUFORJ
PREZCOBIX.....			REXULTI

REYATAZ	69
REZLIDHIA.....	31
REZUROCK	171
RHOPRESSA.....	182
RIABNI	31
<i>ribavirin</i>	72
RIDAURA.....	171
<i>rifabutin</i>	55
<i>rifampin</i>	55
<i>rilpivirine</i>	69
<i>riluzole</i>	93
<i>rimantadine</i>	71
RINVOQ	171
RINVOQ LQ.....	171
<i>risedronate</i>	179
<i>risperidone</i>	64
<i>risperidone microspheres</i>	64
<i>ritonavir</i>	69
RITUXAN HYCELA.....	31
<i>rivastigmine</i>	42
<i>rivastigmine tartrate</i>	42
RIVFLOZA	181
<i>rizatriptan</i>	54
<i>r-natal ob</i>	193
ROCKLATAN	182
<i>roflumilast</i>	188
ROLVEDON	74
<i>ropinirole</i>	59
<i>rosadan</i>	105
<i>rosuvastatin</i>	87
ROTARIX.....	176
ROTATEQ VACCINE	176
ROZLYTREK	31
RUBRACA.....	31
<i>rufinamide</i>	39
RUKOBIA.....	69
RUXIENCE.....	31
RYBELSUS	46
RYBREVANT	31
RYDAPT.....	31
RYKINDO	64
RYTELO	31

S	
SAFESNAP INSULIN	
SYRINGE.....	135
SAFETY PEN NEEDLE	135
<i>sajazir</i>	83
SANTYL	104
<i>sapropterin</i>	151
SAVELLA.....	93
SCSEMBLIX.....	31
<i>scopolamine base</i>	56
SECUADO	64
SECURESAFE INSULIN	
SYRINGE.....	136
SECURESAFE PEN NEEDLE	
.....	135
<i>select-ob</i>	193
<i>select-ob (folic acid)</i>	193
<i>selegiline hcl</i>	59
<i>selenium sulfide</i>	105
SELZENTRY	69
SEMGLEE(INSULIN	
GLARGINE-YFGN)	49
SEMGLEE(INSULIN GLARG-	
YFGN)PEN	49
<i>se-natal 19 chewable</i>	193
SEREVENT DISKUS	187
SEROSTIM	165
<i>sertraline</i>	44
<i>setlakin</i>	100
<i>sevelamer carbonate</i>	159
<i>sevelamer hcl</i>	159
SEZABY.....	39
<i>sf 5000 plus</i>	103
<i>sharobel</i>	100
SHINGRIX (PF).....	176
SIGNIFOR.....	165
<i>sildenafil</i>	190
<i>sildenafil (pulm.hypertension)</i>	
.....	190
<i>silver sulfadiazine</i>	105
SIMBRINZA	182
<i>simliya (28)</i>	100

<i>simpesse</i>	101
<i>simvastatin</i>	87
<i>sirolimus</i>	171
SIRTURO	55
SKY SAFETY PEN NEEDLE	
.....	136
SKYLA	101
SKYRIZI.....	171
SLYND	101
<i>sodium chloride 0.45 %</i>	184
<i>sodium chloride 0.9 %</i>	184
<i>sodium fluoride-pot nitrate</i> ..	103
<i>sodium oxybate</i>	190
<i>sodium phenylbutyrate</i>	158
<i>sodium polystyrene sulfonate</i>	158
<i>sodium,potassium,mag sulfates</i>	
.....	159
<i>solifenacin</i>	160
SOLIQUA 100/33.....	49
SOLTAMOX	31
SOMATULINE DEPOT.....	165
SOMAVERT.....	166
<i>sorafenib</i>	31
<i>sorine</i>	81
<i>sotalol</i>	81
<i>sotalol af</i>	81
SPIRIVA RESPIMAT	187
<i>spironolactone</i>	85, 87
<i>spironolacton-hydrochlorothiaz</i>	
.....	85
SPRAVATO	44
<i>sprintec (28)</i>	101
SPRITAM	39
<i>sps (with sorbitol)</i>	158
<i>sronyx</i>	101
<i>ssd</i>	105
<i>stavudine</i>	69
STELARA.....	171, 172
STERILE PADS	136
STIMUFEND.....	74
STIOLTO RESPIMAT	187
STIVARGA	31

STRENSIQ.....	151	SYMTUZA.....	69	TECHLITE PEN NEEDLE	138,
<i>streptomycin</i>	11	SYNAREL.....	166	139	
STRIBILD.....	69	SYNERCID	12	TECHLITE PLUS PEN	
STRIVERDI RESPIMAT	187	SYNJARDY	47	NEEDLE	139
<i>subvenite</i>	39	SYNJARDY XR.....	47	TECVAYLI.....	32
<i>sucralfate</i>	157	SYNRIBO.....	31	TEFLARO.....	14
<i>sulfacetamide sodium</i>	154	SYRINGE WITH NEEDLE,		<i>telmisartan</i>	78
<i>sulfacetamide sodium (acne)</i>	105	SAFETY	135	<i>telmisartan-amlodipine</i>	78
<i>sulfacetamide-prednisolone</i> .	154	T		<i>telmisartan-hydrochlorothiazid</i>	
<i>sulfadiazine</i>	17	TABLOID.....	32	78
<i>sulfamethoxazole-trimethoprim</i>		TABRECTA	32	<i>temazepam</i>	10
.....	17	<i>tacrolimus</i>	108, 172	TEMIXYS.....	69
<i>sulfasalazine</i>	178	<i>tadalafil</i>	190	<i>tencon</i>	5
<i>sulindac</i>	7	TAFINLAR	32	TENIVAC (PF).....	176
<i>sumatriptan</i>	54	<i>tafluprost (pf)</i>	182	<i>tenofovir disoproxil fumarate</i>	69
<i>sumatriptan succinate</i>	54, 55	TAGRISSE.....	32	TEPMETKO	32
<i>sumatriptan-naproxen</i>	55	TAKHZYRO	181	<i>terazosin</i>	160
<i>sunitinib malate</i>	31	TALVEY	32	<i>terbinafine hcl</i>	52
SUNLENCA.....	69	TALZENNA	32	<i>terbutaline</i>	187
SURE COMFORT ALCOHOL		<i>tamoxifen</i>	32	<i>terconazole</i>	53
PREP PADS	136	<i>tamsulosin</i>	160	<i>teriflunomide</i>	93
SURE COMFORT INS. SYR.		<i>tarina 24 fe</i>	101	<i>teriparatide</i>	179
U-100.....	136	<i>tarina fe 1-20 eq (28)</i>	101	TERUMO INSULIN SYRINGE	
SURE COMFORT INSULIN		<i>taron-c dha</i>	193	139
SYRINGE.....	136, 137	<i>taron-prex prenatal-dha</i>	193	<i>testosterone</i>	161
SURE COMFORT PEN		TASIGNA.....	32	<i>testosterone cypionate</i>	161
NEEDLE	136, 137	<i>tasimelteon</i>	190	<i>testosterone enanthate</i>	161
SURE COMFORT SAFETY		TAVALISSE	75	TETANUS, DIPHThERIA TOX	
PEN NEEDLE.....	136	TAVNEOS.....	172	PED(PF).....	176
SURE-FINE PEN NEEDLES		<i>taysofy</i>	101	<i>tetrabenazine</i>	93
.....	137	<i>tazarotene</i>	108	<i>tetracycline</i>	18
SURE-JECT INSULIN		<i>tazicef</i>	14	TEVIMBRA.....	32
SYRINGE.....	137	<i>taztia xt</i>	82	THALOMID	181
SURE-PREP ALCOHOL PREP		TAZVERIK	32	<i>theophylline</i>	187
PADS.....	137	TDVAX	176	THINPRO INSULIN SYRINGE	
SUTAB.....	159	TECENTRIQ.....	32	139, 140
<i>syeda</i>	101	TECENTRIQ HYBREZA	32	<i>thioridazine</i>	64
SYMDEKO	189	TECHLITE INSULIN		<i>thiothixene</i>	64
SYMJEPI.....	83	SYRINGE.....	138	<i>tiadylt er</i>	82
SYMLINPEN 120	47	TECHLITE INSULN		<i>tiagabine</i>	40
SYMLINPEN 60	47	SYR(HALF UNIT).....	138	TIBSOVO	32
SYMPAZAN.....	40			TICE BCG	32

TICOVAC	176	TRELEGY ELLIPTA.....	187	<i>tri-vylibra</i>	102
<i>tigecycline</i>	18	TRELSTAR.....	33	<i>tri-vylibra lo</i>	102
<i>tilia fe</i>	101	TREMFYA	172	TRIZIVIR	70
<i>timolol</i>	183	TREMFYA PEN	172	TROGARZO.....	70
<i>timolol maleate</i>	81, 182	<i>treprostinil sodium</i>	190	TROPHAMINE 10 %.....	77
<i>tinidazole</i>	57	TRESIBA FLEXTOUCH U-100	49	<i>tropium</i>	160
<i>tiopronin</i>	160	49	TRUE COMFORT ALCOHOL	
<i>tiotropium bromide</i>	187	TRESIBA FLEXTOUCH U-200	49	PADS	140
TIVDAK.....	33	49	TRUE COMFORT INSULIN	
TIVICAY	69	TRESIBA U-100 INSULIN ..	49	SYRINGE	140
TIVICAY PD	70	<i>tretinoin</i>	108	TRUE COMFORT PEN	
<i>tizanidine</i>	189	<i>tretinoin (antineoplastic)</i>	33	NEEDLE	141
TOBI PODHALER	11	<i>tri femynor</i>	101	TRUE COMFORT PRO	
<i>tobramycin</i>	11, 154	<i>triamcinolone acetonide</i>	103, 108, 164	ALCOHOL PADS	141
<i>tobramycin in 0.225 % nacl</i> ..	11	<i>triamterene-hydrochlorothiazid</i>	85	TRUE COMFORT PRO INS	
<i>tobramycin sulfate</i>	11	85	SYRINGE	140, 141
<i>tobramycin-dexamethasone</i> ..	154	<i>triazolam</i>	10	TRUE COMFORT SAFE	
<i>tolterodine</i>	160	<i>trientine</i>	161	INSULIN SYRG.....	140, 141
TOPCARE CLICKFINE.....	140	<i>tri-estarylla</i>	101	TRUE COMFORT SAFETY	
TOPCARE ULTRA		<i>trifluoperazine</i>	65	PEN NEEDLE	140
COMFORT.....	140	<i>trifluridine</i>	154	TRUEPLUS INSULIN	142
<i>topiramate</i>	40	<i>trihexyphenidyl</i>	59	TRUEPLUS PEN NEEDLE	141, 142
<i>toposar</i>	33	TRIJARDY XR	47	TRULICITY	47
<i>toremifene</i>	33	TRIKAFTA	189	TRUMENBA	176
<i>torpenz</i>	33	<i>tri-legest fe</i>	101	TRUQAP.....	33
<i>torse mide</i>	85	<i>tri-linyah</i>	101	TRUXIMA.....	33
TOUJEO MAX U-300		<i>tri-lo-estarylla</i>	101	TUKYSA	33
SOLOSTAR	49	<i>tri-lo-marzia</i>	101	TURALIO	33
TOUJEO SOLOSTAR U-300		<i>tri-lo-mili</i>	101	<i>turqoz (28)</i>	102
INSULIN.....	49	<i>tri-lo-sprintec</i>	101	TWINRIX (PF).....	177
TRADJENTA.....	47	<i>trimethoprim</i>	12	TYBOST	181
<i>tramadol</i>	5	<i>tri-mili</i>	101	TYMLOS	179
<i>tramadol-acetaminophen</i>	6	<i>trimipramine</i>	44	TYPHIM VI.....	177
<i>trandolapril</i>	79	TRINTELLIX.....	44	TYVASO	191
<i>trandolapril-verapamil</i>	79	<i>tri-nymyo</i>	102	U	
<i>tranexamic acid</i>	75	<i>tri-previfem (28)</i>	102	UBRELVY.....	55
<i>tranylcypromine</i>	44	<i>tri-sprintec (28)</i>	102	ULTICARE.....	143, 144
TRAVASOL 10 %	76	TRIUMEQ.....	70	ULTICARE INSULIN	
<i>travoprost</i>	183	TRIUMEQ PD.....	70	SYRINGE	142, 143
TRAZIMERA.....	33	<i>triveen-duo dha</i>	193	ULTICARE INSULN	
<i>trazodone</i>	44	<i>trivora (28)</i>	102	SYR(HALF UNIT).....	142
TRECATOR.....	55				

ULTICARE PEN NEEDLE .143	UNIFINE PENTIPS ... 132, 147, 148	VEMLIDY 70
ULTICARE SAFETY PEN NEEDLE143	UNIFINE PENTIPS MAXFLOW..... 148	VENCLEXTA..... 33
ULTIGUARD SAFEPACK- INSULIN SYR144	UNIFINE PENTIPS PLUS.. 148	VENCLEXTA STARTING PACK..... 33
ULTIGUARD SAFEPACK- PEN NEEDLE.....144	UNIFINE PENTIPS PLUS MAXFLOW..... 148	<i>venlafaxine</i> 44, 45
ULTILET ALCOHOL SWAB144	UNIFINE PROTECT 148	<i>venlafaxine besylate</i> 44
ULTILET INSULIN SYRINGE127, 144	UNIFINE SAFECONTROL 148, 149	VEOZAH 181
ULTILET PEN NEEDLE145	UNIFINE SAFECONTROL PEN NEEDLE 148, 149	<i>verapamil</i> 82
ULTRA CMFT INS SYR (HALF UNIT)125, 136	UNIFINE ULTRA PEN NEEDLE..... 149	VERIFINE INSULIN SYRINGE 149, 150
ULTRA COMFORT INSULIN SYRINGE..... 120, 125, 145	UPTRAVI..... 191	VERIFINE PEN NEEDLE .. 149
ULTRA FLO INSUL SYR(HALF UNIT)145	<i>ursodiol</i> 158	VERIFINE PLUS PEN NEEDLE..... 149, 150
ULTRA FLO INSULIN SYRINGE.....145, 146	UZEDY 65	VERIFINE PLUS PEN NEEDLE-SHARP..... 150
ULTRA FLO PEN NEEDLE145	V	VERQUVO 83
ULTRA THIN PEN NEEDLE146	<i>valacyclovir</i> 72	VERSACLOZ 65
ULTRACARE INSULIN SYRINGE.....146	VALCHLOR 104	VERSALON 150
ULTRACARE PEN NEEDLE146, 147	<i>valganciclovir</i> 72	VERZENIO..... 34
ULTRA-FINE INS SYR (HALF UNIT).....147	<i>valproate sodium</i> 40	<i>vestura (28)</i> 102
ULTRA-FINE PEN NEEDLE147	<i>valproic acid</i> 40	V-GO 20..... 150
ULTRA-THIN II (SHORT) INS SYR147	<i>valproic acid (as sodium salt)</i> 40	V-GO 30..... 150
ULTRA-THIN II (SHORT) PEN NDL147	<i>valsartan</i> 78	V-GO 40..... 150
ULTRA-THIN II INS PEN NEEDLES147	<i>valsartan-hydrochlorothiazide</i> 78	<i>vienna</i> 102
ULTRA-THIN II INSULIN SYRINGE.....147	VALTOCO 40	<i>vigabatrin</i> 40
UNIFINE PEN NEEDLE.....147	<i>valtya</i> 102	<i>vigadrone</i> 40
	<i>vancomycin</i> 12	<i>vigpoder</i> 40
	VANFLYTA..... 33	<i>vilazodone</i> 45
	VANISHPOINT INSULIN SYRINGE..... 149	<i>vinblastine</i> 34
	VANISHPOINT SYRINGE 149	<i>vincasar pfs</i> 34
	VAQTA (PF)..... 177	<i>vincristine</i> 34
	<i>varenicline tartrate</i> 9	<i>vinorelbine</i> 34
	VARIVAX (PF)..... 177	<i>viorele (28)</i> 102
	VAXCHORA VACCINE.... 177	VIRACEPT 70
	VEGZELMA 33	VIREAD 70
	<i>velivet triphasic regimen (28)</i> 102	<i>virt-c dha</i> 193
	VELTASSA..... 158	<i>virt-nate dha</i> 193
		<i>virt-pn dha</i> 193
		<i>virt-pn plus</i> 193
		<i>vitafol gummies</i> 193
		<i>vitafol nano</i> 193
		<i>vitafol-ob+dha</i> 193

VITRAKVI.....	34	XCOPRI TITRATION PACK		ZEGALOGUE SYRINGE ...	181
VIZIMPRO.....	34	41	ZEJULA	35
VOCABRIA.....	70	XDEMVI.....	154	ZELBORAF	35
<i>volnea (28)</i>	102	XELJANZ.....	172	<i>zenatane</i>	104
VONJO.....	34	XELJANZ XR.....	172	ZENPEP	151
VORANIGO.....	34	XERMELO.....	159	<i>zidovudine</i>	70
<i>voriconazole</i>	52	XGEVA	179	ZIIHERA.....	35
VOSEVI.....	71	XIFAXAN	12	<i>zingiber</i>	194
VOWST.....	181	XIGDUO XR.....	47	<i>ziprasidone hcl</i>	65
<i>vp-ch-pnv</i>	193	XIIDRA	155	<i>ziprasidone mesylate</i>	65
<i>vp-pnv-dha</i>	194	XOLAIR.....	189	ZIRABEV	35
VRAYLAR.....	65	XOSPATA.....	34	ZIRGAN	154
VUMERITY.....	93	XPOVIO	35	ZOLADEx.....	35
VYALEV	59	XTANDI.....	35	ZOLINZA	35
<i>vyfemla (28)</i>	102	<i>xulane</i>	102	<i>zolmitriptan</i>	55
<i>vylibra</i>	102	XULTOPHY 100/3.6.....	49	<i>zolpidem</i>	190
VYLOY	34	XYOSTED.....	161	ZONISADE.....	41
VYZULTA.....	183	Y		<i>zonisamide</i>	41
W		<i>yargesa</i>	151	<i>zovia 1-35 (28)</i>	102
<i>warfarin</i>	73	YERVOY.....	35	ZTALMY	41
WEBCOL	150	YF-VAX (PF).....	177	ZTLIDO	8
WELIREG.....	34	YONSA	35	<i>zumandimine (28)</i>	102
WINREVAIR.....	189	<i>yuvafem</i>	163	ZURZUVAE.....	45
<i>wixela inhub</i>	185	Z		ZYDELIG	35
X		<i>zafemy</i>	102	ZYKADIA	35
XALKORI.....	34	<i>zafirlukast</i>	185	ZYLET.....	154
XARELTO	73	<i>zaleplon</i>	190	ZYMFENTRA	181
XARELTO DVT-PE TREAT		ZARXIO	75	ZYNLONTA.....	36
30D START	73	<i>zatean-pn dha</i>	194	ZYNYZ.....	36
XATMEP	34	<i>zatean-pn plus</i>	194	ZYPREXA RELPREVV .	65, 66
XCOPRI	40	<i>zebutal</i>	6		
XCOPRI MAINTENANCE		ZEGALOGUE			
PACK.....	40	AUTOINJECTOR.....	181		



차별 금지 및 접근성 요건

차별은 위법입니다

Clever Care Health Plan Inc. (이하 Clever Care라 칭함)는 해당 연방 민권 법률을 준수하며 인종, 피부색, 출신 국가, 연령, 장애, 또는 성별(임신, 성적 성향, 성 정체성 포함)을 이유로 차별하지 않습니다. Clever Care는 인종, 피부색, 출신 국가, 연령, 장애, 또는 성별(임신, 성적 성향, 성 정체성 포함)을 이유로 사람을 배제하거나 다르게 대우하지 않습니다.

Clever Care는:

- 장애가 있는 사람에게는 당사와 효과적으로 의사소통할 수 있도록 다음과 같은 무료 지원 및 서비스를 제공합니다:
 - 자격이 있는 수화 통역사
 - 다른 형식의 서면 정보(큰 활자, 오디오, 접근 가능한 전자 형식, 기타 형식)
- 모국어가 영어가 아닌 사람에게 다음과 같은 무료 언어 서비스를 제공합니다:
 - 자격이 있는 통역사
 - 다른 언어로 된 서면 정보

이 서비스들이 필요하시면 (833) 808-8164 (TTY: 711)로 전화하십시오.

Clever Care가 이 서비스들을 제공하지 않았거나 다른 방식으로 인종, 피부색, 출신 국가, 연령, 장애, 또는 성별(임신 상태, 성적 성향, 성 정체성을 포함)에 근거하여 차별을 했다고 생각하실 경우 다음 접수처로 불만 사항을 접수하실 수 있습니다:

Clever Care Health Plan
Attn: Civil Rights Coordinator
7711 Center Ave
Suite 100
Huntington Beach CA 92647

이메일: civilrightscoordinator@cmapd.com
팩스: (657) 276-4721

귀하는 우편, 팩스, 또는 이메일을 통해 불만 사항을 접수하실 수 있습니다. 불만 사항을 접수하는데 도움이 필요하시면, 저희 Clever Care 민권 조정자(Civil Rights Coordinator)가 도움을 드릴 준비가 되어 있습니다.

또한 민권에 대한 진정을 미국 보건복지부, <https://ocrportal.hhs.gov/ocr/portal/lobby.jsf>에 있는 민권실 진정 포털을 통해 컴퓨터로 제출 하시거나 다음의 우편 또는 전화로 민권 사무국에 제출할 수 있습니다: U.S. Department of Health and Human Services, 200 Independence Avenue SW. Room 509F, HHH Building, Washington, D.C. 20201, 1-800-368-1019, 800-537-7697 (TDD).
진정 양식은 hhs.gov/ocr/office/file/index.html에서 찾아보실 수 있습니다.

Multi-language Interpreter Services

English: We have free interpreter services to answer any questions you may have about our health or drug plan. To get an interpreter, just call us at (833) 388-8168 (TTY:711). Someone who speaks English can help you. This is a free service. **Español (Spanish):** Tenemos servicios de intérprete sin costo alguno para responder cualquier pregunta que pueda tener sobre nuestro plan de salud o medicamentos. Para hablar con un intérprete, por favor llame al (833) 388-8168 (TTY:711). Alguien que hable español le podrá ayudar. Este es un servicio gratuito. **Chinese Mandarin:** 我们提供免费的翻译服务,帮助您解答关于健康或药物保险的任何疑问。如果您需要此翻译服务,请致电 (833) 808-8153 (TTY:711) (普通話)。我们的中文工作人员很乐意帮助您。这是一项免费服务。 **Chinese Cantonese:** 您對我們的健康或藥物保險可能存有疑問,為此我們提供免費的翻譯服務。如需翻譯服務,請致電 (833) 808-8161 (TTY:711) (粵語)。我們講中文的人員將樂意為您提供幫助。這是一項免費服務。 **Tagalog:** Mayroon kaming libreng serbisyo sa pagsasaling-wika upang masagot ang anumang mga katanungan ninyo hinggil sa aming planong pangkalusugan o panggamot. Upang makakuha ng tagasaling-wika, tawagan lamang kami sa (833) 388-8168 (TTY:711). Maaari kayong tulungan ng isang nakakapagsalita ng Tagalog. Ito ay libreng serbisyo. **French:** Nous proposons des services gratuits d'interprétation pour répondre à toutes vos questions relatives à notre régime de santé ou d'assurance-médicaments. Pour accéder au service d'interprétation, il vous suffit de nous appeler au (833) 388-8168 (TTY:711). Un interlocuteur parlant Français pourra vous aider. Ce service est gratuit. **Vietnamese:** Chúng tôi có dịch vụ thông dịch miễn phí để trả lời các câu hỏi của quý vị về chương trình bảo hiểm sức khỏe và chương trình bảo hiểm thuốc. Nếu quý vị cần thông dịch viên, xin vui lòng gọi số (833) 808-8163 (TTY: 711). Nhân viên nói tiếng Việt của chúng tôi có thể giúp đỡ quý vị. Đây là dịch vụ miễn phí. **German:** Unser kostenloser Dolmetscherservice beantwortet Ihren Fragen zu unserem Gesundheits- und Arzneimittelplan. Unsere Dolmetscher erreichen Sie unter (833) 388-8168 (TTY:711). Man wird Ihnen dort auf Deutsch weiterhelfen. Dieser Service ist kostenlos. **Korean:** 당사는 의료 보험 또는 약품 보험에 관한 질문에 대해 드리고자 무료 통역 서비스를 제공하고 있습니다. 통역 서비스를 이용하려면 전화 (833) 808-8164 (TTY:711) 번으로 문의해 주십시오. 한국어를 하는 담당자가 도와 드릴 것입니다. 이 서비스는 무료로 운영됩니다. **Russian:** Если у вас возникнут вопросы относительно страхового или медикаментного плана, вы можете воспользоваться нашими бесплатными услугами переводчиков. Чтобы воспользоваться услугами переводчика, позвоните нам по телефону (833) 388-8168 (TTY:711). Вам окажет помощь сотрудник, который говорит по-русски. Данная услуга бесплатная. **Hindi:** हमारे स्वास्थ्य या दवा की योजना के बारे में आपके किसी भी प्रश्न के जवाब देने के लिए हमारे पास मुफ्त दुभाषिया सेवाएँ उपलब्ध हैं. एक दुभाषिया प्राप्त करने के लिए, बस हमें (833) 388-8168 (TTY:711) पर फोन करें. कोई व्यक्ति जो हिन्दी बोलता है आपकी मदद कर सकता है. यह एक मुफ्त सेवा है. **Italian:** È disponibile un servizio di interpretariato gratuito per rispondere a eventuali domande sul nostro piano sanitario e farmaceutico. Per un interprete, contattare il numero (833) 388-8168 (TTY:711). Un nostro incaricato che parla Italianovi fornirà l'assistenza necessaria. È un servizio gratuito. **Portugués:** Dispomos de serviços de interpretação gratuitos para responder a qualquer questão que tenha acerca do nosso plano de saúde ou de medicação. Para obter um intérprete, contacte-nos através do número (833) 388-8168 (TTY:711). Irá encontrar alguém que fale o idioma Português para o ajudar. Este serviço é gratuito. **French Creole:** Nou genyen sèvis entèprèt gratis pou reponn tout kesyon ou ta genyen konsènan plan medikal oswa dwòg nou an. Pou jwenn yon entèprèt, jis rele nou nan (833) 388-8168 (TTY:711). Yon moun ki pale Kreyòl kapab ede w. Sa a se yon sèvis ki gratis. **Polish:** Umożliwiamy bezpłatne skorzystanie z usług tłumacza ustnego, który pomoże w uzyskaniu odpowiedzi na temat planu zdrowotnego lub dawkowania leków. Aby skorzystać z pomocy tłumacza znającego język polski, należy zadzwonić pod numer (833) 388-8168 (TTY:711). Ta usługa jest bezpłatna. **Japanese:** 当社の健康 健康 保険と薬品 処方薬プランに関するご質問にお答えするため に、無料の通訳サービスがあります。通訳 をご用命になるには、(833) 388-8168 (TTY:711) にお電話ください。日本語を話す人 者 が支援いたします。これは無料のサービスです。 **Khmer:** យើងមានសេវាកម្មបកប្រែដោយឥតគិតថ្លៃដើម្បីឆ្លើយសំណួរទាំងឡាយណាដែលអ្នកមានស្តីអំពីគម្រោងសុខភាព ឬឱសថរបស់យើង។ ដើម្បីទទួលបានអ្នកបកប្រែ សូមទូរស័ព្ទមកយើងតាមរយៈលេខ (833) 388-8168 (TTY:711) ។ អ្នកនិយាយភាសាខ្មែរណាម្នាក់អាចជួយអ្នកបាន។ នេះគឺជាសេវាកម្មឥតគិតថ្លៃ។ **Thai:** เรามีบริการล่ามฟรีเพื่อตอบคำถามที่คุณอาจมีเกี่ยวกับสุขภาพหรือยาของเรา หากคุณต้องการล่ามแปลภาษาไทย เพียงโทรหาเราที่ (833) 388-8168 (TTY:711) บุคคลที่พูดภาษาอังกฤษสามารถช่วยคุณได้ นี่คือการบริการฟรี

Arabic: إننا نقدم خدمات المترجم الفوري المجانية للإجابة عن أي أسئلة تتعلق بالصحة أو جدول الأدوية لدينا. للحصول على مترجم فوري، ليس عليك سوى الاتصال بنا على (833) 388-8168 (TTY:711). سيقوم شخص ما بتحدث العربية بمساعدتك. هذه خدمة مجانية.

이 처방집은 04/01/2025에 업데이트되었습니다. 최신 정보 또는 기타 궁금하신 사항은 Clever Care Health Plan 회원 서비스로 **1-833-808-8164 (TTY: 711)**에, 10월 1일부터 3월 31일까지는 주 7일 오전 8시부터 오후 8시까지, 4월 1일부터 9월 30일까지는 평일(주 5일) 오전 8시부터 오후 8시까지 문의해 주십시오. 또는 **ko.clevercarehealthplan.com/formulary**를 방문해주십시오.